

MINISTRY OF EDUCATION SOUTHERN PROVINCE

BIDDING DOCUMENT FOR

CONSTRUCTION OF THE RETAINING WALL AT ZONAL EDUCATION OFFICE - AKURESSA

Issued to	:
Date	:
Contract No Employer The Secretary, Ministry of Education Ground Floor, "Dak Ministry Complex. Labuduwa, Galle.	n - Southern Province,

M/C/25/52

CONTENTS

VOLUME 1

SECTION 1 – INSTRUCTIONS TO BIDDER

SECTION 2 – STANDARD FORMS (CONTRACT)

SECTION 3 – CONDITIONS OF CONTRACT

VOLUME 2

INVITATION FOR BIDS

SECTION 4 - FORM OF BID AND QUALIFICATION INFORMATION

SECTION 5 - SCHEDULE

SECTION 6 - SPECIFICATIONS

SECTION 7 – BILLS OF QUANTITIES

SECTION 8 – DRAWINGS

SECTION 9 - STANDARD FORMS (BID)

Volume 1 consisting of section 1, section 2, section 3 will be applicable for this contract shall be given Volume 1 of "Standard Bidding Document, Procurement of Works, Minor Contracts", CIDA publication No: CIDA /SBD/03, Second edition, January 2007, published by the Construction Industry Development Authority (CIDA), Savusiripaya, 123, Wijerama Mawatha, Colombo 07.

The above Document will not be issued with the Bidding Document and Bidder is advised to purchase it from ICTAD.

INVITATION FOR BIDS

පුසම්පාදන දැන්වීම

දකුණු පළාත් අධාාපන, ඉඩම් හා ඉඩම් සංවර්ධන,මහා මාර්ග හා පුවෘත්ති අමාතාාංශය දකුණු පළාත් සභාව

පළාත් නිශ්චිත සංවර්ධන පුදාන, ක්ලීන් ශී ලංකා වැඩසටහන හා නඩත්තු සැලැස්ම 2025 යටතේ කිුයාත්මක කරනු ලබන පහත සඳහන් වැඩ යෝජනා සඳහා සුදුසුකම් ලත් කොන්තුාත් කරුවන්ගෙන්, දකුණු පළාත් අධාාපන අමාතාාංශයේ පුසම්පාදන කමිටු සභාපති විසින් ලංසු පත් කැඳවනු ලැබේ.

අනු	වාහාපෘති	පාසල	වැඩ විස්තරය	කර්මාන්	ආපසු	ලංසු	අවශා	මුළු
අං	අංකය			තය ඉටු	නොගෙව	සුරක්ෂණ	CIDA	පිරිවැය
ක				කරනු	නු ලබන	වටිනාකම	ලියාප	ඇස්ත
ය				ලබන	ඇප	රු.	දි∘චිය	මේන්තු
				වාහපෘති	තැන්පත්			මුදල vat
				සැලැස්ම	මුදල රු.			සමග
								රු. මි.
1	G/C/25/34	ගා/උඩුගම ම.වි	70*25 දෙමහල්	පළාත්				
			ගොඩනැහිල්ලේ -	නිශ්චිත නිශ්චිත			C 8	
			වහල		2,500.00	34,000.00	ගෝ	4.34
			අලුත්වැඩියාව				ඉහළ	
2	G/C/25/35	ගා/හියාරේ	90*25	පළාත්				
		නැහෙනහිර ක.වි	ගොඩනැහිල්ලේ	නිශ්චිත			C 9	
			කොරිඩෝව		1,500.00	26,000.00	හෝ ඉහළ	3.40
			ඉදිකිරීම				80	
3	G/C/25/36	ගා/තිත්තගල්ල	180*25 පුධාන	පළාත්			C 0	
		අටානිකිත ක.වි	ශාලාවේ වහල	නිශ්චිත	2,500.00	35,000.00	C 8 හෝ	4.41
			අලුත්වැඩියාව				ඉහළ	
4	G/C/25/37	ගා/හපුගල පුා.වි	මායිම් තාප්පය	නඩත්තු			C 9	
			ඉදි කිරීම	සැලැස්ම	1,500.00	27,000.00	හෝ ඉහළ	3.46
5	G/C/25/38	ගා/නරාවල ම.වි	80*20	නඩත්තු			C 8	
			ගොඩනැහිල්ල	සැලැස්ම	2,500.00	32,000.00	ගෝ නෝ	4.10
			අලුත්වැඩියාව				ඉහළ	
6	G/C/25/39	ගා/ප∘චාලිය පුා.වි	පාසල්	නඩත්තු			C 9	
			ගොඩනැහිල්ල	සැලැස්ම	1,500.00	21,000.00	ග ෝ	2.73
			අලුත්වැඩියාව				ඉහළ	
7	G/C/25/40	ගා/කළාහාණතිස්ස	80*20	නඩත්තු				
		විදාහලය	ගොඩනැහිල්ලේ	සැලැස්ම	1,500.00	22,000.00	C 9 හෝ	2.88
			වහල		1,500.00	22,000.00	ඉහළ	2.00
			අලුත්වැඩියාව					

8	G/C/25/41	ගා/ජයවර්ධන	80*20	නඩත්තු				
	0, 0, 20, 11	විදාහලය	ගොඩනැ හි ල්ල	සැලැස්ම	1,500.00	25,000.00	C 9 හෝ	3.14
			අලුත්වැඩියාව		1,300.00	23,000.00	ඉහළ	3.14
9	G/C/25/42	ගා/පැදින්නොරුව	60*20	නඩත්තු				
		සරණපාල ජයන්ති	 ගොඩනැහිල්ලේ	සැලැස්ම			C 9	
		් පා.වි	වහල		1,500.00	26,000.00	හෝ	3.35
			අලුක්වැඩියාව				ඉහළ	
10	G/C/25/43		100*25	නඩත්තු				
		සුදර්ශි ම.වි	ගොඩනැහිල්ලේ -	සැලැස්ම			C 9	
			වහල		1,500.00	30,000.00	හෝ • • • • • • • • • • • • • • • • • • •	3.91
			අලුක්වැඩියාව				ඉහළ	
11	G/C/25/44	ගා/මීගහගොඩ	50*20 විදාහාගාර	නඩත්තු				
		ක.වි	ගොඩනැ හි ල්ලේ	සැලැස්ම			C 9	
			වහල		1,500.00	31,000.00	ග ෝ	3.93
			අලුත්වැඩියාව				ඉහළ	
12	G/C/25/45	ගා/කඩිහිංගල ම.වි	70*20 දෙමහල්	නඩත්තු				
			ගොඩනැහිල්ලේ	සැලැස්ම			C 9	
			විදුලි පද්ධතිය		1,500.00	17,000.00	හෝ ඉහළ	2.12
			නවීකරණය				900	
13	G/C/25/46	අම්බලන්ගොඩ	කාර්යාල	නඩත්තු			C 9	
		කලාප අධාහාපන	ගොඩනැහිල්ල	සැලැස්ම	1,500.00	20,000.00	හෝ	2.49
		කාර්යාලය	අලුත්වැඩියාව				ඉහළ	
14	G/C/25/47	ගා/වටරැක ශී	40*20	නඩත්තු			C 9	
		සෝභිත විදාහලය	ගොඩනැහිල්ල	සැලැස්ම	1,500.00	25,000.00	හෝ	3.22
			අලුත්වැඩියාව				ඉහළ	
15	G/C/25/48	ගා/විදාහනන්ද	පැති බැම්ම	නඩත්තු	2.500.00	24 000 00	C 8	4.40
		ක.වි	අලුත්වැඩියාව	සැලැස්ම	2,500.00	34,000.00	හෝ ඉහළ	4.40
16	G/C/25/49	ගා/උනන්නවිටිය	90*20	නඩත්තු			C 8	
		රේවත ම.වි	ගොඩනැහිල්ල	සැලැස්ම	2,500.00	36,000.00	හෝ	4.66
			අලුත්වැඩියාව				ඉහළ	
17	G/C/25/50	ගා/සිරි පඹංකර	80*20	නඩත්තු				
		පුා.වි	ගොඩනැහිල්ලේ	සැලැස්ම	1 500 00	25,000,00	C 9 හෝ	3.15
			වහල		1,500.00	25,000.00	ඉහළ ඉහළ	3.13
			අලුත්වැඩියාව					
18	G/C/25/51	ගා/බටදූව සිරි	90*25	නඩත්තු			C 9	
		රතනජෝති ම.වි	ගොඩනැහිල්ල	සැලැස්ම	1,500.00	26,000.00	හෝ	3.28
			අලුත්වැඩියාව				ඉහළ	
19	G/C/25/52	ගා/අක්මීමණ ම.වි	100*20	නඩත්තු	2,500.00	38,000.00	C 8	4.97
					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	හෝ	1

			ගොඩනැහිල්ල	සැලැස්ම			ඉහළ	
			අලුත්වැඩියාව				8-20	
20	G/C/25/53	ගා/ආනන්ද විජය	90*25	නඩත්තු				
	G, G, 23, 33	විදාහලය	ාර 23 ගොඩනැහිල්ලේ	පාගපා <i>ප</i> ා සැලැස්ම			C 9	
			වහල	ωίζίως	1,500.00	25,000.00	හෝ	3.21
			පහල අලුත්වැඩියාව				ඉහළ	
21	G/C/25/54	- / 4 D D B	120*20	200000				
21	G/C/23/34	ගා/ඉඳුරුව ම.වි		නඩත්තු			C 8	
			ගොඩනැතිල්ල	සැලැස්ම	3,000.00	49,000.00	හෝ ඉහළ	6.47
	0/0/07/55		අලුත්වැඩියාව				900	
22	G/C/25/55	ගා/තල∘ගහ	වැසිකිළ පද්ධතිය	පළාත්			C 9	
		සරස්වතී දෙමළ	ඉදි කිරීම	නිශ්චිත	1,000.00	16,000.00	ගෝ	1.99
		පාසල					ඉහළ	
23	G/C/25/56	ගා/දික්කුඹුර	120*30 පුධාන	පළාත්			C 8	
		සිද්ධාර්ථ ම.වි	ශාලාව	නිශ්චිත	2,500.00	40,000.00	ල ගෝ	5.29
			නවීකරණය				ඉහළ	
24	G/C/25/57	ගා/ලේල්වල ක.වි	80*20	පළාත්			C 8	
			ගොඩනැහිල්ල	නිශ්චිත	3,500.00	75,000.00	ලහා නේ	9.93
			අලුත්වැඩියාව				ඉහළ	
25	G/C/25/58	ගා/පොරවගම	පැති බැම්ම	පළාත්	1		C 8	
		ක.වි	අලුත්වැඩියාව	නිශ්චිත	2,500.00	34,000.00	හෝ ඉහළ	4.39
26	G/C/25/59	ගා/ගතේගම	80*20 නව	පළාත්				
		රෝමානු	ගොඩනැහිල්ල ඉදි	නිශ්චිත	1,500.00	20,000.00	C 9 හෝ	2.60
		කතෝලික පාසල	කිරීම		1,500.00	20,000.00	ඉහළ	2.00
27	G/C/25/60	ගා/ශීපති ම.වි	80*20	පළාත්				
	3, 2, 25, 00		ගොඩනැහිල්ල ඉදි	නිශ්චිත	2.500.00	27 000 00	C 8	4.70
			කිරීම - කිරීම	2,0,000	2,500.00	37,000.00	හෝ ඉහළ	4.79
20	C/C/25/61	(a-/@-@		aa			3	
28	G/C/25/61	ගා/මාමන දොළ	90*20	පළාත්				
		ක.වි	ගොඩනැහිල්ලේ	නිශ්චිත	2,500.00	32,000.00	C 8 හෝ	4.15
			වහල		, , , , , , , , ,	,	ඉහළ	
			අලුත්වැඩියාව					
29	G/C/25/62	ගා/උක්වත්ත	90*25 තෙමහල්	පළාත්				
		විදාහලය	ගොඩනැහිල්ලේ	නිශ්චිත	2,500.00	41,000.00	C 8 හෝ	5.42
			ඉදි කිරීම (ඉතිරි		2,500.00	+1,000.00	ඉහළ ඉහළ	3.44
			වැඩ)					
30	G/C/25/63	ගා/අක්කරවිස්ස	මායිම් තාප්පය	පළාත්			C 9	
		ක.වි	අලුත්වැඩියාව	නිශ්චිත	1,500.00	25,000.00	හෝ	3.21
							ඉහළ	

31	G/C/25/64	ගා/කළුවලගල	40*20	a mamb				
31	G/C/23/04	ක.වි	ගොඩනැහිල්ල ඉදි කිරීම	පළාත් නිශ්චිත	3,000.00	46,000.00	C 8 හෝ ඉහළ	6.07
32	G/C/25/65	ගා/අවිත්තාව නාලන්දා ම.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.73
33	G/C/25/66	ගා/මහින්ද රාජපක්ෂ ම.වි	මායිම් තාප්පය අලුත්වැඩියාව	පළාත් නිශ්චිත	3,000.00	61,000.00	C 8 හෝ ඉහළ	7.88
34	G/C/25/67	ගා/ගුණානන්ද පුා.වි	50*25 ගොඩනැහිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	17,000.00	C 9 හෝ ඉහළ	2.16
35	G/C/25/68	ගා/බී.ටී.එස් විදාහාලය	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.07
36	G/C/25/69	ගා/මාවඩවිල ම.වි	90*25 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	24,000.00	C 9 හෝ ඉහළ	3.01
37	G/C/25/70	ගා/සිරිනිවාස ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	40,000.00	C 8 හෝ ඉහළ	5.31
38	G/C/25/71	ගා/දොළහේන ක.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	43,000.00	C 8 හෝ ඉහළ	5.69
39	G /C/25/72	ගා/පිලාන තක්ෂිලා පුා.වි.	මායිම් තාප්පය නවීකරණය	පළාත් නිශ්චිත	1,000.00	14,000.00	C9 හෝ ඉහළ	1.8
40	G /C/25/73	ගා/සංඝරතන පුා.වි.	100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.4
41	G/C/25/74	ගා/තෙලිකඩ ම.වි.	80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	35,000.00	C8 හෝ ඉහළ	4.5
42	G/C/25/75	ගා/කරන්දෙණිය ක.වි.	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	29,000.00	C9 හෝ ඉහළ	3.7

43	G/C/25/76	ගා/ලේනගල්පලා ත ක.වි.	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	27,000.00	C9 හෝ ඉහළ	3.4
44	G /C/25/77	ගා/රතනසාර ම.වි.	100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	23,000.00	C9 හෝ ඉහළ	2.9
45	G /C/25/78	ගා/යටගල ම.වි.	මායිම් තාප්පය අලුත්වැඩියා කිරීම.	පළාත් නිශ්චිත	2,500.00	39,000.00	C8 හෝ ඉහළ	5.1
46	G /C/25/79	ගා/ඕල්කට් ම.වි	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	40,000.00	C8 හෝ ඉහළ	5.3
47	G /C/25/80	ගා/තෙල්ලඹුර විජය ක.වි.	පැති බැම්ම ඉදි කිරීම.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.3
48	G /C/25/81	ගා/හියාරේ ම.වි.	80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	45,000.00	C8 හෝ ඉහළ	5.8
49	G /C/25/82	ගා/උස්වතුන් හසානා ම.වි.	160*25 තෙමහල් ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.4
50	G /C/25/83	ගා/බුද්ධදත්ත පුා.වි.	120*20 පුධාන ශාලාව අලුත්වැඩියාව	පළාත් නිශ්චිත	3,500.00	64,000.00	C8 හෝ ඉහළ	8.4
51	G /C/25/84	ගා/සිරි අභයතිස්ස ක.වි.	දෙමහල් ගොඩනැහිල්ලේ යකඩ ගුීල් සවි කිරීම.	නඩත්තු සැලැස්ම	1,000.00	16,000.00	C9 හෝ ඉහළ	1.9
52	M/C/25/31	මාර/පර්සි අබේවර්ධන විදාහලය	80*20 ගොඩනැතිල්ලේ වහල අලුත්වැඩියාව.	නඩත්තු සැලැස්ම	2,500.00	40,000.00	C8 හෝ ඉහළ	5.3
53	M/C/25/44	මාර/ජිනරාජ ක.වි.	වැසිකිළි පද්ධතිය අලුත්වැඩියා කිරීම.	පළාත් නිශ්චිත	1,500.00	22,000.00	C9 හෝ ඉහළ	2.1
54	M/C/25/52	අකුරැස්ස කලාප අධාාපන කාර්යාලය	පැති බැම්ම පුතිසංස්කරණය කිරීම	නඩත්තු සැලැස්ම	1,500.00	28,000.00	C 9 හෝ ඉහළ	3.59
55	M/C/25/53	මාර/කරගොඩ උයන්ගොඩ ම.වි	වැසිකිළි පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,000.00	C 9 හෝ ඉහළ	2.57
56	M/C/25/54	මාර/බැරගම ක.වි	වැසිකිළි පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	19,000.00	C 9 හෝ ඉහළ	2.42
57	M/C/25/55	මාර/පොල්වත්ත පුා.වි	පුධාන ශාලාව අලුත්වැඩියා කිරීමේ ඉතිරි වැඩ සම්පූර්ණ කිරීම	පළාත් නිශ්චිත	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.48
58	M/C/25/56	මාර/මාතර ආදර්ශ ප්රා.වි	වැසි ජලය කළමනාකරණ පද්ධතිය	පළාත් නිශ්චිත	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.69

	1		නවීකරණය කිරීම					
			210210000 2100					
59	M/C/25/57	මාර/කිරින්ද ආදර්ශ පුා.වි	70*25 දෙමහල් ගොඩනැගිල්ල නවීකරණය කිරීම	පළාත් නිශ්චිත	4,000.00	79,000.00	C 7 හෝ ඉහළ	10.43
60	M/C/25/58	මාර/කල්පාවිල ම.ම.වි	කීඩා පිටිය ස∘වර්ධනය කිරීම	පළාත් නිශ්චිත	2,500.00	42,000.00	C 8 හෝ ඉහළ	5.47
61	M/C/25/59	මාර/කඹුරුගමුව ම.වි	80*20 තනි මහල් ගොඩනැගිල්ල 90*25 දෙමහල් ගොඩනැගිල්ලට නවීකරණය කිරීම (අදියර 01)	පළාත් නිශ්චිත සංවර්ධන පුදාන	4,000.00	88,000.00	C 7 හෝ ඉහළ	11.69
62	M/C/25/60	මාර/බෙලිදෙණිය ම.වි	60*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියා කිරීම	පළාත් නිශ්චිත	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.57
63	H/C/25/26	හ/මහගල්වැව ක.වි	90*25 දෙමහල් ගොඩනැහිල්ලේ බිම මහලේ කාර්යාල කාමරය සකස් කිරීම	නඩත්තු සැලැස්ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.73
64	H/C/25/27	හ/දුටුගැමුණු ම.වි	90*25 තෙමහල් ගොඩනැහිල්ලේ වහලය අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	3.05
65	H/C/25/28	හ/සපුතන්තුීකන්ද පුා.වි	පැති බැම්ම හා ජල කුඑණ ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,500.00	C 9 හෝ ඉහළ	2.7
66	H/C/25/29	හ/මිද්දෙනිය ම.වි	රැඳවුම් තාප්පය ඉදිකිරීම (කුීඩා පිටිය සඳහා ආරක්ෂක තාප්පය)	පළාත් නිශ්චිත	3,000.00	47,500.00	C 8 හෝ ඉහළ	6.27
67	H/C/25/30	හ/ගමේ්යාය ක.වි	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.55
68	H/C/25/31	තංගල්ල කලාප අධාාපත කාර්යාලයේ	මායිම් තාප්පය ඉදිකිරීම(ඉතිරි වැඩ)	පළාත් නිශ්චිත	1,000.00	12,000.00	C 9 හෝ ඉහළ	1.49
69	H/C/25/32	හ/බෙලිඅත්ත ම.ම.වි	100*20 තාක්ෂණික විදාාාගාරය ගොඩනැහිල්ල නවීකරණය	පළාත් නිශ්චිත	3,500.00	67,500.00	C 8 හෝ ඉහළ	8.91
70	H/C/25/33	හ/කදිරගොඩ පුා.වි	වැසිකිළ අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	18,000.00	C 9 හෝ ඉහළ	2.28
71	H/C/25/34	හ/ගොඩවානගොඩ ක.වි	වැසිකිළි අලුත්වැඩියාව සහ මායිම් තාප්පය අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.67
72	H/C/25/35	හ/කුඩාවැල්ල ක.වි	වැසිකිළි අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,000.00	14,000.00	C 9 ගෝ	1.82

	T	T	T	1	1		ı	1
							ඉහළ	
73	H/C/25/36	හ/රදනිආර ම.වි	පරිගණක විදාහාගාරය අලුත්වැඩියා කිරීම	නඩත්තු සැලැස්ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	2.94
74	H/C/25/37	හ/කිරම ධම්මානන්ද පුා.වි	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	37,000.00	C 8 හෝ ඉහළ	4.80
75	H/C/25/38	හ/කෑරදෙනිය ක.වි	40*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	28,000.00	C 9 හෝ ඉහළ	3.69
76	H/C/25/39	හ/අගලබඩ ක.වි	60*20 ගොඩනැහිල්ල අලුත්වැඩියා කිරීම	නඩත්තු සැලැස්ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	2.97
77	H/C/25/40	හ/අල්අමීර් මුස්ලිම විදාහලය	මායිම් තාප්පය අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	16,000.00	C 9 හෝ ඉහළ	2.08
78	H/C/25/41	හ/පල්ලෙජූලම්පිටි ය ම.වි	60*20 ගොඩනැහිල්ල අලුත්වැඩියා කිරීම	නඩත්තු සැලැස්ම	1,500.00	30,000.00	C 9 හෝ ඉහළ	3.93
79	H/C/25/42	හ/කැකිරිඕබඩ ක.වි	පුස්තකාල ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	39,000.00	C 8 හෝ ඉහළ	5.1
80	H/C/25/43	හ/බෙරලිහෙල ම.වි	80*20 ගොඩනැහිල්ල සහ 50*25 කාර්යාල ගොඩනැහිල්ල වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.74
81	H/C/25/44	හ/ගැටමාන්න දකුණ ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	37,000.00	C 8 හෝ ඉහළ	4.87
82	H/C/25/45	හ/ගැටමාන්න උතුර ක.වි	100*20 ගොඩනැතිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	39,000.00	C 8 හෝ ඉහළ	5.07
83	H/C/25/46	හ/බූන්දල ක.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.22
84	H/C/25/47	හ/පලපොත ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.55
85	H/C/25/48	හ/බටඅත දකුණ ක.වි	40*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	19,000.00	C 9 හෝ ඉහළ	2.49
86	H/C/25/49	හ/කහවත්ත ම.වි	නෙප්චූන් ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	3,000.00	61,000.00	C 8 හෝ ඉහළ	8.00
87	H/C/25/50	හ/කණුකැටිය ක.වි	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	24,000.00	C 9 හෝ ඉහළ	3.06

88	H/C/25/51	හ/දෙබරවැව	120*20					
00	11/ C/ 23/ 31	ජනාධිපති	ගොඩනැහිල්ලෙ -				C 8	
		විදාහාලය	වහල	නඩත්තු			ගෝ	5.25
		- 40	අලුක්වැඩියාව -	සැලැස්ම	2,500.00	40,000.00	ඉහළ	
89	H/C/25/52	හ/දෙනිය පි∘ගම	80*20		,	,	8 0	
	, 0, 20, 02	ක.වි	ගොඩනැහිල්ලේ				C 9	
			වහල	නඩත්තු			ග ෝ	2.44
			අලුක්වැඩියාව	සැලැස්ම	1,500.00	19,000.00	ඉහළ	
90	H/C/25/53	හ/මීගහවෙල ක.වි	120*20	101		,	3 0	
			ගොඩනැහිල්ලේ				C 9	2.2
			වහල සහ වැසිකිළි	පළාත්			හෝ	2.2
			අලුත්වැඩියාව	නිශ්චිත	1,500.00	17,000.00	ඉහළ	
91	H/C/25/54	හ/මොරයාය ම.වි	120*20				C 8	
			ගොඩනැහිල්ල	පළාත්			ග ෝ	7.94
			අලුත්වැඩියාව	නිශ්චිත	3,000.00	60,000.00	ඉහළ	
92	H/C/25/55	හ/වෑකඳවල	120*20				C 8	
		ජනපද ම.වි	ගොඩනැහිල්ල	පළාත්			ග ෝ	8.33
			අලුත්වැඩියාව	නිශ්චිත	3,500.00	63,000.00	ඉහළ	
93	H/C/25/56	හ/හිභුරකන්ද ම.වි	72*16					
			ගොඩනැහිල්ල				C 9	1.81
			පුතිසංස්කරණය	පළාත්			ග ෝ	1.01
			කිරීම	නිශ්චිත	1,000.00	14,000.00	ඉහළ	
94	H/C/25/57	හ/ලුණුගම්වෙහෙර	වැසිකිළි පද්ධතිය				C 9	
		ම.වි	ඉදිකිරීම	පළාත්	_		ග ෝ	2.00
				නිශ්චිත	1,500.00	16,000.00	ඉහළ	
95	H/C/25/58	හ/කටුවන පුා.වි	විදාහලයේ පැති	පළාත්			6.0	
			පැම්ම ඉදි කිරීම	නිශ්චිත			C 8	4.55
				ස∘වර්ධන	2 500 00	35 000 00	හෝ	
96	11/0/25/50	හ/රතනජෝති		පුදාන	2,500.00	35,000.00	ඉහළ	
90	H/C/25/59		පැතිබැම්ම ඉදි කිරීම (කීඩා පිටිය	P			C 8	5.28
		පුා.වි,ගභුලන්දෙනි	ඉදිරිපස)	පළාත් නිශ්චිත	2,500.00	40,000.00	හෝ	5.28
97	H/C/25/60	ය හ/වැවේගම ක.වි	60*20	නශවත	2,300.00	40,000.00	ඉහළ C 9	
91	П/С/23/60	හැපැම්පිහිම කි.ප	60°20 ගොඩනැහිල්ල	නඩත්තු			හෝ නෝ	3.10
			අලක්වැඩියාව - අලක්වැඩියාව	නාගනන සැලැස්ම	1,500.00	24,000.00	ඉහළ	3.10
98	H/C/25/61	හ/පොළොම්මාරුව	වැසිකිළි	<u> </u>	1,500.00	24,000.00	C 9	
70	П/С/23/01	ආදර්ශ විදාහලය	අලුත්වැඩියාව - අලුත්වැඩියාව	නඩත්තු			හෝ නෝ	2.2
		45406 04550		නාගනානු සැලැස්ම	1,500.00	17,000.00	ඉහළ	2.2
99					2,500.00	17,000.00	C 9	
	G/CSL/25/01	ගා/උනන්විටිය	පැති බැම්ම ඉදි	ක්ලීන් ශී			හෝ	2.8
	3, 352,20, 31	රේවත ම.වි.	කිරීම	ල∘කා	1,500.00	23,000.00	ඉහළ	
100		/. 200	80 X 20	PG P G			C 9	
	G/CSL/25/02	ගා/ඇත්තිලිගොඩ සාද්යි බ වි	ගොඩනැගිල්ල	ක්ලීන් ශී	1 000 00	16 000 00	ග ෝ	
		සුදර්ශි ම.වි.	නවීකරණය	ලංකා	1,000.00	16,000.00	ඉහළ	1.9
101				~2~ · 2			C 9	
	G/CSL/25/03	ගා/දෙල්ලව ම.වි.	පැති බැම්ම ඉදි කිරීම	ක්ලීන් ශී ලංකා	1 500 00	20,000,00	ගෝ	
			س ح	G~mn	1,500.00	29,000.00	ඉහළ	3.6
102		මාර/දම්පැල්ල	 සංගීත හා නැටුම්	ක්ලීත් ශී			C 9	
	M/CSL/25/01	ම.වී.	කාමර නවීකරණය -	ළංකා ලංකා	1,000.00	9,000.00	හෝ	
	0.1007.10.7.10				_,000.00	2,000.00	ඉහළ	1.1
10	G/CSL/25/0	ගා/ රතනසිරි	ගැහැණු වැසිකිලි	ක්ලීන් ශී			C 9	
3	4	රාජකීය විදාහාලය	ඉදි කිරීම	ල∘කා	1,500.00	29,000.00	හෝ	3.7
							ඉහළ	
							l	

10 4	G/CSL/25/0 5	ගා/ අනුරුද්ධ ක.වි.	වැසිකිලි නවීකරණය (පිරිමි වැසිකිලි 02 හා ගැහැණු වැසිකිලි 04)	ක්ලීන් ශී ලංකා	1,000.00	8,000.00	C 9 හෝ ඉහළ	1.0
10 5	G/CSL/25/0 6	ගා/සිරි අහයතිස්ස ම.වි.	ගුරුවරුන්ගේ සහ සිසුන්ගේ වැසිකිලි නවීකරණය	ක්ලීත් ශී් ලංකා	1,500.00	22,000.00	C 9 හෝ ඉහළ	2.8
10 6	G/CSL/25/0 7	ගා/දික්කුඹුර පුා.වි.	වැසිකිලි පද්ධතියක් ඉදි කිරීම	ක්ලීන් ශී ලංකා	2,500.00	33,000.00	C 8 හෝ ඉහළ	4.2
10 7	G/CSL/25/0 8	ගා/හව්පේ ම.වි.	වැසිකිලි නවීකරණය	ක්ලීන් ශී ලංකා	1,000.00	7,000.00	C 9 හෝ ඉහළ	0.9
10 8	G/CSL/25/0 9	ගා/හප්පිටිය ක.වි.	ගුරුවරුන්ගේ වැසිකිලි ඉදි කිරීම	ක්ලීන් ශී ලංකා	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.7
10 9	G/CSL/25/1 0	ගා/බටපොල ම.ම.වි.	වැසිකිලි ඉදි කිරීම	ක්ලීන් ශී ලංකා	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.3

02. ජාතික තරහකාරී ලංසු පටිපාටිය මත ලංසු ඉදිරිපත් කළ යුතුය. කොන්තුාත් පුදානයේදී සුදුසුකම් ලබන සාර්ථක ලංසුකරුවන් අසාධු ලේඛනගත නොවිය යුතු අතර ඉදිකිරීම් කර්මාන්ත සංවර්ධන අධිකාරියේ ඉහත කාණ්ඩ යටතේ ලියාපදිංචි වී සිටිය යුතුය.

03.ලංසු අයදුම්පත් 2025.06.18 දින සිට 2025.07.03 දින දක්වා පෙ.ව 9.00 සිට ප.ව 3.00 දක්වා ඉහත දක්වා ඇති පරිදි ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාංශයේ ගිණුම් අංශයේ සරප් වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සිය ඉදිරිපත් කර හෝ ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාංශ ලේකම් නමින් ගාල්ල කොටුව ලංකා බැංකුවේ ඇති ගිණුම් අංක 1587423 ට බැර කර රිසිට් පත සමග ඔබගේ ඉල්ලීම් ලිපිය ද.ප. අධාාපන අමාතාංශයේ 070 7130700 දරණ වට්ස්අප් අංකයට පමණක් හෝ acc.moesp@gmail.com ඊ මේල් ලිපිනයට පමණක් යොමු කිරීමෙන් ඔබට අවශා ලංසු පතුිකා තැපැල් මගින් හෝ කූරියර් කර හෝ ඊමේල් මගින් හෝ වටස්අප් මගින් ගෙන්වා ගැනීමට හෝ ලබුදුව,දක්ෂිණපාය අධාාපන අමාතාාංශයෙන් (බිම් මහල) ගිණුම් අංශයෙන් ලබා ගත හැකිය. වැඩි විස්තර අමාතාාංශයේ 091-2030700 දුරකථන අංකයට වැඩ කරන දින ඇමතීමෙන් හෝ ද.ප. අධාාපන අමාතාාංශ වෙබ් අඩවියට www.edumin.sp.gov.lk

04. මුදුා තබන ලද ලංසු පතුිකා 2025.07.04 පෙ.ව 11.00 ට පෙර ලැබෙන සේ ලේකම්, දකුණු පළාත් අධාාපන අමාතාංශය, දක්ෂිණපාය, ලබුදුව, ගාල්ල යන ලිපිනයට ලියාපදිංචි තැපෑලෙන් එවීමට හෝ අතින් රැගෙන විත් පුධාන ගණකාධිකාරී නිල කාමරයේ තබා ඇති ටෙන්ඩර් පෙට්ටියට බහාලිය හැකිය. පුමාද වී ලැබෙන ලංසු පුතික්ෂේප කරනු ලැබේ. 05.ලංසු විවෘත කිරීම 2025.07.04 දින පෙ.ව 11.00 ට ලංසු පතිකා භාරගෙන අවසන් වූ වහාම දකුණු පළාත් අධාාපන අමාතාාංශයේ පුසම්පාදන කමිටු සභාපතිගේ පුධානත්වයෙන් අමාතාාංශයේදී සිදු කරන අතර එම අවස්ථාවට ලංසුකරුට හෝ ලංසුකරුගේ බලයලත් නියෝජිතයන් හට සහභාගී විය හැක.

06. ලංසුව සමහ ඉදිරිපත් කරන ලංසු සුරක්ෂණය ශී ලංකා වාණිජ බැංකුවකින් දකුණු පළාත් අධාාපන අමාතාංශයේ ලේකම් නමට ලබා ගත් 2025.07. 04 දින සිට 2025.10.04 දක්වා වලංගු ලංසු ඇපකරයක් හෝ අධාාපන අමාතාාංශයේ ගිණුම් අංශය වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සියේ පිටපත ලංසු පතිකාව සමහ ඉදිරිපත් කළ යුතුය.

07. ලංසු වලංගු කාලය දින 77 කි.

08. ඉදිරිපත් කරනු ලබන කර්මාන්තයට අදාල ලංසු පිටපත් දෙකකින් යුතුව ඉදිරිපත් කළයුතු අතර එහි මුල් පිටපතහි " මුල් පිටපත" යනුවෙන් සඳහන් කළ යුතු අතර අනු පිටපතෙහි " අනුපිටපත" යනුවෙන් සඳහන් කළ යුතුය. ලංසුපත් වල මුල් පිටපත හා අනුපිටපත වෙන වෙනම කවරවල බහා මුදුා තබා එම කවර දෙක එක් කවරයක බහා එම කවරය මුදුා තබා කවරයේ වම් පස උඩකෙළවරේ කර්මාන්තයේ නම සහ අංකය සඳහන් කළ යුතුය.

09. ඔබ විසින් ඉදිරිපත් කිරීමට නියමිත සෑම ලංසු පතිකාවෙහිම මිල ගණන් සඳහන් කර ඇති පිටු අංකයන්හි ඔබ විසින් සඳහන් කළ යුතු ඒකක මිල ගණන් හා මුළු මුදල දැක්වෙන තීරය සහ සාරාංශයද (වට්ටම් දැක්වෙන තීරයද ඇතුලත්ව) විනිවිද පෙනෙන සේ සෙලෝටේප් කර ලංසු ඉදිරිපත් කිරීම අනිවාර්ය වේ.

10. ද.ප. අධාාාපන අමාතාංශය දැනටමත් දකුණු පළාතේ පාසල්වල ඉදිකිරිම් අලුත්වැඩියා හා නඩත්තු කටයුතුවලට අදාල වාාාපෘති සියයක පමණ පුසම්පාදන කටයුතු අවසන් කර ඉදිකිරිම් කටයුතු ආරම්භ කර ඇත.එමෙන්ම මෙම වාාාපෘති එකසිය නමයෙහි ද පුසම්පාදන කටයුතු හැකි ඉක්මනින් අවසන් කර වාාපෘතිවල වැඩ 2025 වසරේ දෙසැම්බර් මස වනවිට අවසන් කල යුතු බැවින් ලංසුකරුවන්ගේ ධාරිතාවය පිළිබඳ ලංසු පුදානයේදී සලකා බලනු ලැබේ.

11.අඩුපාඩු සහිත ලංසුපතිකා පුතික්ෂේප කරනු ලබන ලැබේ. මෙම පුසම්පාදනය සම්බන්ධයෙන් පුසම්පාදන කමිටුවේ තී්රණය අවසාන තී්රණය බව සැලකිය යුතුය.

ඒ.යූ.වේලාරත්න, පුසම්පාදන කමිටු සභාපති, දකුණු පළාත් අධාාපන අමාතාාංශය, පළමු මහල, දක්ෂිණපාය, ලබුදූව, ගාල්ල.

2025.06.18

දුරකථන අංකය - 0912030700 ඊමේල් - acc.moesp@gmail.com

SECTION 4

FORM OF BID & QUALIFICATION INFORMATION

FORM OF BID

Name	e of Contract	: Construction Of The Retaining Wall at Zonal Education Office – Akuressa.
То		: The Secretary, Ministry of Education – Southern Province, Ground Floor, "Dakshinapaya", Ministry Complex, Labuduwa, Galle.
Gentle	man,	
1.	SBD/ 03 - Se addenda for the such Works	ined the Standard Bidding Document - Procurement of Works - Minor Contracts [ICTAD cond Edition, January 2007], Schedule, Specifications, Drawings and Bills of Quantities and ne execution of the above-named Works, we/I the undersigned, offer to execute and complete and remedy any defect therein in conformity with the aforesaid Conditions of Contract cifications, Drawings, Bill of Quantities and Addenda for the sum of Sri Lankan Rupees
		(LKR) or such
		may be ascertained in accordance with the said Conditions.
2.	We/I acknowl	edge that the Schedule forms part of our Bid.
3.		te, if our Bid is accepted, to commence the Works as stipulated in the Schedule, and to complete the Works comprised in the Contract within the time stated in the Schedule.
4.		abide by this bid for the period stated in the Sub-Clause 15 of Instructions to Bidders or any od and it shall remain binding upon us and may be accepted at any time before the expiration of
5.		til a formal agreement is prepared and executed this Bid, together with your written acceptance constitute a binding contract between us/me.
6.	We/I understa	nd that you are not bound to accept the lowest or any Bid you may receive.
	Dated this	day of 20 in the capacity of duly authorized to sign
	tenders for and	d on behalf of(IN BLOCK CAPITALS)
	Signature	:
	Name	:
	Designation	:
	Address	:

Witness

Qualification Information

(to be completed by the bidder and submitted with the Bid)

	Eligibility Requirement			Bidder's Qualification
CIDA Registration				-
Registration number				
Grade	C 9 or above			
Specialty	Building			
Expiry Date				
Blacklisted Contractors				
Have you been declared as a d Agency?	efaulted contractor by NPA or	any other		Yes/No
IF yes provide details				
VAT Registration Number				
Construction Program ⁶	(attach as annex)			
Legal status ⁷	Public company/Private Compa	any/Partnersh	ip/S	ole proprietor
	Eligibility Requirement		Bio	dder's Qualification
Qualification and experience of key staff ⁸	Category, Experience and Qualifications ⁹ (Insert requirement)*	Required Nos.*	Pro (Na	oposed by bidder ame, experience and nalifications)
	1 Technical Officer NCT (Civil with 2years experience)	01		
	2			-
	3			
List Other information required				

Signature of the Bidder		

SECTION 5

SCHEDULE

SCHEDULE

ITB Clause	Conditi ons of Contrac	Item	Data
1.	t Clause 1.1.8	Employer is:	Name : Secretary, Ministry of Education
			Address: Ministry of Education – Southern Province Labuduwa, Galle.
	1.1.10	Engineer is:	Name : District Engineer (Building) Address: District Engineer (Building) Office, Pallimulla, Matara
1 & 13	1.1.21	Summary of Works	The Works consists of: Located at : Zonal Education Office – Akuressa. Contract Name : Construction of The Retaining Wall Zonal Education Office – Akuressa
			Contract Number : M/C/25/52
1.	1.1.14	Intended Completion Date	Intended Completion Date is 105 Days from the Start Date
2.		Source of Funds	The source of funds is:
3.		Eligibility	The requirement is CIDA C 9 or above
12.		Documents of the Bid	Any other information to Contact with 0912030700
13.	10.10	Price Adjustment	The Contract is subject to price adjustment in accordance with Sub-Clause 10.10 of the Conditions of Contract. The price adjustment shall be computed in accordance with Option B under sub clause 10.10
			Non adjustable element shall be: BOQ Item Numbers: -

OPTION B:
Type of Construction : Non Residential Buildings

16.		Bid Security	Bid shall include a Bid Security:
			• For an amount LKR. 28,000.00 Issued by an agency acceptable to Employer using the form for bid security (unconditional guarantee) included in Section 9, Standard Forms, remain valid till 04 th Octomber 2025 from bid closing.
			or
			• If paid by cash to the employer, LKR. 28,000.00
31.	4.4	Performance Security	Amount of Performance Security required is 5% of the Initial Contract Price. The form acceptable is unconditional guarantee as stranded from as per SBD/3
	<i>c</i>	Lata Camalatian	The second to be sold to 0.50/ of Initial Contract Discourse Dec

31.	7.7	refrontiance security	Contract Price. The form acceptable is unconditional guarantee as stranded from as per SBD/3
	6.4	Late Completion	The amount to be paid is 0.05% of Initial Contract Price per Day, subjected to maximum of 10% of Initial Contract Price.
	8.1	Notification of Defects	The period for Defect Notification is 150 Days from Taking Over.
	10.3	Retention	The amount of retention is 10% of certified work done. The maximum amount of retention is 05% of Initial Contract Price.
	10.12	Advance Payment	Upon the payment of the advance payment in full the Employer shall return the original of the advance payment guarantee to the Contractor.
	13.1 (c) Insurance, third party	Minimum amount for third party insurance is LKR 100,000.00
	13.1 (a) Insurance for Works, Material and plant	The Minimum cover for Insurance of the works and plant and materials is 110% of initial contract price.
	13.1	Insurance for contractor's Personal	Minimum amount for Insurance is LKR. 500,000.00
33	3. 1.1.11	Adjudicator	CIDA
	14.0	Resolution of Disputes	Deputy Chief Secretary (Engineering Services), Southern Province

Fees and types of reimbursable expenses to be paid to the Adjudicator shall be on a case to case basis and shall be shared by the Contractor and the Employer.

SECTION 6

SPECIFICATIONS

TECHNICAL SPECIFICATIONS

Technical specification that are applicable to this project are listed below.

• SCA/3/1 -	Irrigation and Land Dra	ainage
-------------	-------------------------	--------

• SCA/3/2 - Water Supply Sewerage and Storm Water Drainage

• SCA/3/3 - Reclamation Works

• SCA/3/4 - Ground Water Exploration & Exploitation

• SCA/4/I - Building Works (Vol I)

• SCA/4/II - Building Works (Vol II)

• SCA/5 - Roads and Bridges

• SCA/6 - Coastal Harbour Engineering Works

• SCA/8 - Electrical and Mechanical Works

• ICTAD/DEV/16 - Board & Cast In situ Reinforced Concerete Piles

• ICTAD/DEV/17 - Site Investigation for Building Works & Sample Bill of Quantities

• Any Other specification approved by the Government

Above publications shall be purchase from the Construction Industry Development Authority (CIDA), Savusiripaya, 123. Wijerama Mawatha, Colombo 07.

List of Timber Approved for Building Works in Galle, Matara and Hambantota Districts of the Southern Province Engineering Services

1. Trusses : Jak, Kohomba (Margosa), Nedun, Teak, Halmilla,

Satin, Palu, Milla.

2. Doors, Windows, Gates &

Gate Sashes

: Jak, Kohomba (Margosa), Teak, Nedum, Halmilla,

Satin, Milla.

3. Ledge Braces and Batten

and

Other Ordinary Doors

: Vevarana, Kolon, Welan, Eucaliptus, (Except Doors, Toilet Doors

Grandis), Liyan, Ketakala, Hedawaka.

4. Science Laboratory Furniture : Jak, Kohomba (Margosa), Teak, Nedun,

Mahaogany, Satin, Milla, Halmilla.

5. Roof and Ceiling Framework : Tawwenna, Uva Mandora, Moonamal, Ubberiya,

Eucaliptus (Except Gandis), Kirihambiliya, Etatimbiriya, Helamba, Madan, Kon, Mee, Na,

Ketakala, Liyan, Uruhonda and Dun.

Bedi del is allowed for ceiling framework and

Reepers only.

6. Valence and Barge Boarding : Gini-sapu, Welipenna, Talan, Dawul-kurundu.

Note: If above imported timbers are used contractors are advised to carry out appropriate treatment as directed by the District Engineer.

Kempes and Balaw timber are also allowed to use for all items in 1 to 6 above.

1.	All timber to be used shall conform to Standard Specification for Buildings ICTAD Publication No. SCA/4 (Volume 1).
2.	The timber shall be free from defects such as sap, wavy edges, cracks, knots, etc.
3.	Different types of timber should not be used to fabricate item of work such as trusses, door or window frames, sashes, Laboratory furniture etc.
4.	Only the timber specified in the relevant items of the Bill of Quantities shall be used. In the circumstances where such timber is not available the approval of the Engineer should be obtained to use an alternative timber.
5.	No application of any description shall be made on timber unless and until the timber is approved by Engineer, except at joints and cut ends, which must necessary be treated before assembly.
6.	The timber to be used for various items of work shall be selected from the list of timber given above.
7.	I the contractor for the construction of
	Shall hereby agree with the instructions 1 to 6 given in above timber list.
Sign	ature of Contractor :
Nam	e :

Address

SECTION 7

BILL OF QUANTITIES



District Engineer's (Buildings) office, Matara

CONSTRUCTION OF THE RETAINING WALL AT ZONAL EDUCATION OFFICE - AKURESSA

ID	Description	Unit	Qty.	Rate	Amoun
	(No Topic Assig	ned)	,		40
	<u>Demolisher</u>				
I	Demolishing rubble masonry in cement, stacking rubble and clearing debris away from site	cu.m	41.00		
	Total carried to summary				
	Earth Work				
2	Excavation for foundation by manually in any material except rock requiring blasting, part return fill in and ram, and disposing surplus within site as directed. (not exceeding 5ft depth)	cu.m	14.00		
3	Supplying and placing 110 mm U.P.V.C pipe(Type 250) in retaining walls as required	m	72.00		
4	Supplying, laying of 25 mm - 200 mm dry stone (for retaining wall)	cu.m	1.50		
5	Supplying and laying Geo-textile material 2.5 mm thick Including preparing surface as per instruction	sq.m	81.00	•	
6	Supplying and placing the 25 mm thick regifoam through the retaining wall joints.	sq.m	36.00	V Province	
7	Backfilling and compacting to behind of retaining wall with suitable quality earth including loading & transport within 1km using rammer.	cu.m	40.00		
	Total carried to summary				
	Concretor				
8	Cement concrete 1:3:6 (1 1/2") above 3.00 m3 (Shuttering paid separately) incl: curing. Using mixture & vibrator.(Gr 15 conc.)	cu.m	9.50		
9	Plums concrete -1:3:6(1") concrete above 3.0 m3 with 20% volume of 4" x 6" Rubble. (shuttering paid separately) Rate to include vibrator, pilling of plumbs & curing.	cu.m	75.00		
10	Cement concrete 1:3:6 (1 1/2") up to 3.00 m3 (Shuttering paid separately) incl: curing(Gr 15 conc.)	cu.m	1.00		
11	Cement concrete 1:2:4(3/4") (Gr.20 concrete) (R/F and Shuttering paid separately)incl: curing.Rate to include using mixture & vibrator	cu.m	2.50		4
	Total carried to summary				

friedBricksApp

District Engineer's (Buildings) office, Matara

10 mm dia t/s for drain				
	kg	267.00		
Total carried to summary				
Plasterer				
1/2" thk 1:3 Cement Rendering finished smooth with neat cement floating, Ground floor(sand to be sieved with 1/8" nets) Rate to include curing	sq.m	52.00		
Total carried to summary				
Form work				
Sawn timber (class II) formwork for sides of retaining wall footings & Drain .	sq.m	56.00		
Shuttering for plum concrete by using 15mm thick plywood sheets. Flywood board should be fixed to timber frame with 4"x2" timber vertically at 600mm c/c and 50x50mm timber horizontally at 600mm c/c.Prepared shuttering board should be fixed to required measurements by using 8nr G.I. pipes,(2nr pipes at bottom,2nr pipes on top for both sides) 10nr Acro jacks,10mm dia: thread bars,1" P cone and form ties at 1200mm c/c horizontally (minium 2 layers for a board).(Rate to include 100mm high 3mm thick sponge layer stick on one side to concrete wall-at every-lapping face, 1/2" dia: conduit for covering thread bars,mould oil,and dismantiling same when required.) (2/16'-0"x9'-6"=304.00 ft2)(As per detail Drawing No SPES/Rate 23/Fw-01)Assure smooth surface finish used plywood sheet	sq.m	162.00		
	Total carried to summary Form work Sawn timber (class II) formwork for sides of retaining wall footings & Drain . Shuttering for plum concrete by using 15mm thick plywood sheets. Flywood board should be fixed to timber frame with 4"x2" timber vertically at 600mm c/c and 50x50mm timber horizontally at 600mm c/c. Prepared shuttering board should be fixed to required measurements by using 8nr G.I. pipes, (2nr pipes at bottom, 2nr pipes on top for both sides) 10nr Acro acks, 10mm dia: thread bars, 1" P cone and form ties at 1200mm c/c horizontally (minium 2 layers for a board). (Rate to include 100mm high 3mm thick sponge layer stick on one side to concrete wall—at every-lapping face, 1/2" dia: conduit for covering thread bars, mould oil, and dismantiling same when required.) (2/16'-0"x9'-6"=304.00 ft2)(As per detail Drawing No SPES/Rate 23/Fw-01)Assure smooth surface finish used	sq.m. Form work Sawn timber (class II) formwork for sides of retaining wall footings & Drain . Shuttering for plum concrete by using 15mm thick plywood sheets. Flywood board should be fixed to timber frame with 4"x2" timber vertically at 600mm c/c and 50x50mm timber norizontally at 600mm c/c.Prepared shuttering board should be fixed to required measurements by using 8nr G.I. pipes,(2nr pipes at bottom,2nr pipes on top for both sides) 10nr Acro acks,10mm dia: thread bars,1" P cone and form ties at 1200mm c/c horizontally (minium 2 layers for a board). (Rate to include 100mm high 3mm thick sponge layer stick on one side to concrete wall-at every-lapping face, 1/2" dia: conduit for covering thread bars,mould oil,and dismantiling same when required.) (2/16'-0"x9'-6"=304.00 ft2)(As per detail Drawing No SPES/Rate 23/Fw-01)Assure smooth surface finish used ollywood sheet	Total carried to summary Form work Sawn timber (class II) formwork for sides of retaining wall footings & Drain . Shuttering for plum concrete by using 15mm thick plywood sheets. Flywood board should be fixed to timber frame with 4"x2" timber vertically at 600mm c/c and 50x50mm timber norizontally at 600mm c/c.Prepared shuttering board should be fixed to required measurements by using 8nr G.I. pipes,(2nr pipes at bottom,2nr pipes on top for both sides) 10nr Acro acks,10mm dia: thread bars,1" P cone and form ties at 1200mm c/c horizontally (minium 2 layers for a board). (Rate to include 100mm high 3mm thick sponge layer stick on one side to concrete wall-at every-lapping face, 1/2" dia: conduit for covering thread bars,mould oil,and dismantiling same when required.) (2/16'-0"x9'-6"=304.00 ft2)(As per detail Drawing No SPES/Rate 23/Fw-01)Assure smooth surface finish used plywood sheet	Form work Sawn timber (class II) formwork for sides of retaining wall footings & Drain . Shuttering for plum concrete by using 15mm thick plywood sheets. Flywood board should be fixed to timber frame with 4"x2" timber vertically at 600mm c/c and 50x50mm timber norizontally at 600mm c/c. Prepared shuttering board should be fixed to required measurements by using 8 m G.I. pipes,(2nr pripes at bottom,2nr pipes on top for both sides) 10nr Acro acks,10mm dia: thread bars,1" P cone and form ties at 1200mm c/c horizontally (minium 2 layers for a board). (Rate to include 100mm high 3mm thick sponge layer stick on one side to concrete wall-at-every-lapping face, 1/2" dia: conduit for covering thread bars,mould oil,and dismantiling same when required.) (2/16'-0"x9'-6"=304.00 ft2)(As per detail Drawing No SPES/Rate 23/Fw-01)Assure smooth surface finish used obywood sheet

District Engineer's (Buildings) office, Matara

CONSTRUCTION OF THE RETAINING WALL AT ZONAL EDUCATION OFFICE - AKURESSA

Rate Schedule		Amount
(No Topic Assign	ed)	
Demolisher		
Earth Work		
Concretor		
Reinforcement		
Plasterer		
Form work		
Total		
Total :		
Less PS:		
Discounts (%):		
(+) PS:		
	•	
Contract Amount:		

Cons	struction of the Retaining Wall at Zona	l Edu	ication Office, Akı	ıressa
(A)	BOQ Total	:	LKR	
(B)	Less for Provisional Sums	:	LKR	(00.00)
(C)	Sub Total (A - B)	:	LKR	
(D)	Less for Discount (If Any) (%)	:	LKR	,
(E)	Sub Total (C – D)	:	LKR	,
(F)	Add for Provisional Sums	:	LKR	00.00
Т	otal Bid Amount (E + F)	:	LKR	
(E	Excluding VAT, Carried to form of Bid)			
Total Bid	Amount in Words			
18% VA	AT	:	LKR	, .
Grand Total			LKR	
	are requested to provide discounts, if any, as a percentag ge. Your discount will also be applied to variations in qu s Details	-	erwise, it will be converted	l to a
Signatur	e of Bidder Date			

Name & Address of Bidder:

SECTION 8

DRAWINGS

If any bidder required getting further information regard this drawing, please contact District Engineer (Buildings) Matara. (In office hours)

Contact Details: Address: District Engineer (Buildings) Office,

Pallimulla,

Matara.

Tele: 041-222386

SECTION 9 STANDARD FORM

- Form of Bid Security
- Form of Letter of Acceptance
- Form of Performance Security
- Standard form :Agreement

FORM OF BID SECURITY

	[This Guarant	ee form shall be filled in	accordance with the instruction	ons indicated in brackets]
	[in	nsert issuing agency's nan	me, and address of issuing bra	nch or office]
Benef	•	tary, Ministry of Educat apaya", Ministry Compl	tion – Southern Province, Gr ex, Labuduwa, Galle.	ound Floor,
Date:		[insert (by iss	uing agency) date]	
BID (GUARANTEE No.:	:	[insert (by issuing ag	ency) number]
of the date](Educ	<i>bidder]</i> (hereinafter hereinafter called	called "the bidder") has sometime and called the bid") for the execution	submitted to you its bid dated ution of "Construction of	[insert (by issuing agency) name [insert (by issuing agency f the Retaining Wall at Zona for Bids No [insert IFI
Furthe	ermore, we understa	nd that, according to your	r conditions, Bids must be supp	ported by a Bid Guarantee.
agenc [inser your	y] hereby irrevocab t amount in figures first demand in w	oly undertake to pay you /	any sum or sums not exceed [insert amora written statement stating t	ing in total an amount of unt in words]) upon receipt by us o hat the Bidder is in breach of its
(a)	has withdrawn its	Bid during the period of	bid validity specified; or	
(b)	does not accept t "the ITB"); or	he correction of errors in	n accordance with the Instruc	tions to Bidders (hereinafter
(c)		e the Contract Form, if re		the period of bid validity, (i) fails of to furnish the Performance Security
signed succes	l by the bidder and	of the Performance Sec he earlier of (i) our receip	curity issued to you by the bi	ur receipt of copies of the Contrac dder; or (b) if the bidder is not the on to the Bidder was unsuccessful,
Conse date.	quently, any deman	d for payment under this	s Guarantee must be received	by us at the office on or before tha
		[Signature of authorized	d representative(s)]	

[Letter heading paper of the procuring entity]

FORM OF LETTER OF ACCEPTANCE

	[Date]
То:	
[Name and address of the	
This is to notify you that your Bid datedthe Retaining Wall at Zonal Education Office, Akuressa.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
(Rs/=) [Amount in] with Instructions to Bidders and/or modified by a Memorand accepted.	figures and words] as corrected in accordance
The adjudicator shall be appointed by appointing authority.	
You are hereby instructed to proceed with the execution of the documents.	ne said works in accordance with the Contract
The start date shall be (Fill the date a	s per Conditions of Contract)
The amount of performance security is (F	ill as per Conditions of Contract)
The Performance Security shall be submitted on or before <i>Contract</i>)	(Fill the date as per Conditions of
Authorized Signature :	
Name and title of Signatory:	
Name of Agency :	

FORM OF PERFORMANCE SECURITY (Unconditional)

[Issuing agency's name and Address of Issuing Branch of Office]
Beneficiary: The Secretary, Ministry of Education – Southern Province, Ground Floor, "Dakshinapaya", Ministry Complex, Labuduwa, Galle.
eneficiary: The Secretary, Ministry of Education – Southern Province, Ground Floor, "Dakshinapaya", Ministry Complex, Labuduwa, Galle. ate:
PERFORMANCE GUARANTEE No
We have been informed that
Furthermore, we understand that, according to the conditions of contract, a performance guarantee is required.
At the request of the contractor, we
This guarantee shall expire, no later than the day of 20 [Insert date, 28 days beyond the Intended Completion Date] and any demand for payment under it must be received by us at this office on or before that Date.
[Signature(s

M/C/25/52

STANDARD FORM: AGREEMENT

Minis	stry of Educati	T, made the on – Southern Proceedings called "the Employers	vince, Ground Fl	loor,"Dakshinapa	nya", Ministry Cor	mplex, Labuduwa,		
[Nan	ne <i>and address</i>	of the contractor]	(Hereinafter calle	ed "the Contracto	or") of the other pa	art.		
Zona accep	al Education	oployer is desires the Office, Akuressa the Contractor for	a." (Hereinafter	called "the V	Vorks") and the	Employer has		
NOV 1.	W THIS AGREEMENT WITNESSETH as follows: In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.							
2.	In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.							
3.	The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects wherein the Initial Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.							
		the parties theret			to be executed t	the day and year		
Authorized signature of Contractor COMMON SEAL				Authorized S	Signature of Emplo	oyer		
	e presence of: esses:							
1. 1	Name and NIC No:							
S	Signature :							
I	Address :							
2. 1	Name and NIC No :							
S	Signature :							
I	Address	ress :						

Check List for Bidders

Bidders are advised to fill the following table:

ITEM	ITB Claus	YES (tick)	REFERENCE
Form of Bid			
Addressed to the Employer ?	18		
Completed?	18		
Signed?	18		
Bid Security (if required)			
Addressed to the Employer ?	16		
Format as required?	16		
Issuing Agency as specified?	16		
Amount as requested?	16		
Validity 28 days beyond the validity of Bid?	16		
Qualification Information			
All relevant information completed?	4		
Signed?	4		
Addendum			
Content of the addendum (if any) taken in to account?	10		
BID Package			
All the documents given in ITB Clause 12 enclosed in the original and copy?	12		
ITB Clause 19 followed before Sealing the Bid Package?	19		