

MINISTRY OF EDUCATION SOUTHERN PROVINCE

BIDDING DOCUMENT FOR

CONSTRUCTION OF TOILET BLOCKS AT MR/ BERAGAMA K.V.

Issued to	:
Date	:
Contract No Employer Secretary, Ministry of Education Ground Floor, Daksl	on – Southern Province,
Labuduwa Galle.	

M/C/25/54

CONTENTS

VOLUME 1

SECTION 1 – INSTRUCTIONS TO BIDDER

SECTION 2 – STANDARD FORMS (CONTRACT)

SECTION 3 – CONDITIONS OF CONTRACT

VOLUME 2

INVITATION FOR BIDS

SECTION 4 - FORM OF BID AND QUALIFICATION INFORMATION

SECTION 5 - SCHEDULE

SECTION 6 - SPECIFICATIONS

SECTION 7 – BILLS OF QUANTITIES

SECTION 8 – DRAWINGS

SECTION 9 – STANDARD FORMS (BID)

Volume 1 consisting of section 1, section 2, section 3 will be applicable for this contract shall be given Volume 1 of "Standard Bidding Document, Procurement of Works, Minor Contracts", CIDA publication No: CIDA /SBD/03, Second edition, January 2007, published by the Construction Industry Development Authority (CIDA), Savusiripaya, 123, Wijerama Mawatha, Colombo 07.

The above Document will not be issued with the Bidding Document and Bidder is advised to purchase it from ICTAD.

INVITATION FOR BIDS

පුසම්පාදන දැන්වීම දකුණු පළාත් අධාාපන, ඉඩම් හා ඉඩම් සංවර්ධන,මහා මාර්ග හා පුවෘත්ති අමාතාාංශය දකුණු පළාත් සභාව

පළාත් නිශ්චිත සංවර්ධන පුදාන, ක්ලීන් ශුී ලංකා වැඩසටහන හා නඩත්තු සැලැස්ම 2025 යටතේ කියාත්මක කරනු ලබන පහත සඳහන් වැඩ යෝජනා සඳහා සුදුසුකම් ලත් කොන්තුාත් කරුවන්ගෙන්, දකුණු පළාත් අධාාපන අමාතාාංශයේ පුසම්පාදන කමිටු සභාපති විසින් ලංසු පත් කැඳවනු ලැබේ.

අනු	වාහාපෘති	පාසල	වැඩ විස්තරය	කර්මා	ආපසු	ලංසු	අවශා	මුළු
අං	අංකය			න්තය	නොගෙව	සුරක්ෂණ	CIDA	පිරිවැය
ක				ඉටු	නු ලබන	වටිනාකම	ලියාපදිං	ඇස්ත
ය				කරනු	ඇප	රු.	චිය	මේන්තු
				ලබන	තැන්පත්			මුදල vat
				වාහාපෘ	මුදල රු.			සමග
				ති				රු. මි.
				සැලැස්				
				ම				
1	G/C/25/34	ගා/උඩුගම	70*25 දෙමහල්	පළාත්				
		ම.වි	ගොඩනැඟිල්ලේ වහල	නිශ්චිත	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.34
			අලුත්වැඩියාව				ತಿಂದ	
2	G/C/25/35	ගා/හියාරේ	90*25	පළාත්				
		නැඟෙනහිර	ගොඩනැඟිල්ලේ	නිශ්චිත	1,500.00	26,000.00	C 9 හෝ	3.40
		ක.වි	කොරිඩෝව ඉදිකිරීම				ඉහළ	
3	G/C/25/36	ගා/තිත්තගල්	180*25 පුධාන	පළාත්				
		ල අටානිකිත	ශාලාවේ වහල	නිශ්චිත	2,500.00	35,000.00	C 8 හෝ	4.41
		ක.වි	අලුත්වැඩියාව			,	ඉහළ	
4	G/C/25/37	ගා/හපුගල	මායිම් තාප්පය ඉදි	නඩත්තු				
		පුා.වි	කිරීම	සැලැස්	1,500.00	27,000.00	C 9 හෝ	3.46
				<u></u>			ඉහළ	
5	G/C/25/38	ගා/නරාවල	80*20 ගොඩනැහිල්ල	නඩත්තු				
		ම.වි	අලුත්වැඩියාව		2,500.00	32,000.00	C 8 හෝ ඉහළ	4.10
				ම				
6	G/C/25/39	ගා/ප∘චාලිය -	පාසල් ගොඩනැහිල්ල	නඩත්තු			C 0 Þ	
		පුා.වි	අලුත්වැඩියාව	සැලැස්	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.73
				©				

ස් විද්යාලය ප්‍රයේෂ්‍රියාල් ප්‍රයේෂ්‍ර	7	G/C/25/40	ගා/කළාහාණති	80*20	නඩත්තු			T	
8	/	G/C/23/40							
8			සස වදාහලය			1,500.00	22,000.00		2.88
විදිහාලය අලුක්වැඩියාව සැලැස් 1,500.00 25,000.00				අලුත වැඩයාව 				800	
9	8	G/C/25/41	ගා/ජයවර්ධන	80*20 ගොඩනැහිල්ල	නඩත්තු				
9			විදාහාලය	අලුත්වැඩියාව	සැලැස්	1,500.00	25,000.00		3.14
ි ප්රචිත්ත ක්රියාව ප්රචිත්ත ම ප්රචිත්ත ක්රී ක්රීම් ප්රචිත්ත ම ප්රචිත්ත ක්රීම් ප්රචිත්ත ම ප්රචිත්ත ප්රචිත්ත ම ප්රචිත්ත ව ප්රචිත්ත ම ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ව ප්රචිත්ත ප්රචිත්ත ව ප්රචි					<u></u>			ඉහළ	
සර්ජපාල ජයන්ති පා.වි 1,500.00 26,000.00 C 9 හෝ ඉහළ 3,35 10 G/C/25/43 භා/අත්තිලි 100*25 භාඩන්තු භාවන්ධයට භාවන්ධයට භාවන්ධයට භාවන්ධයට භාවන්ධයට භාවන්ධයට භාවන්ධයට භාවන්ධයට භාවන්ධයට භාවන්තු භාවන්තුව භාඩන්තු භාවන්ධයට භාවන්තු භාවන්තුව භාවන්තු භාවන්තුව භාව	9	G/C/25/42	ගා/පැදින්නො	60*20	නඩත්තු				
සරණපල සුලුන්වැඩියාව ම			රුව	ගොඩනැඟිල්ලේ වහල	සැලැස්		• (0 0 0 0 0 0	C 9 හෝ	
10			සරණපාල	අලුත්වැඩියාව	©	1,500.00	26,000.00		3.35
11			ජයන්ති පුා.වි						
11 G/C/25/44 භා/ම්භභගත 50/8 දැපුත්වැඩියාව ම 1,500.00 30,000.00 ඉහළ 3.91 12 G/C/25/45 භා/කඩ්ති-ගල 70*20 දෙනලේ භාධික්ත භාර්යාලය භා	10	G/C/25/43	ගා/ඇත්තිලි	100*25	නඩත්තු				
11			ගොඩ සුදර්ශි	ගොඩනැඟිල්ලේ වහල	සැලැස්	1,500.00	30,000.00		3.91
12 G/C/25/45 ගා/කඩිනිංගල අලුන්වැඩියාව ත්රුවල් විහල අලුන්වැඩියාව කාර්යාලය ත්රුවල් විහල අලුන්වැඩියාව කාර්යාලය 1,500.00 17,000.00 C 9 හෝ ඉහළ 2.12 13 G/C/25/46 අම්බලන්ගො ඩින්යාව කාර්යාලය නඩන්තු සැලැස් ලේ විළි පද්ධතිය නව්කරණය කාර්යාලය නඩන්තු අලුන්වැඩියාව කාර්යාලය 2.49 14 G/C/25/47 ගා/වටයක ඉ සෝහින විදහාලය 40*20 ගොඩනැගිල්ල අලුන්වැඩියාව කැලැස් විදහාලය 1,500.00 25,000.00 C 9 හෝ ඉහළ 3.22 15 G/C/25/48 ගා/වදහානන්ද කි.වී පැති බැම නඩන්තු සැලැස් කි.වී නඩන්තු සැලැස් කි.වී 2,500.00 34,000.00 C 8 හෝ ඉහළ 4.40 16 G/C/25/49 ගා/උනන්නව විය වේවත සැලැස් විය විය විය වේවත සැලැස් විය විය විය වෙවත සැලැස් විය විය විය විය වී සැලැස් විය			ම.වි	අලුත්වැඩියාව	©			ඉගළ	
12 G/C/25/45 භා/කඩිනි-ගල ලෙනල් පහළ සැලැස් වැ.500.00 17,000.00 C 9 හෝ ඉහළ 3.93 13 G/C/25/46 අමබලන්ගො සාර්යාලය භාවිත් පද්ධතිය නවිකරණය භාවිත් පද්ධතිය නව සැලැස් භාවිත් පද්ධතිය නව සැලැස් භාවිත් පද්ධතිය මු සැලැස් භාවිත් පද්ධතිය මු සැලැස් භාවිත් පද්ධතිය මු සැලැස් භාවිත් පද්ධතිය ව සැලැස් භාවිත් පදුක්වැඩියාව භාවිත් පදුක්වැඩියාව භාවිත් පළුක්වැඩියාව භාවිත් පළුක්වැඩියා භාවිත් පළුක්වැඩියා භාවිත් පළුක්වැඩියා භාවිත් පළුක්වැඩියා භාවිත් පළුක්ව භාවිත් පළුක්වක්ව භාවිත් පළුක්වැඩියා භාවිත් පළුක්වැඩියා භාවිත් පළුක්වක්ව භාවිත් පළුක්වැඩියා භාවිත් පළුක්වැඩියා භාවිත් පළුක්වැඩියා භාව	11	G/C/25/44	ගා/මීගහගොඩ	50*20 විදාහාගාර	නඩත්තු				
12			ක.වි	ගොඩනැඟිල්ලේ වහල	සැලැස්	1,500.00	31,000.00		3.93
1,500.00				අලුත්වැඩියාව	©			ඉහළ	
13	12	G/C/25/45	ගා/කඩිහි∘ගල	70*20 දෙමහල්	නඩත්තු				
13			ම.වි	ගොඩනැඟිල්ලේ විදුලි	සැලැස්	1,500.00	17,000.00		2.12
\begin{align*} \be				පද්ධතිය නවීකරණය	©			ඉහළ	
14 G/C/25/47 ගා/වටයක ශී පලුන්වැඩියාව 40*20 ගොඩනැහිල්ල පතින්තු පලුන්වැඩියාව කාර්යාලය 1,500.00 20,000.00 C 9 හෝ ඉහළ 3.22 15 G/C/25/48 ගා/විදාහනන්ද ක.වි පැති බැම්ම අලුන්වැඩියාව නඩන්තු සැලැස් ම 2,500.00 34,000.00 C 8 හෝ ඉහළ 4.40 16 G/C/25/49 ගා/වනන්නව විය රේවන ලවි 90*20 ගොඩනැහිල්ල නඩන්තු සැලැස් ම සැලැස් සැලැස් විය රේවන ලවි 2,500.00 36,000.00 C 8 හෝ ඉහළ 4.66 17 G/C/25/50 ගා/සිරි පඹංකර පුා.වි හොඩනැහිල්ලේ සැලැස් විහල අලුන්වැඩියාව සැලැස් විහල අලුන්වැඩියාව 1,500.00 25,000.00 C 9 හෝ ඉහළ 3.15 18 G/C/25/51 ගා/බටදුව සිරි 90*25 ගොඩනැහිල්ලේ නඩන්තු විහල අලුන්වැඩියාව නඩන්තු විහල අලුන්වැඩියාව 1,500.00 26,000.00 C 9 හෝ ඉහළ 3.28	13	G/C/25/46	අම්බලන්ගො	කාර්යාල	නඩත්තු				
අධ්‍යාපන අයුත්වැඩයාව ම කාර්යාලය ඉහළ			ඩ කලාප	ගොඩනැහිල්ල	සැලැස්	1.500.00	20,000,00	C 9 හෝ	2.40
14 G/C/25/47 ගා/වටයක ශ්‍රී 40*20 ගොඩනැහිල්ල අයුන්වැඩියාව නඩන්තු සැලැස් විදුනාලය 1,500.00 25,000.00 C 9 හෝ ඉහළ 3.22 15 G/C/25/48 ගා/විදාහනන්ද ක.වි පැති බැමම නඩන්තු සැලැස් ල නඩන්තු 2,500.00 34,000.00 C 8 හෝ ඉහළ 4.40 16 G/C/25/49 ගා/උනන්නව විය රෙවන ලෙක්වැඩියාව 90*20 ගොඩනැහිල්ල නඩන්තු සැලැස් ල විය රෙවන ලෙක්වැඩියාව 2,500.00 36,000.00 C 8 හෝ ඉහළ 4.66 17 G/C/25/50 ගා/සිරි 80*20 නඩන්තු සැලැස් වහල අයුන්වැඩියාව 1,500.00 25,000.00 C 9 හෝ ඉහළ 3.15 18 G/C/25/51 ගා/බටදුව සිරි 90*25 ගොඩනැහිල්ල නඩන්තු නඩන්තු 1,500.00 26,000.00 C 9 හෝ ඉහළ 3.28			අධාහපන	අලුත්වැඩියාව	©	1,500.00	20,000.00	ඉහළ	2.49
සෝහිත අලුත්වැඩියාව සැලැස් 1,500.00 25,000.00			කාර්යාලය						
විදාහලය විදාහලය වැනි බැම්ම නඩක්තු ක.ව් පැති බැම්ම පැලැස් 2,500.00 34,000.00	14	G/C/25/47	ගා/වටරැක ශී	40*20 ගොඩනැඟිල්ල	නඩත්තු				
විදිසාලය ම නඩන්නු හා/විදසානන්ද පැති බැමම නඩන්නු සැලැස් 2,500.00 34,000.00			සෝහිත	අලුත්වැඩියාව	සැලැස්	1,500.00	25,000.00		3.22
16 G/C/25/49 ගා/උනන්නව ටිය රේවන ලාවි 90*20 ගොඩනැහිල්ල නඩන්තු සැලැස් විය රේවන ලාවි 2,500.00 34,000.00 C 8 හෝ ඉහළ 4.40 17 G/C/25/50 ගා/සිරි පඹංකර පුා.වි ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව නඩන්තු හැලැස් වහල අලුත්වැඩියාව 1,500.00 25,000.00 C 9 හෝ ඉහළ 3.15 18 G/C/25/51 ගා/බටදුව සිරි 90*25 ගොඩනැහිල්ල නඩන්තු 1 නඩන්තු 1 1,500.00 26,000.00 C 9 හෝ ඉහළ 3.28			විදාහලය		©			ತಿಂದ	
16 G/C/25/49 ගා/උනන්නව 90*20 ගොඩනැහිල්ල නඩන්තු සැලැස් 2,500.00 34,000.00 ඉහළ 4.40 17 G/C/25/50 ගා/සිරි 80*20 නඩන්තු සැලැස් වන වන්තු සැලැස් වන වන්තු සැලැස් වන ලෙක්වැඩියාව සැලැස් 1,500.00 25,000.00 C 9 හෝ ඉහළ 18 G/C/25/51 ගා/බටදුව සිරි 90*25 ගොඩනැහිල්ල නඩන්තු 1,500.00 26,000.00 C 9 හෝ 3.15	15	G/C/25/48	ගා/විදාහනන්ද	පැති බැම්ම	නඩත්තු				
ම් ග්රේෂ්ණ			ක.වි	අලුත්වැඩියාව	සැලැස්	2,500.00	34,000.00		4.40
ිය රේවත අලුත්වැඩියාව සැලැස් 2,500.00 36,000.00 C 8 හෝ ඉහළ 4.66 17 G/C/25/50 ගා/සිරි 80*20 නඩත්තු සැලැස් වනල අලුත්වැඩියාව ම 1,500.00 ව 25,000.00 C 9 හෝ ඉහළ 3.15 18 G/C/25/51 ගා/බටදුව සිරි 90*25 ගොඩනැහිල්ල නඩත්තු 1,500.00 26,000.00 C 9 හෝ 3.28					<u></u>			800	
ම.වි අවූග්වේශ්‍යාව ක්.උද්ය 2,500.00 36,000.00 ඉහළ 4.66 17 G/C/25/50 ගා/සිරි 80*20 නඩන්තු සැලැස් 1,500.00 25,000.00 C 9 හෝ ඉහළ 3.15 18 G/C/25/51 ගා/බටදුව සිරි 90*25 ගොඩනැහිල්ල නඩන්තු 1,500.00 26,000.00 C 9 හෝ 3.28	16	G/C/25/49	ගා/උනන්නවි	90*20 ගොඩනැහිල්ල	නඩත්තු				
ම් ම			ටිය රේවත	අලුත්වැඩියාව	සැලැස්	2,500.00	36,000.00		4.66
පඹංකර පුා.වි ගොඩනැඟිල්ලේ සැලැස් 1,500.00 25,000.00			ම.වි		<u></u>			800	
18 G/C/25/51 ගා/බටදුව සිරි 90*25 ගොඩනැහිල්ල නඩත්තු 1,500.00 25,000.00 ලහළ 3.15	17	G/C/25/50	ගා/සිරි	80*20	නඩත්තු				
18 G/C/25/51 ගා/බටදුව සිරි 90*25 ගොඩනැහිල්ල නඩත්තු 1 500 00 26 000 00 C 9 හෝ 3 28			පඹ∘කර පුා.වි	ගොඩනැහිල්ලේ	සැලැස්	1,500.00	25,000.00		3.15
1 500 00 26 000 00 C 9 @ 33 3 28				වහල අලුක්වැඩියාව	<u></u>			806	
	18	G/C/25/51	ගා/බටදුව සිරි	90*25 ගොඩනැහිල්ල	නඩත්තු	1.500.00	26,000,00	C 9 හෝ	2.20
			රතනජෝති	අලුත්වැඩියාව	සැලැස්	1,500.00	20,000.00		3.28

				<u>ه</u>		1		
		ම.වි		<u></u>				
19	G/C/25/52	ගා/අක්මීමණ	100*20	නඩත්තු				
		ම.වි	ගොඩනැඟිල්ල	සැලැස්	2,500.00	38,000.00	C 8 හෝ	4.97
			අලුත්වැඩියාව	ම			ඉහළ	
20	G/C/25/53	ගා/ආනන්ද	90*25	නඩත්තු				
		විජය විදාහාලය	ගොඩනැහිල්ලේ වහල	සැලැස්	1,500.00	25,000.00	C 9 හෝ	3.21
			අලුත්වැඩියාව	ම			ඉහළ	
21	G/C/25/54	ගා/ඉඳුරුව	120*20	නඩත්තු				
		ම.වි	ගොඩනැහිල්ල	සැලැස්	3,000.00	49,000.00	C 8 හෝ	6.47
			අලුත්වැඩියාව	©			ඉහළ	
22	G/C/25/55	ගා/තලංගහ	වැසිකිළ පද්ධතිය ඉදි	පළාත්				
		සරස්වතී	කිරීම	නිශ්චිත	1,000.00	16,000.00	C 9 හෝ ඉහළ	1.99
		ෙ දමළ පාසල					ခွီတီမြ	
23	G/C/25/56	ගා/දික්කුඹුර	120*30 පුධාන	පළාත්	2 500 00	40,000,00	C 8 හෝ	5.29
		සිද්ධාර්ථ ම.වි	ශාලාව නවීකරණය	නිශ්චිත	2,500.00	40,000.00	ඉහළ	3.29
24	G/C/25/57	ගා/ලේල්වල	80*20 ගොඩනැහිල්ල	පළාත්	3,500.00	75,000.00	C 8 හෝ	9.93
		ක.වි	අලුත්වැඩියාව	නිශ්චිත	3,500.00	73,000.00	ඉහළ	7.73
25	G/C/25/58	ගා/පොරවගම	පැති බැම්ම	පළාත්	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.39
		ක.වි	අලුත්වැඩියාව	නිශ්චිත	2,500.00			т.Ј/
26	G/C/25/59	ගා/ගතේගම	80*20 නව	පළාත්				
		රෝමානු	ගොඩනැහිල්ල ඉදි	නිශ්චිත	1,500.00	20,000.00	C 9 හෝ	2.60
		කතෝලික	කිරීම		1,500.00	20,000.00	ඉහළ	2.00
		පාසල						
27	G/C/25/60	ගා/ශීපති ම.වි	80*20 දෙමහල්	පළාත්			C 9 Þ	
			ගොඩනැඟිල්ල ඉදි	නිශ්චිත	2,500.00	37,000.00	C 8 හෝ ඉහළ	4.79
			කිරීම					
28	G/C/25/61	ගා/මාමනදො	90*20	පළාත්			Cear	
		ළ ක.වි	ගොඩනැහිල්ලේ වහල	නිශ්චිත	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.15
0.0	0.10.10.71.52	, , , ,	අලුත්වැඩියාව					
29	G/C/25/62	ගා/උක්වත්ත	90*25 තෙමහල්	පළාත්			C 9 P	
		විදාහාලය	ගොඩනැහිල්ලේ ඉදි	නිශ්චිත	2,500.00	41,000.00	C 8 හෝ ඉහළ	5.42
	0.10.10.10.10.10.10.10.10.10.10.10.10.10		කිරීම (ඉතිරි වැඩ)					
30	G/C/25/63	ගා/අක්කරවිස්	මායිම් තාප්පය	පළාත්	1.500.00	25.000.00	C 9 හෝ	2.21
		ස ක.වි	අලුත්වැඩියාව	නිශ්චිත	1,500.00	25,000.00	ඉහළ	3.21
					<u> </u>	<u> </u>		

31	G/C/25/64	ගා/කළුවලගල	40*20 ගොඩනැහිල්ල	පළාත්				
31	G/C/23/04	ක.වි	ඉදි කිරීම	නිශ්චිත	3,000.00	46,000.00	C 8 හෝ ඉහළ	6.07
32	G/C/25/65	ගා/අවිත්තාව තාලන්දා ම.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.73
33	G/C/25/66	ගා/මහින්ද රාජපක්ෂ ම.වි	මායිම් තාප්පය අලුත්වැඩියාව	පළාත් නිශ්චිත	3,000.00	61,000.00	C 8 හෝ ඉහළ	7.88
34	G/C/25/67	ගා/ගුණානන්ද පුා.වි	50*25 ගොඩනැඟිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	17,000.00	C 9 හෝ ඉහළ	2.16
35	G/C/25/68	ගා/බී.ටී.එස් විදාහලය	80*20 ගොඩනැතිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.07
36	G/C/25/69	ගා/මාවඩවිල ම.වි	90*25 ගොඩනැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	24,000.00	C 9 හෝ ඉහළ	3.01
37	G/C/25/70	ගා/සිරිනිවාස ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	40,000.00	C 8 හෝ ඉහළ	5.31
38	G/C/25/71	ගා/දොළහේත ක.වි	80*20 ගොඩනැහිල්ලේ වහල අලුක්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	43,000.00	C 8 හෝ ඉහළ	5.69
39	G /C/25/72	ගා/පිලාන තක්ෂිලා පුා.වි.	මායිම් තාප්පය නවීකරණය	පළාත් නිශ්චිත	1,000.00	14,000.00	C9 හෝ ඉහළ	1.8
40	G /C/25/73	ගා/ස∘ඝරතන පුා.වි.	100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.4
41	G/C/25/74	ගා/තෙලිකඩ ම.වී.	80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	35,000.00	C8 හෝ ඉහළ	4.5
42	G/C/25/75	ගා/කරන්දෙණි ය ක.වි.	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	29,000.00	C9හෝ ඉහළ	3.7
43	G/C/25/76	ගා/ලේනගල්ප ලාත ක.වී.	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	27,000.00	C9 හෝ ඉහළ	3.4
44	G /C/25/77	ගා/රතනසාර ම.වි.	100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	23,000.00	C9 හෝ ඉහළ	2.9

45	G /C/25/78	ගා/යටගල ම.වි.	මායිම් තාප්පය අලුත්වැඩියා කිරීම.	පළාත් නිශ්චිත	2,500.00	39,000.00	C8 හෝ ඉහළ	5.1
46	G /C/25/79	ගා/ඕල්කට ම.වි	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	40,000.00	C8 හෝ ඉහළ	5.3
47	G /C/25/80	ගා/තෙල්ලඹුර විජය ක.වි.	පැති බැම්ම ඉදි කිරීම.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.3
48	G /C/25/81	ගා/හියාරේ ම.වි.	80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	45,000.00	C8 හෝ ඉහළ	5.8
49	G /C/25/82	ගා/උස්වතුන් හසානා ම.වි.	160*25 තෙමහල් ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.4
50	G /C/25/83	ගා/බුද්ධදත්ත පුා.වි.	120*20 පුධාන ශාලාව අලුත්වැඩියාව	පළාත් නිශ්චිත	3,500.00	64,000.00	C8 හෝ ඉහළ	8.4
51	G /C/25/84	ගා/සිරි අහයතිස්ස ක.වි.	දෙමහල් ගොඩනැහිල්ලේ යකඩ ගීල් සවි කිරීම.	නඩත්තු සැලැස් ම	1,000.00	16,000.00	C9 හෝ ඉහළ	1.9
52	M/C/25/31	මාර/පර්සි අබේවර්ධන විදාහාලය	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව.	නඩත්තු සැලැස් ම	2,500.00	40,000.00	C8 හෝ ඉහළ	5.3
53	M/C/25/44	මාර/ජිනරාජ ක.වි.	වැසිකිළි පද්ධතිය අලුත්වැඩියා කිරීම.	පළාත් නිශ්චිත	1,500.00	22,000.00	C9 හෝ ඉහළ	2.1
54	M/C/25/52	අකුරස්ස කලාප අධාාපන කාර්යාලය	පැති බැම්ම පුතිසංස්කරණය කිරීම	නඩත්තු සැලැස් ම	1,500.00	28,000.00	C 9 හෝ ඉහළ	3.59
55	M/C/25/53	මාර/කරගොඩ උයන්ගොඩ ම.වි	වැසිකිළි පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,000.00	C 9 හෝ ඉහළ	2.57
56	M/C/25/54	මාර/බැරගම ක.වි	වැසිකිළි පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	19,000.00	C 9 හෝ ඉහළ	2.42
57	M/C/25/55	මාර/පොල්වත් ත පුා.වි	පුධාන ශාලාව අලුත්වැඩියා කිරීමේ ඉතිරි වැඩ සම්පූර්ණ කිරීම	පළාත් නිශ්චිත	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.48
58	M/C/25/56	මාර/මාතර ආදර්ශ පුා.වි	වැසි ජලය කළමතාකරණ පද්ධතිය නවීකරණය කිරීම	පළාත් නිශ්චිත	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.69
59	M/C/25/57	මාර/කිරින්ද ආදර්ශ පුා.වි	70*25 දෙමහල් ගොඩනැගිල්ල නවීකරණය කිරීම	පළාත් නිශ්චිත	4,000.00	79,000.00	C 7 හෝ ඉහළ	10.43
60	M/C/25/58	මාර/තල්පාවිල ම.ම.වි	කීුඩා පිටිය ස∘වර්ධනය කිරීම	පළාත් නිශ්චිත	2,500.00	42,000.00	C 8 හෝ ඉහළ	5.47
61	M/C/25/59	මාර/කඹුරුගමු ව ම.වි	80*20 තනි මහල් ගොඩනැගිල්ල 90*25 දෙමහල්	පළාත් නිශ්චිත සංවර්ධ	4,000.00	88,000.00	C 7 හෝ ඉහළ	11.69

	, -,, .0	මුස්ලිම්	අලුත්වැඩියාව	නඩත්තු සැලැස්	1,500.00	16,000.00	C 9 හෝ ඉහළ	2.08
77	H/C/25/40	ක.වි හ/අල්අමීර්	අලුත්වැඩියා කිරීම මායිම් තාප්පය	සැලැස් ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	2.97
75 76	H/C/25/38 H/C/25/39	හ/කෑරදෙනිය ක.වි හ/අගලබඩ	40*20 ගොඩනැඟිල්ල අලුත්වැඩියාව 60*20 ගොඩනැඟිල්ල	නඩත්තු සැලැස් ම නඩත්තු	1,500.00	28,000.00	C 9 හෝ ඉහළ	3.69
74	H/C/25/37	හ/කිරම ධම්මානන්ද පුා.වි	80*20 ගොඩනැතිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	37,000.00	C 8 හෝ ඉහළ	4.80
73	H/C/25/36	හ/රදනිආර ම.වි	පරිගණක විද්යාගාරය අලුත්වැඩියා කිරීම	නඩත්තු සැලැස් ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	2.94
72	H/C/25/35	හ/කුඩාවැල්ල ක.වි	වැසිකිළි අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,000.00	14,000.00	C 9 හෝ ඉහළ	1.82
71	H/C/25/34	හ/ගොඩවාන ගොඩ ක.වි	වැසිකිළි අලුත්වැඩියාව සහ මායිම් තාප්පය අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.67
70	H/C/25/33	හ/කදිරගොඩ පුා.වි	වැසිකිළ අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	18,000.00	C 9 හෝ ඉහළ	2.28
69	H/C/25/32	හ/බෙලිඅත්ත ම.ම.වි	100*20 තාක්ෂණික විදාහාගාරය ගොඩනැහිල්ල නවීකරණය	පළාත් නිශ්චිත	3,500.00	67,500.00	C 8 හෝ ඉහළ	8.91
68	H/C/25/31	තංගල්ල කලාප අධාාපන කාර්යාලයේ	මායිම් තාප්පය ඉදිකිරීම(ඉතිරි වැඩ)	පළාත් නිශ්චිත	1,000.00	12,000.00	C 9 හෝ ඉහළ	1.49
67	H/C/25/30	හ/ගභේයාය ක.වි	80*20 ගොඩනැඟිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.55
66	H/C/25/29	හ/මිද්දෙනිය ම.වි	රැඳවුම් තාප්පය ඉදිකිරීම (කිුිඩා පිටිය සඳහා ආරක්ෂක තාප්පය)	පළාත් නිශ්චිත	3,000.00	47,500.00	C 8 හෝ ඉහළ	6.27
65	H/C/25/28	හ/සපුතන්තීක න්ද පුා.වි	පැති බැම්ම හා ජල කුඑණ ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,500.00	C 9 හෝ ඉහළ	2.7
64	H/C/25/27	හ/දුටුගැමුණු ම.වී	90*25 තෙමහල් ගොඩනැහිල්ලේ වහලය අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	3.05
63	H/C/25/26	හ/මහගල්වැව ක.වි	90*25 දෙමහල් ගොඩනැහිල්ලේ බිම මහලේ කාර්යාල කාමරය සකස් කිරීම	නඩත්තු සැලැස් ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.73
62	M/C/25/60	මාර/බෙලිදෙ ණිය ම.වි	60*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියා කිරීම	පළාත් නිශ්චිත	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.57
			ගොඩනැගිල්ලට නවීකරණය කිරීම (අදියර 01)	න පුදාන				

		විදාහාලය		ම				
78	H/C/25/41	හ/පල්ලෙජූල මපිටිය ම.වි	60*20 ගොඩනැඟිල්ල අලුත්වැඩියා කිරීම	නඩත්තු සැලැස් ම	1,500.00	30,000.00	C 9 හෝ ඉහළ	3.93
79	H/C/25/42	හ/කැකිරිඕබඩ ක.වි	පුස්තකාල ගොඩතැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	39,000.00	C 8 හෝ ඉහළ	5.1
80	H/C/25/43	හ/බෙරලිහෙල ම.වි	80*20 ගොඩනැහිල්ල සහ 50*25 කාර්යාල ගොඩනැහිල්ල වහල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.74
81	H/C/25/44	හ/ගැටමාන්න දකුණ ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	37,000.00	C 8 හෝ ඉහළ	4.87
82	H/C/25/45	හ/ගැටමාත්න උතුර ක.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	39,000.00	C 8 හෝ ඉහළ	5.07
83	H/C/25/46	හ/බූන්දල ක.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.22
84	H/C/25/47	හ/පලපොත ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.55
85	H/C/25/48	හ/බටඅත දකුණ ක.වි	40*20 ගොඩනැතිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	19,000.00	C 9 හෝ ඉහළ	2.49
86	H/C/25/49	හ/කහවත්ත ම.වි	නෙප්චූන් ගොඩනැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	3,000.00	61,000.00	C 8 හෝ ඉහළ	8.00
87	H/C/25/50	හ/කණුකැටිය ක.වි	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	24,000.00	C 9 හෝ ඉහළ	3.06
88	H/C/25/51	හ/දෙබරවැව ජනාධිපති විදාහාලය	120*20 ගොඩනැහිල්ලෙ වහල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	2,500.00	40,000.00	C 8 හෝ ඉහළ	5.25
89	H/C/25/52	හ/දෙනිය පිංගම ක.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස් ම	1,500.00	19,000.00	C 9 හෝ ඉහළ	2.44
90	H/C/25/53	හ/මීගහවෙල ක.වි	120*20 ගොඩනැහිල්ලේ වහල සහ වැසිකිළි අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	17,000.00	C 9 හෝ ඉහළ	2.2
91	H/C/25/54	හ/මොරයාය ම.වි	120*20 ගොඩනැහිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	3,000.00	60,000.00	C 8 හෝ ඉහළ	7.94
92	H/C/25/55	හ/වෑකදවල ජනපද ම.වි	120*20 ගොඩනැහිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	3,500.00	63,000.00	C 8 හෝ ඉහළ	8.33
93	H/C/25/56	හ/හිභුරකන්ද ම.වි	72*16 ගොඩනැහිල්ල පුතිසංස්කරණය කිරීම	පළාත් නිශ්චිත	1,000.00	14,000.00	C 9 හෝ ඉහළ	1.81
94	H/C/25/57	හ/ලුණුගම්වෙ හෙර ම.වි	වැසිකිළි පද්ධතිය ඉදිකිරීම	පළාත් නිශ්චිත	1,500.00	16,000.00	C 9 හෝ ඉහළ	2.00

H/C/25/59	පුා.වි	ඉදි කිරීම	නිශ්චිත ස∘වර්ධ				
H/C/25/59			ಹಿಂಬರಿದ				4.55
H/C/25/59			න			C 8 හෝ	4.33
H/C/25/59			පුදාන	2,500.00	35,000.00	ඉහළ	
	හ/රතනජෝති	පැතිබැම්ම ඉදි කිරීම					
	පුා.වි,ගහුලන්	(කුීඩා පිටිය ඉදිරිපස)	පළාත්	2 500 00	40.000.00	C 8 හෝ	5.28
11/6/25/60	දෙනිය	CO*20	නිශ්චිත	2,500.00	40,000.00	ඉහළ	
H/C/25/60	හ/වැවේගම ක.වි	60*20 ගොඩනැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්			C 9 හෝ	3.10
		අලුන්ටැක්කාට	© (©)	1,500.00	24,000.00	ඉහළ	0.20
H/C/25/61	හ/පොළොම්	වැසිකිළි අලුත්වැඩියාව	නඩත්තු				
				1 500 00	17 000 00		2.2
CICCI IOTIO	,		_	1,300.00	17,000.00		
		පැති බැම්ම ඉදි කිරීම		1 500 00	22 000 00		2.8
1		,	ශු ලංකා	1,500.00	23,000.00	ඉහළ	
G/CSL/25/0	1 -	80 X 20 ගොඩනැගිල්ල	ක්ලීන්			C 9 හෝ	
2	ම.වී.	නවීකරණය	ශී ලංකා	1,000.00	16,000.00	ඉහළ	1.9
G/CSL/25/0	ගා/දෙල්ලව	0 0 0 0 000	ක්ලීන්			C 9 හෝ	
3	ම.වි.	පැති බැමම ඉදි කිරම 	ශී ල∘කා	1,500.00	29,000.00	ඉහළ	3.6
M/CSL/25/0	මාර/දම්පැල්ල	සංගීත හා නැටුම් කාමර	ක්ලීන්			C 9 හෝ	
1	ම.වි.	නවීකරණය	ශී ල∘කා	1,000.00	9,000.00	ඉහළ	1.1
G/CSL/25/	ගා/ රතනසිරි	ගැහැණු වැසිකිලි ඉදි	ක්ලීන්			C 9 හෝ	
04	රාජකීය	කිරීම ි	ශී	1,500.00	29,000.00	ඉහළ	3.7
	විදාහාලය		ල∘කා				
G/CSL/25/	ගා/ අතුරුද්ධ	වැසිකිලි කුවීකරණය	ක්ලීක්			C 9 @201	1.0
05				1 000 00	8 000 00		1.0
				1,000.00	3,000.00	0 0	
G (GG 7 /2 7 /]				~ .	
		5 2					2.8
06	1			1,500.00	22,000.00	ඉහළ	
	.	නාටකාටමාග	ලංකා				
G/CSL/25/	ගා/දික්කුඹුර	වැසිකිලි පද්ධතියක්	ක්ලීන්			C 8 හෝ	4.2
07	පුා.වි.	ඉදි කිරීම	ශී	2,500.00	33,000.00	ඉහළ	
			ල∘කා				
G/CSL/25/	ගා/හවලප්	වැසිකිලි තවීකරණය	ක්ලීත්			C 9 @201	0.9
08				1 000 00	7 000 00		0.5
			ල∘කා	1,000.00	7,000.00		
G / GGT / S = /	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					G 0 :	_
		•					3.7
09	ක.ව.	වැසකල ඉද ක්රම	_	1,500.00	29,000.00	ඉහළ	
			ලංකා				
G/CSL/25/	ගා/බටපොල	වැසිකිලි ඉදි කිරීම	ක්ලීන්			C 8 හෝ	4.3
10	ම.ම.වී.	,	ශී	2,500.00	34,000.00	ඉහළ	
			ල∘කා				
G1 G2 G3 M1 G0	6/CSL/25/0 6/CSL/25/0 6/CSL/25/0 6/CSL/25/0 6/CSL/25/ 6/CSL/25/ 6/CSL/25/ 6/CSL/25/ 6/CSL/25/ 6/CSL/25/ 6/CSL/25/ 6/CSL/25/	මාරුව ආදර්ශ විදාහාලය I/CSL/25/0 ගා/උනන්විටිය රේවන ම.වි. I/CSL/25/0 ගා/ඇත්තිලි ගොඩ සුදර්ශි ම.වි. I/CSL/25/0 මාර/දමපැල්ල ම.වි. I/CSL/25/0 ගා/රතනසිරි රාජකීය විදාහාලය I/CSL/25/ ගා/ අනුරුද්ධ ක.වි. I/CSL/25/ ගා/සිරි අහයතිස්ස ම.වි. I/CSL/25/ ගා/දික්කුඹුර පුා.වි. I/CSL/25/ ගා/දික්කුඹුර පුා.වි. I/CSL/25/ ගා/හව්ජිටිය ක.වි.	මාරුව ආදර්ශ විදහාලය G/CSL/25/0 ගා/උනන්වීටිය පැති බැමම ඉදි කිරීම පිරිවත ම.වි. G/CSL/25/0 ගා/අත්තිලි ගොඩ සුදර්ශි ම.වි. G/CSL/25/0 ගා/දෙල්ලව සැති බැමම ඉදි කිරීම වැනි බැමම ඉදි කිරීම වැනි බැමම ඉදි කිරීම වැනි බැමම ඉදි කිරීම වැනි හා නැටුම කාමර නවීකරණය G/CSL/25/0 ගා/ රතනසිරි ගැහැණු වැසිකිලි ඉදි කිරීම වැනිකය නිරම වැනිකරණය G/CSL/25/ ගා/ අනුරුද්ධ වැසිකිලි නවීකරණය (පිරිම වැසිකිලි 02 හා ගැහැණු වැසිකිලි 04) G/CSL/25/ ගා/සිරි භූරුවරුන්ගේ සහ සිසුන්ගේ වැසිකිලි නවීකරණය G/CSL/25/ ගා/දික්කුඹුර පැවිතිල් පද්ධතියක් ඉදි කිරීම G/CSL/25/ ගා/හවපේ වැසිකිලි නවීකරණය ම.වි. වැසිකිලි නවීකරණය ම.වි. වැසිකිලි ඉදි කිරීම G/CSL/25/ ගා/හවපේ වැසිකිලි නවීකරණය ම.වි. වැසිකිලි නවීකරණය ම.වි. වැසිකිලි නවීකරණය ම.වි. වැසිකිලි නවීකරණය ම.වි. වැසිකිලි ඉදි කිරීම	මාරුව ආදර්ශ විදාහලය (ACSL/25/0 ගා/උනන්වීට්ය රෙවන ම.වී. පැනි බැම්ම ඉදි කිරීම ශාඛ සුදර්ශි ම.වී. (ACSL/25/0 ගා/ඇත්තිලි ගොඩ සුදර්ශි ම.වී. පැනි බැම්ම ඉදි කිරීම ශාඛ සුදර්ශි ම.වී. (ACSL/25/0 ගා/දෙල්ලව ම.වී. පැනි බැම්ම ඉදි කිරීම ශාඛ සිදුන් ශ්‍රී ලංකා ක්ලීන් සහ සසුන්ගේ වැසිකිලි ග්‍රී ලංකා ක්ලීන් ශ්‍රී ලංකා ක්ලීන් ක්ලී	මාරුව ආදර්ශ විදහලය සැලැස් ම 1,500.00 ශ්/CSL/25/0 ශ්/උනත්විටිය පැති බැමම ඉදි කිරීම ශ්ලංකා 1,500.00 ශ්/උනත්විටිය පැති බැමම ඉදි කිරීම ශ්ලංකා 1,500.00 ශ්/CSL/25/0 ශ්/අය්තිලි ගොඩ සුදර්ශි වේ. පැති බැමම ඉදි කිරීම ශ්ලංකා 1,000.00 ශ්/අය්තිලි ගොඩ සුදර්ශි වේ. පැති බැමම ඉදි කිරීම ශ්ලංකා 1,000.00 ශ්/CSL/25/0 ශ්/ලප්ලව පැති බැමම ඉදි කිරීම ශ්ලංකා 1,500.00 ශ්/CSL/25/0 ශ්/ලප්ලව සංගීත හා නැටුම කාමර ක්ලීන් ශ්ලංකා 1,000.00 ශ්/CSL/25/0 ශ්/ලප්ලව සංගීත හා නැටුම කාමර නවීකරණය ශ්ලංකා 1,000.00 ශ්/CSL/25/0 ශ්ලංකා විදහාලය සිරීම වැසිකිලි ඉදි කිරීම ලංකා 1,000.00 ලංකා 1,000.00 ශ්/CSL/25/0 ශ්ලංකා විදහාලය සිරිප් සිරුම් වැසිකිලි ඉදි කිරීම ශ්ලංකා 1,500.00 ලංකා 1,500.00 ශ්ලප්ලව වැසිකිලි වැසිකිලි බව සහ සිසුන්ගේ වැසිකිලි ශ්ලංකා 1,500.00 ලංකා 1,000.00 ශ්ලප්ලව හිරිප්ලව සහ සිසුන්ගේ වැසිකිලි ශ්ලංකා 2,500.00 ලංකා 1,500.00 ලංකා 1,500.00 ශ්ලප්ලව හිරිප්ලව සහ සිසුන්ගේ වැසිකිලි ශ්ලංකා 1,500.00 ලංකා 1,500.00 ශ්ලප්ලව හිරිප්ලව සහ සිසුන්ගේ වැසිකිලි ශ්ලංකා 1,500.00 ලංකා 1,500.00	මාරුව ආදර්ශ විද්යාලය සැලැස් විද්යාලය හැ/උSZL/25/0 ගා/උනත්වීටය පැති බැමම ඉදි කිරීම ශ්ලින් ශ්ලිලන් වැ. ක්රී. ක්රී	/C/25/61 හ/පොළොම වාරුව ආදර්ග විදාහලය වැසිකිළි අලුන්වැඩියාව ගැලැස් විදාහලය නඩන්තු කැලැස් ම 1,500.00 17,000.00 C 9 හෝ ඉහළ i/CSL/25/0 භා/උනන්වීටය පේඩන ම.වි. පැති බැමම ඉදි කිරීම ක්ලින් ම ල.කා 1,500.00 23,000.00 C 9 හෝ ඉහළ i/CSL/25/0 භා/අත්තිලි මාවි. 80 X 20 ගොඩනැගිල්ල නවීකරණය ක්ලින් ම ල.කා 1,000.00 16,000.00 C 9 හෝ ඉහළ i/CSL/25/0 භා/අදේලව මාවි. පැනි බැමම ඉදි කිරීම ක්ලින් ම ල.කා 1,500.00 29,000.00 C 9 හෝ ඉහළ i/CSL/25/0 භා/අදේලව මාවි. පැනි බැමම ඉදි කිරීම ක්ලින් ම ල.කා 1,500.00 29,000.00 C 9 හෝ ඉහළ i/CSL/25/0 භා/අනුරුද්ධ ක.වි. පැනිකිලි නවීකරණය ක්ලින් ම ල.කා 1,500.00 29,000.00 0 හම i/CSL/25/1 භා/ අනුරුද්ධ ක.වි. වැයිකිලි නවීකරණය ක්ලින් ම ල.කා 1,500.00 8,000.00 0 හම i/CSL/25/2 භා/මි භා/මි ක්ලින් ම ල.කා 1,500.00 22,000.00 0 ගම i/CSL/25/2 භා/මි භා/මි ක්ලින් ම ල.කා 1,500.00 22,000.00 0 ගම

02. ජාතික තරහකාරී ලංසු පටිපාටිය මත ලංසු ඉදිරිපත් කළ යුතුය. කොන්තුාත් පුදානයේදී සුදුසුකම් ලබන සාර්ථක ලංසුකරුවන් අසාධු ලේඛනගත නොවිය යුතු අතර ඉදිකිරීම් කර්මාන්ත සංවර්ධන අධිකාරියේ ඉහත කාණ්ඩ යටතේ ලියාපදිංචි වී සිටිය යුතුය.

03.ලංසු අයදුම්පත් 2025.06.18 දින සිට 2025.07.03 දින දක්වා පෙ.ව 9.00 සිට ප.ව 3.00 දක්වා ඉහත දක්වා ඇති පරිදි ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාංශයේ ගිණුම් අංශයේ සරප් වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සිය ඉදිරිපත් කර හෝ ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාංශ ලේකම් නමින් ගාල්ල කොටුව ලංකා බැංකුවේ ඇති ගිණුම් අංක 1587423 ට බැර කර රිසිට් පත සමග ඔබගේ ඉල්ලීම් ලිපිය ද.ප. අධාාපන අමාතාංශයේ 070 7130700 දරණ වට්ස්අප් අංකයට පමණක් හෝ acc.moesp@gmail.com ඊ මේල් ලිපිනයට පමණක් යොමු කිරීමෙන් ඔබට අවශා ලංසු පතිකා තැපැල් මගින් හෝ කූරියර් කර හෝ ඊමේල් මගින් හෝ වටස්අප් මගින් ගෙන්වා ගැනීමට හෝ ලබුදුව,දක්ෂිණපාය අධාාපන අමාතාාංශයෙන් (බිම් මහල) ගිණුම් අංශයෙන් ලබා ගත හැකිය. වැඩි විස්තර අමාතාංශයේ 091-2030700 දුරකථන අංකයට වැඩ කරන දින ඇමතීමෙන් හෝ ද.ප. අධාාපන අමාතාාංශ වෙබ අඩවියට www.edumin.sp.gov.lk

04. මුදුා තබන ලද ලංසු පතිකා 2025.07.04 පෙ.ව 11.00 ට පෙර ලැබෙන සේ ලේකම්, දකුණු පළාත් අධාාපන අමාතාංශය, දක්ෂිණපාය, ලබුදුව, ගාල්ල යන ලිපිනයට ලියාපදිංචි තැපෑලෙන් එවීමට හෝ අතින් රැගෙන විත් පුධාන ගණකාධිකාරී නිල කාමරයේ තබා ඇති ටෙන්ඩර් පෙට්ටියට බහාලිය හැකිය. පුමාද වී ලැබෙන ලංසු පුතික්ෂේප කරනු ලැබේ.

05.ලංසු විවෘත කිරීම 2025.07.04 දින පෙ.ව 11.00 ට ලංසු පතිකා භාරගෙන අවසන් වූ වහාම දකුණු පළාත් අධාාපන අමාතාාංශයේ පුසම්පාදන කමිටු සභාපතිගේ පුධානත්වයෙන් අමාතාාංශයේදී සිදු කරන අතර එම අවස්ථාවට ලංසුකරුට හෝ ලංසුකරුගේ බලයලත් නියෝජිතයන් හට සහභාගී විය හැක.

06. ලංසුව සමහ ඉදිරිපත් කරන ලංසු සුරක්ෂණය ශී ලංකා වාණිජ බැංකුවකින් දකුණු පළාත් අධාාපන අමාතාාංශයේ ලේකම් නමට ලබා ගත් 2025.07. 04 දින සිට 2025.10.04 දක්වා වලංගු ලංසු ඇපකරයක් හෝ අධාාපන අමාතාාංශයේ ගිණුම් අංශය වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සියේ පිටපත ලංසු පතිකාව සමහ ඉදිරිපත් කළ යුතුය.

- 07. ලංසු වලංගු කාලය දින 77 කි.
- 08. ඉදිරිපත් කරනු ලබන කර්මාන්තයට අදාල ලංසු පිටපත් දෙකකින් යුතුව ඉදිරිපත් කළයුතු අතර එහි මුල් පිටපතහි " මුල් පිටපත" යනුවෙන් සඳහන් කළ යුතු අතර අනු පිටපතෙහි " අනුපිටපත" යනුවෙන් සඳහන් කළ යුතුය. ලංසුපත් වල මුල් පිටපත හා අනුපිටපත වෙන වෙනම කවරවල බහා මුදුා තබා එම කවර දෙක එක් කවරයක බහා එම කවරය මුදුා තබා කවරයේ වම් පස උඩකෙළවරේ කර්මාන්තයේ නම සහ අංකය සඳහන් කළ යුතුය.
- 09. ඔබ විසින් ඉදිරිපත් කිරීමට නියමිත සෑම ලංසු පතිකාවෙහිම මිල ගණන් සදහන් කර ඇති පිටු අංකයන්හි ඔබ විසින් සදහන් කළ යුතු ඒකක මිල ගණන් හා මුළු මුදල දැක්වෙන තීරය සහ සාරාංශයද (වට්ටම් දැක්වෙන තීරයද ඇතුලත්ව) විනිවිද පෙනෙන සේ සෙලෝටේප් කර ලංසු ඉදිරිපත් කිරීම අනිවාර්ය වේ.
- 10. ද.ප. අධාාපත අමාතාංශය දැනටමක් දකුණු පළාතේ පාසල්වල ඉදිකිරීම් අලුත්වැඩියා හා නඩත්තු කටයුතුවලට අදාල වාාපෘති සියයක පමණ පුසම්පාදන කටයුතු අවසන් කර ඉදිකිරීම් කටයුතු ආරම්භ කර ඇත.එමෙන්ම මෙම වාාපෘති එකසිය නමයෙහි ද පුසම්පාදන කටයුතු හැකි ඉක්මනින් අවසන් කර වාපෘතිවල වැඩ 2025 වසරේ දෙසැම්බර් මස වනවිට අවසන් කල යුතු බැවින් ලංසුකරුවන්ගේ ධාරිතාවය පිළිබඳ ලංසු පුදානයේදී සලකා බලනු ලැබේ.

11.අඩුපාඩු සහිත ලංසුපතුිකා පුතික්ෂේප කරනු ලබන ලැබේ. මෙම පුසම්පාදනය සම්බන්ධයෙන් පුසම්පාදන කමිටුවේ තීරණය අවසාන තීරණය බව සැලකිය යුතුය.

ඒ.යූ.වේලාරත්න, පුසම්පාදන කමිටු සභාපති, දකුණු පළාත් අධාාපන අමාතාාංශය, පළමු මහල, දක්ෂිණපාය, ලබුදුව, ගාල්ල. 2025.06.18 දුරකථන අංකය - 0912030700 ඊමේල් - acc.moesp@gmail.com

SECTION 4

FORM OF BID & QUALIFICATION INFORMATION

FORM OF BID

Name of Contract : Construction of toilet blocks at MR/ Beragama K.V.

To : Secretary, Ministry of Education, – Southern Province, Ground

Floor, Dakshinapaya, Labuduwa, Galle.

Ochidenian.	Gentl	leman.
-------------	-------	--------

1.	SBD/ 03 - Se addenda for the such Works	ined the Standard Bidding Document - Procurement of Works - Minor Contracts [ICTAD/cond Edition, January 2007], Schedule, Specifications, Drawings and Bills of Quantities and the execution of the above-named Works, we/I the undersigned, offer to execute and complete and remedy any defect therein in conformity with the aforesaid Conditions of Contract, cifications, Drawings, Bill of Quantities and Addenda for the sum of Sri Lankan Rupees						
		(LKR) or such						
	other sums as	may be ascertained in accordance with the said Conditions.						
2.	We/I acknowl	edge that the Schedule forms part of our Bid.						
3.		We/I undertake, if our Bid is accepted, to commence the Works as stipulated in the Schedule, and to complete the whole of the Works comprised in the Contract within the time stated in the Schedule.						
4.		We/I agree to abide by this bid for the period stated in the Sub-Clause 15 of Instructions to Bidders or any extended period and it shall remain binding upon us and may be accepted at any time before the expiration of that period.						
5.		atil a formal agreement is prepared and executed this Bid, together with your written acceptance constitute a binding contract between us/me.						
6.	We/I understa	nd that you are not bound to accept the lowest or any Bid you may receive.						
	Dated this	day of 20 in the capacity of duly authorized to sign						
	tenders for and	d on behalf of(IN BLOCK CAPITALS)						
	Signature	:						
	Name	:						
	Designation	:						
	Address	:						
	Witness	:						

Qualification Information

(to be completed by the bidder and submitted with the Bid)

	Eligibility Requirement	Bidder's Qualification
CIDA Registration		
Registration number		
Grade	C9 or above	

Specialty	Building		
Expiry Date			
Blacklisted Contractors			
Have you been declared as a de Agency?	efaulted contractor by NPA or a	any other	Yes/No
IF yes provide details			
VAT Registration Number			
Construction Program ⁶	(attach as annex)		
Legal status ⁷	Public company/Private Compa	ny/Partnersh	ip/Sole proprietor
	Eligibility Requirement		Bidder's Qualification
Qualification and experience of key staff 8	Category, Experience and Qualifications ⁹ (Insert requirement)*	Required Nos.*	Proposed by bidder (Name, experience and Qualifications)
	1 Technical Officer NCT (Civil with 2years experience) 2	01	
List Other information required			

Signature of the Bidder:

SECTION 5

SCHEDULE

SCHEDULE

ITB Conditi Item Data
Clause ons of
Contrac
t Clause

1.	1.1.8	Employer is:	Name : Secretary, Ministry of Education,
			Address: Ministry of Education – Southern Province, Ground Floor, Daksinapaya, Labuduwa, Galle
	1.1.10	Engineer is:	Name: District Engineer (Building) Address: District Engineer (Building) Office, Pallimulla, Matara
1 & 13	1.1.21	Summary of Works	The Works consists of: Located at : MR/ Beragama K.V Contract Name : Construction of toilet blocks at MR/Beragama K.V. Contract Number : M/C/25/54
1.	1.1.14	Intended Completion Date	Intended Completion Date is 105 Days from the Start Date
2.		Source of Funds	The source of funds is: PSDG
3.		Eligibility	The requirement is CIDA C9 or above
12.		Documents of the Bid	Any other information to Contact with 091-2030700
13.	10.10	Price Adjustment	The Contract is subject to price adjustment in accordance with Sub-Clause 10.10 of the Conditions of Contract. The price adjustment shall be computed in accordance with Option B under sub clause 10.10
			Non adjustable element shall be: BOQ Item Numbers: -
			OPTION B: Type of Construction : Non Residential Buildings
16.		Bid Security	Bid shall include a Bid Security:
			For an amount LKR. 19,000.00 Issued by an agency acceptable to Employer using the form for bid security (unconditional guarantee) included in Section 9, Standard Forms, remain valid till 04 th October 2025 from bid closing.

• If paid by cash to the employer, LKR. 19,000.00

31.	4.4	Performance Security	Amount of Performance Security required is 5% of the Initial Contract Price. The form acceptable is unconditional guarantee as stranded from as per SBD/3
	6.4	Late Completion	The amount to be paid is 0.05% of Initial Contract Price per Day, subjected to maximum of 10% of Initial Contract Price.
	8.1	Notification of Defects	The period for Defect Notification is 150 Days from Taking Over.
	10.3	Retention	The amount of retention is 10% of certified work done. The maximum amount of retention is 05% of Initial Contract Price.
	10.12	Advance Payment	Upon the payment of the advance payment in full the Employer shall return the original of the advance payment guarantee to the Contractor.
	13.1 (c)	Insurance, third party	Minimum amount for third party insurance is LKR 100,000.00
	13.1 (a)	Insurance for Works, Material and plant	The Minimum cover for Insurance of the works and plant and materials is 110% of initial contract price.
	13.1	Insurance for contractor's Personal	Minimum amount for Insurance is LKR. 500,000.00
33.	1.1.11	Adjudicator	CIDA
	14.0	Resolution of Disputes	Deputy Chief Secretary (Engineering Services), Southern Province

Fees and types of reimbursable expenses to be paid to the Adjudicator shall be on a case to case basis and shall be shared by the Contractor and the Employer.

SECTION 6

SPECIFICATIONS

TECHNICAL SPECIFICATIONS

Technical specification that are applicable to this project are listed below.

- SCA/3/1 Irrigation and Land Drainage
- SCA/3/2 Water Supply Sewerage and Storm Water Drainage
- SCA/3/3 Reclamation Works

• SCA/3/4 - Ground Water Exploration & Exploitation

• SCA/4/I - Building Works (Vol I)

• SCA/4/II - Building Works (Vol II)

• SCA/5 - Roads and Bridges

• SCA/6 - Coastal Harbour Engineering Works

• SCA/8 - Electrical and Mechanical Works

• ICTAD/DEV/16 - Board & Cast In situ Reinforced Concrete Piles

• ICTAD/DEV/17 - Site Investigation for Building Works & Sample Bill of Quantities

Any Other specification approved by the Government

Above publications shall be purchase from the Construction Industry Development Authority (CIDA), Savusiripaya, 123. Wijerama Mawatha, Colombo 07.

List of Timber Approved for Building Works in Galle, Matara and Hambantota Districts of the Southern Province Engineering Services

1. Trusses : Jak, Kohomba (Margosa), Nedun, Teak, Halmilla,

Satin, Palu, Milla.

2. Doors, Windows, Gates & : Jak, Kohomba (Margosa), Teak, Nedum, Halmilla,

Gate Sashes Satin, Milla.

3. Ledge Braces and Batten

and

Other Ordinary Doors

: Vevarana, Kolon, Welan, Eucaliptus, (Except Doors, Toilet Doors

Grandis), Liyan, Ketakala, Hedawaka.

4. Science Laboratory Furniture : Jak, Kohomba (Margosa), Teak, Nedun,

Mahaogany, Satin, Milla, Halmilla.

5. Roof and Ceiling Framework : Tawwenna, Uva Mandora, Moonamal, Ubberiya,

Eucaliptus (Except Gandis), Kirihambiliya, Etatimbiriya, Helamba, Madan, Kon, Mee, Na,

Ketakala, Liyan, Uruhonda and Dun.

Bedi del is allowed for ceiling framework and

Reepers only.

6. Valence and Barge Boarding : Gini-sapu, Welipenna, Talan, Dawul-kurundu.

Note: If above imported timbers are used contractors are advised to carry out appropriate treatment as directed by the District Engineer.

Kempes and Balaw timber are also allowed to use for all items in 1 to 6 above.

- 1. All timber to be used shall conform to Standard Specification for Buildings ICTAD Publication No. SCA/4 (Volume 1).
- 2. The timber shall be free from defects such as sap, wavy edges, cracks, knots, etc.
- 3. Different types of timber should not be used to fabricate item of work such as trusses, door or window frames, sashes, Laboratory furniture etc.
- 4. Only the timber specified in the relevant items of the Bill of Quantities shall be used. In the circumstances where such timber is not available the approval of the Engineer should be obtained to use an alternative timber.

5.	11	nny description shall be made on timber unless and until the timber is neer, except at joints and cut ends, which must necessary be treated
6.	The timber to be us given above.	sed for various items of work shall be selected from the list of timber
7.	I the contractor for	the construction of
	Shall hereby agree	with the instructions 1 to 6 given in above timber list.
Sign	ature of Contractor	:
Nam	ne	:
Addı	ress	:

District Engineer's (Buildings) office date a sera



CONSTRUCTION OF TOILET BLOCKS AT MR/ BERAGAMA K.V

ID	Description	Unit	Qty.	Rate	Amoun
	(No Topic Assig	ned)			9
	Earth Work				
1	Excavation for foundation by manually in any material except rock requiring blasting, part return fill in and ram, and disposing surplus within site as directed. (not exceeding 5ft depth)	cu.m	5.00	u.	-
2	Filling under floors with gravel or other approved quality of filling, spread, watered and well rammed in 3" layers (materials not available at site)(Transport within first mile)	cu.m	2.20		
	Total carried to summary				
	Brick Work				
3	Brickwork in cement : sand mortar 1:5 in piers (Ground Floor).	cu.m	1.50		
4	Brickwork 112mm in cement : sand mortar 1:5 (Ground Floor)	sq.m	46.00		
5	Manhole 2'-0"x 2'-0"x 2'-0" (internally) concreting base 4" thick & channels with 1:2:4 (3/4") ct. concrete including 2" thick, concrete screed with 1:3:6 (1") con. mixture.9" brick wall with 1:5 ct. mortar. Internally Plastered with 1:3, 3/4" thick ct. mortar with water proofing compound 10% (by cement) weight of cement as super latex 302 or equivalent finished smooth with neat ct. floating including channels & Pad plaster 1:3, 1/2" thick finished smooth with cement floating.shall be water tight. Rate to include for concrete cover slab 3" thick with 1:2:4 (3/4") con. mixture r/f with.10 mm dia. T.S rods @ 6" c/s. both ways, with 2 nos lifting handles. (as per Draw No.SPES/Rate23/Bk-13)	nr r	1.00	•	
5	Manhole 1'-6"x 1'-6"x 1'-3" (internally) concreting base 4" thick & channels with 1:2:4 (3/4") ct. concrete including 2" thick, concrete screed with 1:3:6 (1") con. mixture. 4" concrete wall with 1:2:4 (3/4") con. mixture. Internally Plastered with 1:3, 3/4" thick ct. mortar with water proofing compound 10% (by cement) weight of cement as super latex 302 or equivalent finished smooth with neat ct. floating including channels & Pad plaster 1:3, 1/2" thick finished smooth with cement	nr	1.00		*:
	floating.shall be water tight. Rate to include for concrete cover slab 3" thick with 1:2:4 (3/4") con. mixture r/f with.10 mm dia. T.S rods @ 6".c/s. both ways, with 2 nos lifting handles. (as per detail Draw No.SPES/Rate23/Bk-15.)				

District Engineer's (Buildings) office, Matara

ID	Description	Unit	Qty.	Rate	Amoun
7	Construction of soakage pit 1200 x 1200 x 2700 mm (8'-6") invert depth, (8'-6" deep from the sewer pipe) Brick walls 225 mm thick in 1:5 ct: sand mortar, including 1:2 ct, & sand plastering 1/2" thick finished smooth with neat ct. floating up to a depth of 6" below from the invert level of the sewer pipe & surrund the con. pad . Concreting Ring beam, cover slab and pad (curb) with 1:2:4(3/4") conc. mixture. Reinforcing cover slab with 10.0 mm twisted deformed steel @ 6" cts. bothways and plastering curb 1:3 ct. & sand, 1/2" thick finished smooth with neat ct. floating 6" below ground level.inc: 2 nr of 10mm dia lifting handles (as per Draw No.SPES/Rate23/Bk-10.) Total carried to summary	nr	1.00		
	Concretor				
8	Lintel, cement concrete 1:2:4(3/4") (Gr. 20) 4 1/2" x 6" (Reinforcement paid separately). Rate including shuttering & curing	m	6.00		
9	Cement concrete 1:2 1/2:5(1") mix: up to 3.0 m3 (Shuttering paid separately) incl: curing	cu.m	1.60		
10	Roof flat cement concrete 75 mm thick 1:2:4(20 mm) mix, With 10.0mm dia. Tor Steel rods at 150 mm c/c both ways. Rate to include for15mm thick plywood formwork, side & soffit plastering with 1:3,10.0 mm thick ct. mortar, , and plastering top of the slab, 3/4" thick in cement,sand 1:3 with Water proofing compound(10% by weight of cement)as super latex-302 or equvalent finished smooth with cement floating. Rate to including 1"x3/4" copping(wehikenda)underside of the slab.	sq.m	18.00		
	Total carried to summary				
11	Reinforcement 10mm dia Tor steel for lintel & copping Ground floor	kg	15.00	*	
	Total carried to summary				
	R R Masonry				
12	Random Rubble Masonry in cement mortar 1:5 in substructure (6"- 9" rubble)	cu.m	6.00		
	Total carried to summary				
	Pavior				w
13	300 x 600 mm Ceramic floor tiles(colour) with all specials supplying and fixing to floors including raking plaster 1:3 and bedding in Tile motar pointed with tile grout.(Use lanka tiles) as per the engineer's instruction.	sq.m	8.00		

District Engineer's (Buildings) office, Matara



ID	Description	Unit	Qty.	Rate	Amoun
14	Wall Tiles glazed colour 300 x 600 mm with all specials, supplying and fixing to walls including raking 1:3 plaster bedding in tile mortar and pointed with tile grout to match the tiles.(Use Lanka tiles) as per the engineer's instruction.	sq.m	17.00		
	Total carried to summary				
	Plasterer			*	,
15	D.P.C 3/4" thick in cement, sand 1:3 finished smooth with 2 coats of DPC tar blinded with sand	sq.m	8.00		
16	Cement Sand plastering to wall 1:5, (5/8") thick semi rough G: floor rate to include curing	sq.m	95.00		-
17	3/4" thk Rendering in Cement and sand 1:3 in floors finished smooth Rate to include curing, - Ground floor	sq.m	5.00		
18	1/2" thk 1:3 Cement Rendering finished smooth with neat cement floating, Ground floor(sand to be sieved with 1/8" nets) Rate to include curing	sq.m	13.00		
	Total carried to summary				
r	Painter & Decorator			r	r
19	Painting walls with one coats of Acrylic wall filler for external wall (new work or after preparation of old wall) -Ground floor	sq.m	95.00	56 52 Walin	
20	Wethershield paint to external faces of wall 02coat apply using brush(ground Floor)	sq.m	95.00		
21	Painting plinth and skirting with floor paint, 1 coat including preparing surface	sq.m	5.00		
	Total carried to summary				
	<u>Plumber</u>				
22	Supplying and fixing Closet with footrest, squatting type(Large), with trap .(OTTO / RSL or equivalent (Suitable fittings can be decided by the engineer depending on the site situation)	nr	4.00		e .
23	Suppling and fixing PVC 1/2"bib tap, (Water Tec/ S lon)	nr	4.00		=
24	Supplying and fixing Pipes P. V. C. ½" - PNT 14 rate to include socket & joints and also include excavating backfilling or breaking wall or floor upto required depth	m	15.00	- 1	
25	Supplying and fixing Stop valve, Plastic 1/2" ."S-lon"/"Water Tec"	nr	- 5.00		
26	P.V.C. pipes 110 mm dia.(4") type 250 laid under ground not exceeding 600 mm depth. Rate to include for necessary excavation, ct.Con. Bedding & covering with 1:3:6 (1") conc. mixture. Concrete Paid Seperately. For special purpose only by - Online Information Management System @ 2025/05/24 1:17:20 PM	m	15.00		

District Engineer's (Buildings) office, Matara

ID	Description	Unit	Qty.	Rate	Amou
27	Supplying and fixing Soap tray (ABS Plastic)	nr	4.00		
	Total carried to summary				
		%			
	Alluminium				
			6.50		
28	Supplying, fabricating and fixing Aluminium natural anodized paneled door (Top and Bottom panel – Al/PVC Composite board) with frame (1 Nr door sash) as per Drg. No. SPES/RATE23/D/03. Overall size of the door frame is 750x2100mm. (Size may be changed according to the site) Door frame consisting top and side bars (76x23mm), and fixing with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets. Frame should be fixed to wall with 8 Nrs of No 6 rowl plugs and 8x3" ST screws. Door sash consisting top and bottom bar (80x42mm), side bars (66x45mm hinges side, 70x45mm lock side) and middle bar (100x42mm). 16x15mm clip bar should be used for required bars. Sash frame should be fixed with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets, 8mm dia. treaded bar with nuts for top and bottom bars. 3mm thick Al/PVC double side composite board for top and bottom panels should be fixed. Rate should be included for supplying and fixing required Mohair beading, 3303A Rubber beadings, 3 Nrs of 100x75mm Aluminium hinges using 5/32x3/8" Al rivets, 2 Nrs of Aluminium plate door handle, Door lock (CL or	sq.m	6.50	*	
	equivalent approved by the Engineer), 2 Nrs of 3" Al Barrel Bolt, Screws, Pop rivets, Silicone etc.				
9	Supplying, fabricating and fixing Aluminium natural anodized casement Fanlight with frame (1 Nr Fanlight sash) as per Drg. No. SPES/RATE23/FL/01. Overall size of the fanlight frame is 600x600mm. (Size may be changed according to the site) Fanlight frame consisting top, bottom and side bars (41x31mm), and fixing using 38x38x2.5mm Al angle bracket with 1/8x3/8" Al rivets. Frame should be fixed to wall with 8 Nrs of No 6 rowl plugs and 8x2" ST screws. Fanlight sash consisting top, bottom and side bars (40x35mm) should be fixed using 8x1 1/2" ST screws, and 5mm thick clear glass. Rate should be included for supplying and fixing required 437K Rubber beading, 674U Rubber beading, 2 Nrs of 14" SS 304 bar hinges using 5/32x3/8" Al rivets, 1 Nrs of heavy quality Al fasteners using 5/32x3/8" Al rivets, Screws, Pop rivets, Silicone etc.	sq.m	1.20		
	Total carried to summary				
	Form work	•		,	¥
0	Shuttering for 4 1/2"X6 "concrete lintel including Class (II) timber planks and joists necessary props. (Rate to include dismantling same when required).	sq.m	2.50	4	

24/05/2025, 18:18

friedBricksApp

District Engineer's (Buildings) office, Matara



CONSTRUCTION OF TOILET BLOCKS AT MR/ BERAGAMA K.V

Rate Schedule				Amount
	(No Topic Assigne	ed)		
Earth Work				
Brick Work				
Concretor				
Reinforcement				
R R Masonry				
Pavior				
Plasterer				
Painter & Decorator				
Plumber				
Alluminium				
Form work				
Total				3
Total :				
Less PS:		•		•
	*		4	
Discounts (%):		-		
(+) PS:				
Contract Amount:				

Construction of Toilet blocks at MR/ Beragama K.V.

LKR.....

(B)	Less for Provisional Sums	:	LKR	(00.00)
(C)	Sub Total (A - B)	:	LKR	
(D)	Less for Discount (If Any) (%)	:	LKR	
(E)	Sub Total (C – D)	:	LKR	
(F)	Add for Provisional Sums	:	LKR	00.00
	Total Bid Amount (E + F) (Excluding VAT, Carried to form of Bid)	:	LKR _	
Total Bid	AT			
Grand T	Cotal	:	LKR	
	are requested to provide discounts, if any, as a percentage. Your discount will also be applied to variations in que Details	-		be converted to a
	e of Bidder Date			
Name &	Address of Bidder:			

(A) BOQ Total

SECTION 8

DRAWINGS

If any bidder required getting further information regard this drawing, please contact District Engineer (Buildings) Matara. (In office hours)

Contact Details: Address: District Engineer (Buildings) Office,

Pallimulla,

Matara.

Tele: 041-2222386

SECTION 9 STANDARD FORM

- Form of Bid Security
- Form of Letter of Acceptance
- Form of Performance Security
- Standard form :Agreement

FORM OF BID SECURITY

[This Guar	This Guarantee form shall be filled in accordance with the instructions indicated in brackets]					
	[insert issuing agency's name, and address of issuing branch or office]					
Beneficiary	y: Secretary, Ministry of Education, Southern Province, Ground Floor, Dakshinapaya, Labuduwa Galle.					
Date: -	[insert (by issuing agency) date]					
BID GUA	RANTEE No.: [insert (by issuing agency) number]					
of the bidded date](herei	been informed that [insert (by issuing agency) nameler] (hereinafter called "the bidder") has submitted to you its bid dated [insert (by issuing agency inafter called "the Bid") for the execution of "Construction of toilet blocks at MR/ Beragama K.V me of Contract] under Invitation for Bids No [insert IFB number] ("the IFB").					
Furthermo	re, we understand that, according to your conditions, Bids must be supported by a Bid Guarantee.					
agency] he [insert amo	quest of the bidder, we [insert name of issuing the property of the property irrevocably undertake to pay you any sum or sums not exceeding in total an amount of					
(a) has	s withdrawn its Bid during the period of bid validity specified; or					
	ses not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter the ITB"); or					
ref	ving been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails fuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the Performance Securit accordance with the ITB.					
signed by successful	antee shall expire: (a) if the bidder is the successful bidder, upon our receipt of copies of the Contra the bidder and of the Performance Security issued to you by the bidder; or (b) if the bidder is not the bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder was unsuccessful it will remain in force up to (insert date)					
Consequen date.	ntly, any demand for payment under this Guarantee must be received by us at the office on or before th					
	[Signature of authorized representative(s)					

[Letter heading paper of the procuring entity]

FORM OF LETTER OF ACCEPTANCE

[Date]	
То:	
[Name and address of the contractor]	
This is to notify you that your Bid dated	ees
(Rs/=) [Amount in figures and words] as corrected in accorda with Instructions to Bidders and/or modified by a Memorandum of Understanding (if any), is here accepted.	nce
The adjudicator shall be appointed by appointing authority.	
You are hereby instructed to proceed with the execution of the said works in accordance with the Contrac documents.	t
The start date shall be (Fill the date as per Conditions of Contract)	
The amount of performance security is (Fill as per Conditions of Contract)	
The Performance Security shall be submitted on or before (Fill the date as per Conditions Contract)	of
Authorized Signature :	
Name and title of Signatory:	
Name of Agency :	

FORM OF PERFORMANCE SECURITY (Unconditional)

[Issuing agency's name and Address of Issuing Branch of Office]
Beneficiary: Secretary, Ministry of Education—Southern Province, Ground Floor, Dakshinapaya Labuduwa Galle
Date:
PERFORMANCE GUARANTEE No
We have been informed that
Furthermore, we understand that, according to the conditions of contract, a performance guarantee i required.
At the request of the contractor, we
This guarantee shall expire, no later than the day of 20 [Insert date, 28 day beyond the Intended Completion Date] and any demand for payment under it must be received by us at this office on or before that Date.
[Signature(s)

STANDARD FORM: AGREEMENT

Minis	try of Education after called "the	nade the day of on — Southern Province, Gro Employer") of the one part and	ound Floor, D	akshinapaya, Labuduwa,	Galle		
called		of the other part.	[Name <i>and addr</i>	ess of the contractor) (Here	inafter		
(Herei	nafter called "the	oyer is desires that the "Construe" Works") and the Employer has a Works and the remedying of any	ccepted the Bid				
NOW 1.	W THIS AGREEMENT WITNESSETH as follows: In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.						
2.	In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.						
3.	The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects wherein the Initial Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.						
		e parties thereto have caused the rdance with the laws of Sri Lanka	-	to be executed the day and	d year		
Authorized signature of Contractor COMMON SEAL			Authorized Signature of Employer COMMON SEAL				
In the Witne	presence of:						
	Name and NIC No :						
Si	gnature	······					
	ddress :						
2. N	Name and NIC No :						
	gnature	·					
	ddress	······					

Check List for Bidders

Bidders are advised to fill the following table:

ITEM	ITB Claus	YES (tick)	REFERENCE
Form of Bid			
Addressed to the Employer ?	18		
Completed?	18		
Signed?	18		
Bid Security (if required)			
Addressed to the Employer ?	16		
Format as required?	16		
Issuing Agency as specified?	16		
Amount as requested?	16		
Validity 28 days beyond the validity of Bid?	16		
Qualification Information			
All relevant information completed?	4		
Signed?	4		
Addendum			
Content of the addendum (if any) taken in to account?	10		
BID Package			
All the documents given in ITB Clause 12 enclosed in the original and copy?	12		
ITB Clause 19 followed before Sealing the Bid Package?	19		