SOUTHERN PROVINCE MINISTRY OF EDUCATION

Renovation Of 70'x25' Two Storied Building At Kirinda Model Primary School

BIDDING DOCUMENT

CONTRACT NO: M/C/25/57

Volume I

Section 01 – Instructions to Bidders

Section 02 – Standard Forms (Contract)

Section 03 – Conditions of Contract

Volume II – (For the use as "Original" document)

Invitation for Bid

Section 04 – Form of Bid and Qualification Information

Section 05 – Bidding Data and Contract Data

Section 06 – Specifications

Section 07 – Bill of Quantities

Section 08 – Drawings

Section 09 – Standard Forms (Bid)

Volume III – (For the use as "Copy" of document)

Invitation for Bid

Section 04 – Form of Bid and Qualification Information

Section 07 – Bill of Quantities

Issued to: -

Employer

The Secretary,

Ministry of Education - Southern Province,

Ground Floor, "Dakshinapaya",

Ministry Complex.

Labuduwa, Galle.

M/C/25/57

CONTENTS

Section 01 - Instructions to Bidders

Section 02 - Standard Forms (Contract)

Standard Form : Letter of Acceptance

Standard Form : Agreement

Standard Form: Performance Security

Standard Form : Advance Payment Security

Standard Form: Retention Money Guarantee

Section 03 - Conditions of Contract

Section - 01 INSTRUCTION TO BIDDERS (ITB)

INSTRUCTION TO BIDDERS

Instruction to Bidders applicable to this Contract is those given in Section I of the Standard Bidding document for Procurement of works, ICTAD Publication No. ICTAD/ SBD/01, 2nd Edition, January 2007 Published by Institute for Construction Training and Development (ICTAD) "Savsiripaya", 123, Wijerama Mawatha, Colombo 07.

This publication will not be issued with the Bidding document and the Bidder is advised to purchase it from ICTAD.

Instructions to Bidders shall be read in conjunction with Bidding Data under section 05 (Volume 2). Matters governing the performance of the Contractor, payments under the Contract, or matters affecting the risks, rights, and obligations of the parties under the Contract are included under Section 3 – Conditions of Contract (Volume I) and Contract Data under Section 5 (Volume II).

Section - 2

STANDARD FORMS (CONTRACT)

- Letter of Acceptance
- Agreement
- Performance Security
- Advance Payment Security
- Retention Money Guarantee

Notes on standard forms:

- Bidders shall submit the completed Form of Bid Security/Bid Securing Declaration as appropriate in compliance with the requirements of the bidding documents.
- Bidders should not complete the Form of Agreement at the time of preparation of bids.
- The successful bidder will be required to sign the Form of Agreement, after the award of contract.
- Any correction or modifications to the accepted bid resulting from arithmetic corrections, acceptable deviations, or quantity variations in accordance with the requirements of the bidding document should be incorporated into the Agreement.
- The Form of Performance Security, Form of Advance Payment Security and Form of Retention Money Guarantee should not be completed by the bidders at the time of submission of bids.
- The successful bidder will be required to provide these securities in compliance with the requirements herein or as acceptable to the Employer.

FORM OF LETTER OF ACCEPTANCE

[Date]
To:
[Name and address of the Contractor] is is to notify you that your Bid dated
This is to notify you that your Bid dated
(Rs/=) [Amount in figures and words] as corrected in accordance with Instructions to Bidders and/or modified by a Memorandum of Understanding (if any), is hereby accepted.
The adjudicator shall be appointed by appointing authority.
You are hereby instructed to proceed with the execution of the said works in accordance with the Contract documents.
The start date shall be (Fill the date as per Conditions of Contract)
The amount of performance security is (Fill as per Conditions of Contract)
The Performance Security shall be submitted on or before (Fill the date as per Condition of Contract)
Authorized Signature:
Name and title of Signatory:
Name of Agency

STANDARD FORM: AGREEMENT

		day of
		s of the contractor) (Hereinafter called "the Contractor")
Mo	odel Primary School" (Hereinafter called "t	Renovation Of 70'x25' Two Storied Building At Kirinda he Works") and the Employer has accepted the Bid by the such Works and the remedying of any defects therein.
NO 1.		as shall have the same meanings as are respectively assigned ereinafter referred to, and they shall be deemed to form and
2.	mentioned, the Contractor hereby coven-	e made by the Employer to the Contractor as hereinafter ants with the Employer to execute and complete the Works mity in all respects with the provisions of the Contract.
3.	completion of the Works and the remed	ay the Contractor in consideration of the execution and dying of defects wherein the Initial Contract Price or such der the provisions of the Contract at the times and in the
	witness whereof the parties thereto have or rementioned in accordance with the laws of S	caused this Agreement to be executed the day and year Sri Lanka.
 Aut	thorized signature of Contractor	Authorized Signature of Employer
CO	MMON SEAL	COMMON SEAL
	he presence of: tnesses:	
1.	Name and NIC No	
2.	Name and NIC No	

FORM OF PERFORMANCE SECURITY (Unconditional)

	[Issuing agen		dress of Issuing B			•••••
Beneficiary:	The Secretary, M "Dakshinapaya"				nd Floor,	
Date:						
PERFORMAN	NCE GUARANTE	E No	•••••	•••••	•••••	
We have been i	informed that					[Name
of Contracto	or] (hereinafter date date date date date date date date	called "the ted	contactor") With you	has entere	d into ion " Renov	Contract vation Of
Furthermore, wrequired.	ve understand that,	according to the	e conditions of c	ontract, a perfo	ormance gua	arantee is
sums not exceed figures [eding in total an a	[Name of Agency amount of] [amount in tatement stating the	y] hereby irrevoca n words], upon re hat the Contractor	bly undertake to eceipt by us of is in breach of i	pay you an [A your first d	ny sum or A <i>mount in</i> lemand in n(s) under
_	shall expire, no landed Completion Defore that Date.					•
 [Signature(s)]						

FORM OF ADVANCE PAYMENT SECURITY

me and address of Agency's name and Address of Issuing Branch of Office]
Beneficiary: The Secretary, Ministry of Education (Southern Province), Ground Floor, "Dakshinapaya" Ministry Complex, Labuduwa, Galle
Date:
ADVANCE PAYMENT GUARANTEE NO
We have been informed that
Furthermore, we understand that, according to the conditions of contract, an Advance Payment in thou
At the request of the contractor, we
eceipt by us of your first demand in writing accompanied by a written statement stating that the Contractors in breach of its obligation in repayment of the advance payment under the contract.
The maximum amount of this guarantee shall be progressively reduced by the amount of the advance on ayment repaid by the contractor.
This guarantee shall expire, on
Consequently, we must receive any demand for payment under this guarantee at this office on or before that late.
Signature(s)]

FORM OF RETENTION MONEY GUARANTEE

[Issuing agency's name and A	Address of Issuing Branch of Office]
Beneficiary: : The Secretary, Ministry of Ed "Dakshinapaya" Ministry Cor	
Date:	
RETENTION MONEY GUARANTEE No	
Contractor] (Hereinafter called "the contactor") h	ias entered into Contract No: tion of "Renovation Of 70'x25' Two Storied Building called "the Contract").
_	conditions of contract, when the works have being taken been certified for payment, payment of the second half of ation Money Guarantee.
sum or sums not exceeding in total an a	of Agency] hereby irrevocably undertake to pay you any amount of
[amount in words],	upon receipt by us of your first demand in writing the Contractor is in breach of its obligation(s) under the
-	
[Signature(s)]	

Section - 03

CONDITIONS OF CONTRACT

Conditions of contract shall be read in conjunction with the Contract data in Section 5 in Volume II, which shall take precedence over the Conditions of Contract.

CONDITIONS OF CONTRACT

Conditions of Contract that will be applicable for this Contract shall be that given in Section 3 of the Standard Bidding Document for Procurement of Works, ICTAD Publication No. **ICTAD/SBD/01, Second Edition, January 2007**, published by the Institute for Construction Training and Development (ICTAD) "Savsiripaya", 123, Wijerama Mawatha, Colombo 07.

The above publication will not be issued with the Bidding Document and Bidder is advised to purchase it from ICTAD.

This Conditions of Contract shall be read in conjunction with Contract Data in Section 05 in Volume II which shall take precedence over the Conditions of Contract.

SOUTHERN PROVINCE MINISTRY OF EDUCATION

Renovation Of 70'x25' Two Storied Building At Kirinda Model Primary School BIDDING DOCUMENT

CONTRACT NO: M/C/25/57

Volume I

Section 01 – Instructions to Bidders

Section 02 – Standard Forms (Contract)

Section 03 – Conditions of Contract

Volume II – (For the use as "Original" document)

Invitation for Bid

Section 04 – Form of Bid and Qualification Information

Section 05 - Bidding Data and Contract Data

Section 06 – Specifications

Section 07 – Bill of Quantities

Section 08 – Drawings

Section 09 – Standard Forms (Bid)

Volume III – (For the use as "Copy" of document)

Invitation for Bid

Section 04 – Form of Bid and Qualification Information

Section 07 – Bill of Quantities

Issued to: -

Employer

The Secretary,

Ministry of Education - Southern Province,

Ground Floor, "Dakshinapaya",

Ministry Complex.

Labuduwa, Galle.

M/C/25/57

CONTENTS

Invitation for Bids

Section 04 - Form of Bid & Qualification information

Form of Bid

Qualification Information

Section 05 - Bidding Data & Contract Data

Bidding Data

Additional Clause

Section 06 - Specifications

General Technical Specifications

Air conditioning System specification

Section 07 - Bill of Quantities & Technical Schedule

Preambles to Bill of Quantities

Bill of Quantities

Technical Schedule

Section 08 - Drawings

Section 09 - Standard Forms (Bid)

Form of Bid Security

පුසම්පාදන දැන්වීම

දකුණු පළාත් අධාාපන, ඉඩම් හා ඉඩම් සංවර්ධන,මහා මාර්ග හා පුවෘත්ති අමාතාාංශය දකුණු පළාත් සභාව

පළාත් නිශ්චිත සංවර්ධන පුදාන, ක්ලීන් ශ්‍රී ලංකා වැඩසටහන හා නඩත්තු සැලැස්ම 2025 යටතේ කුියාත්මක කරනු ලබන පහත සඳහන් වැඩ යෝජනා සඳහා සුදුසුකම් ලත් කොන්තුාත් කරුවන්ගෙන්, දකුණු පළාත් අධාාපන අමාතාාංශයේ පුසම්පාදන කමිටු සභාපති විසින් ලංසු පත් කැඳවනු ලැබේ.

අනු	වාහාපෘති	පාසල	වැඩ විස්තරය	කර්මාන්	ආපසු	ලංසු	අවශා	මුළු
đ۰	අංකය			තය ඉටු	නොගෙ	සුරක්ෂණ	CIDA	පිරිවැය
ක				කරනු	වනු	වටිනාකම	ලියාප	ඇස්ත
ය				ලබන	ලබන	රු.	දිංචිය	මේන්තු
				වාහාපෘති	ඇප			මුදල vat
				සැලැස්ම	තැන්පත්			සමග
					මුදල රු.			රු. මි.
1	G/C/25/34	ගා/උඩුගම ම.වි	70*25 දෙමහල්	පළාත්				
			ගොඩනැහිල්ලේ	නිශ්චිත			C 8	
			වහල		2,500.00	34,000.00	හෝ ඉහළ	4.34
			අලුත්වැඩියාව				900	
2	G/C/25/35	ගා/හියාරේ	90*25	පළාත්				
		නැඟෙනහිර ක.වි	ගොඩනැහිල්ලේ	නිශ්චිත	1.500.00	26,000,00	C 9	2.40
			කොරිඩෝව		1,500.00	26,000.00	හෝ ඉහළ	3.40
			ඉදිකිරීම					
3	G/C/25/36	ගා/තිත්තගල්ල	180*25 පුධාන	පළාත්			C 0	
		අටානිකිත ක.වි	ශාලාවේ වහල	නිශ්චිත	2,500.00	35,000.00	C 8 හෝ	4.41
			අලුත්වැඩියාව				ඉහළ	
4	G/C/25/37	ගා/හපුගල පුා.වි	මායිම් තාප්පය	නඩත්තු			C 9	
			ඉදි කිරීම	සැලැස්ම	1,500.00	27,000.00	හෝ ඉහළ	3.46
5	G/C/25/38	ගා/නරාවල ම.වි	80*20	නඩත්තු			C 8	
			ගොඩනැහිල්ල	සැලැස්ම	2,500.00	32,000.00	හෝ	4.10
			අලුත්වැඩියාව				ඉහළ	
6	G/C/25/39	ගා/ප∘චාලිය පුා.වි	පාසල්	නඩත්තු			C 9	
			ගොඩනැහිල්ල	සැලැස්ම	1,500.00	21,000.00	හෝ	2.73
			අලුත්වැඩියාව				ඉහළ	
7	G/C/25/40	ගා/කළාහාණතිස්ස	80*20	නඩත්තු				
		විදාහලය	ගොඩනැහිල්ලේ	සැලැස්ම	1 500 00	22,000,00	C 9	2 00
			වහල		1,500.00	22,000.00	හෝ ඉහළ	2.88
			අලුත්වැඩියාව					

8	G/C/25/41	ගා/ජයවර්ධන	80*20	m 0 m²m				
8	G/C/23/41	විදාහලය	80*20 ගොඩනැහිල්ල	නඩත්තු සැලැස්ම	1,500.00	25,000.00	C 9 හෝ	3.14
			අලුත්වැඩියාව		-,		ඉහළ	
9	G/C/25/42	ගා/පැදින්නොරුව	60*20	නඩත්තු				
		සරණපාල ජයන්ති	ගොඩනැහිල්ලේ	සැලැස්ම	1 500 00	26,000,00	C 9	2 25
		පුා.වි	වහල		1,500.00	26,000.00	හෝ ඉහළ	3.35
			අලුත්වැඩියාව					
10	G/C/25/43	ගා/ඇත්තිලිගොඩ	100*25	නඩත්තු				
		සුදර්ශි ම.වි	ගොඩනැහිල්ලේ	සැලැස්ම	1.500.00	20,000,00	C 9	2.01
			වහල		1,500.00	30,000.00	හෝ ඉහළ	3.91
			අලුත්වැඩියාව					
11	G/C/25/44	ගා/මීගහගොඩ	50*20 විදාහාගාර	නඩත්තු				
		ක.වි	ගොඩනැඟිල්ලේ	සැලැස්ම	1.500.00	21 000 00	C 9	2.02
			වහල		1,500.00	31,000.00	හෝ ඉහළ	3.93
			අලුත්වැඩියාව				300	
12	G/C/25/45	ගා∕කඩිහි∘ගල ම.වි	70*20 ලදමහල්	නඩත්තු				
			ගොඩනැහිල්ලේ	සැලැස්ම			C 9	
			විදුලි පද්ධතිය		1,500.00	00.00 17,000.00	හෝ ඉහළ	2.12
			නවීකරණය				နီ စစ	
13	G/C/25/46	අම්බලන්ගොඩ	කාර්යාල	නඩත්තු			С 9	
		කලාප අධාාාපන	ගොඩනැඟිල්ල	සැලැස්ම	1,500.00	20,000.00	හෝ	2.49
		කාර්යාලය	අලුත්වැඩියාව				ඉහළ	
14	G/C/25/47	ගා/වටරැක ශී	40*20	නඩත්තු			C 9	
		සෝහිත විදාහාලය	ගොඩනැඟිල්ල	සැලැස්ම	1,500.00	25,000.00	හෝ නේ	3.22
			අලුත්වැඩියාව				ඉහළ	
15	G/C/25/48	ගා/විදාහනන්ද	පැති බැම්ම	නඩත්තු		2400000	C 8	4.40
		ක.වි	අලුත්වැඩියාව	සැලැස්ම	2,500.00	34,000.00	හෝ ඉහළ	4.40
16	G/C/25/49	ගා/උනන්නවිටිය	90*20	නඩත්තු			C 8	
		රේවත ම.වි	ගොඩනැහිල්ල	සැලැස්ම	2,500.00	36,000.00	ෙ හ හෝ	4.66
			අලුත්වැඩියාව				ඉහළ	
17	G/C/25/50	ගා/සිරි පඹංකර	80*20	නඩත්තු				
		පුා.වි	ගොඩනැහිල්ලේ	සැලැස්ම			C 9	
			වහල		1,500.00	25,000.00	හෝ ඉහළ	3.15
			අලුත්වැඩියාව				800	
18	G/C/25/51	ගා/බටදුව සිරි	90*25	නඩත්තු			C 0	
		රතනජෝති ම.වි	ගොඩනැඟිල්ල	සැලැස්ම	1,500.00	26,000.00	C 9 හෝ	3.28
			අලුත්වැඩියාව				ඉහළ	
19	G/C/25/52	ගා/අක්මීමණ ම.වි	100*20	නඩත්තු	2,500.00	38,000.00	C 8 හෝ	4.97

			ගොඩනැහිල්ල	සැලැස්ම			ඉහළ	
			අලුත්වැඩියාව					
20	G/C/25/53	ගා/ආනන්ද විජය	90*25	නඩත්තු				
		විදාහලය	 ගොඩනැහිල්ලේ	සැලැස්ම			C 9	
			වහල		1,500.00	25,000.00	හෝ	3.21
			ළ අලුත්වැඩියාව				ඉහළ	
21	G/C/25/54	ගා/ඉඳුරුව ම.වි	120*20	නඩත්තු				
	3/ 6/20/01	85, 85, 60	ගොඩනැහිල්ල -	සැලැස්ම	2 000 00	40,000,00	C 8	6.47
			අලුත්වැඩියාව	۵٫۵٫۵۵	3,000.00	49,000.00	හෝ ඉහළ	6.47
22	G/C/25/55	ගා/තල∘ගහ	වැසිකිළ පද්ධතිය	පළාත්				
22	G/C/23/33	සරස්වතී දෙමළ	`	පළාත නිශ්චිත	4 000 00	4.6.000.00	C 9	1.00
		,	ඉදි කිරීම	ත්ශවත	1,000.00	16,000.00	හෝ ඉහළ	1.99
22	0/0/25/50	පාසල	120*20	Þ			800	
23	G/C/25/56	ගා/දික්කුඹුර	120*30 පුධාන	පළාත්			C 8	
		සිද්ධාර්ථ ම.වි	ශාලාව	නිශ්චිත	2,500.00	40,000.00	හෝ නෙ ස	5.29
			නවීකරණය				ඉහළ	
24	G/C/25/57	ගා/ලේල්වල ක.වි	80*20	පළාත්			C 8	
			ගොඩනැහිල්ල	නිශ්චිත	3,500.00	75,000.00	ගෝ	9.93
			අලුත්වැඩියාව				ඉහළ	
25	G/C/25/58	ගා/පොරවගම	පැති බැම්ම	පළාත්	2,500.00	34,000.00	C 8 හෝ	4.39
		ක.වි	අලුත්වැඩියාව	නිශ්චිත	2,300.00	34,000.00	ඉහළ	4.59
26	G/C/25/59	ගා/ගතේගම	80*20 නව	පළාත්			C 9	
		රෝමානු	ගොඩනැහිල්ල ඉදි	නිශ්චිත	1,500.00	20,000.00	ලනා් නෝ	2.60
		කතෝලික පාසල	කිරීම				ඉහළ	
27	G/C/25/60	ගා/ශීපති ම.වි	80*20 දෙමහල්	පළාත්				
			ගොඩනැහිල්ල ඉදි	නිශ්චිත	2,500.00	37,000.00	C 8 හෝ	4.79
			කිරීම		2,500.00	37,000.00	ඉහළ	1.75
28	G/C/25/61	ගා/මාමනදොළ	90*20	පළාත්				
		ක.වි	ගොඩනැහිල්ලේ	නිශ්චිත			C 8	
			වහල		2,500.00	32,000.00	හෝ	4.15
			 අලුත්වැඩියාව				ඉහළ	
29	G/C/25/62	ගා/උක්වත්ත	90*25 තෙමහල්	පළාත්				
	5. 5. 25. 62	විදාහාලය	ගොඩනැහිල්ලේ	නිශ්චිත			C 8	
		7,550	ඉදි කිරීම (ඉතිරි	232000	2,500.00	41,000.00	ලහා ්	5.42
			වැඩ)				ඉහළ	
30	G/C/25/63	ගා/අක්කරවිස්ස	මායිම් තාප්පය	පළාත්				
30	0/0/23/03	ක.වි	අලුත්වැඩියාව - අලුත්වැඩියාව	පළාත නිශ්චිත	1,500.00	25,000.00	C 9 හෝ	3.21
		ω	අපුතර(කයාව	2364023	1,500.00	25,000.00	ඉහළ	5.21
	I	I.	1	1	I .	1	i	

31	G/C/25/64	ගා/කළුවලගල	40*20	පළාත්				
31	G/C/25/01	ක.වි	ගොඩනැඟිල්ල ඉදි කිරීම	නිශ්චිත	3,000.00	46,000.00	C 8 හෝ ඉහළ	6.07
32	G/C/25/65	ගා/අවික්තාව තාලන්දා ම.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.73
33	G/C/25/66	ගා/මහින්ද රාජපක්ෂ ම.වි	මායිම් තාප්පය අලුත්වැඩියාව	පළාත් නිශ්චිත	3,000.00	61,000.00	C 8 හෝ ඉහළ	7.88
34	G/C/25/67	ගා/ගුණාතන්ද පුා.වි	50*25 ගොඩනැඟිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	17,000.00	C 9 හෝ ඉහළ	2.16
35	G/C/25/68	ගා/බී.ටී.එස් විදාහලය	80*20 ගොඩනැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.07
36	G/C/25/69	ගා/මාවඩවිල ම.වි	90*25 ගොඩනැතිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	24,000.00	C 9 හෝ ඉහළ	3.01
37	G/C/25/70	ගා/සිරිනිවාස ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	40,000.00	C 8 හෝ ඉහළ	5.31
38	G/C/25/71	ගා/දොළහේන ක.වි	80*20 ගොඩනැතිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	43,000.00	C 8 හෝ ඉහළ	5.69
39	G /C/25/72	ගා/පිලාන තක්ෂිලා පුා.වි.	මායිම් තාප්පය නවීකරණය	පළාත් නිශ්චිත	1,000.00	14,000.00	C9 හෝ ඉහළ	1.8
40	G /C/25/73	ගා/සංඝරතන පුා.වි.	100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.4
41	G/C/25/74	ගා/තෙලිකඩ ම.වී.	80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	35,000.00	C8 හෝ ඉහළ	4.5
42	G/C/25/75	ගා/කරන්දෙණිය ක.වි.	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	29,000.00	C9 හෝ ඉහළ	3.7

43	G/C/25/76	ගා/ලේනගල්පලා ත ක.වි.	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	27,000.00	C9 හෝ ඉහළ	3.4
44	G /C/25/77	ගා/රතනසාර ම.වි.	100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	23,000.00	C9 හෝ ඉහළ	2.9
45	G /C/25/78	ගා/යටගල ම.වි.	මායිම් තාප්පය අලුත්වැඩියා කිරීම.	පළාත් නිශ්චිත	2,500.00	39,000.00	C8 හෝ ඉහළ	5.1
46	G /C/25/79	ගා/ඕල්කට් ම.වි	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	40,000.00	C8 හෝ ඉහළ	5.3
47	G /C/25/80	ගා/තෙල්ලඹුර විජය ක.වි.	පැති බැම්ම ඉදි කිරීම.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.3
48	G /C/25/81	ගා/හියාරේ ම.වි.	80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	45,000.00	C8 හෝ ඉහළ	5.8
49	G /C/25/82	ගා/උස්වතුන් හසානා ම.වි.	160*25 කෙමහල් ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.4
50	G /C/25/83	ගා/බුද්ධදත්ත පුා.වි.	120*20 පුධාන ශාලාව අලුත්වැඩියාව	පළාත් නිශ්චිත	3,500.00	64,000.00	C8 හෝ ඉහළ	8.4
51	G /C/25/84	ගා/සිරි අභයතිස්ස ක.වි.	දෙමහල් ගොඩනැහිල්ලේ යකඩ ගුීල් සවි කිරීම.	නඩත්තු සැලැස්ම	1,000.00	16,000.00	C9 හෝ ඉහළ	1.9
52	M/C/25/31	මාර/පර්සි අබේවර්ධන විදාහාලය	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව.	නඩත්තු සැලැස්ම	2,500.00	40,000.00	C8 හෝ ඉහළ	5.3
53	M/C/25/44	මාර/ජිනරාජ ක.වි.	වැසිකිළි පද්ධතිය අලුත්වැඩියා කිරීම.	පළාත් නිශ්චිත	1,500.00	22,000.00	C9 හෝ ඉහළ	2.1
54	M/C/25/52	අකුරැස්ස කලාප අධාාපත කාර්යාලය	පැති බැම්ම පුතිසංස්කරණය කිරීම	නඩත්තු සැලැස්ම	1,500.00	28,000.00	C 9 හෝ ඉහළ	3.59
55	M/C/25/53	මාර/කරගොඩ උයන්ගොඩ ම.වි	වැසිකිළි පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,000.00	C 9 හෝ ඉහළ	2.57
56	M/C/25/54	මාර/බැරගම ක.වි	වැසිකිළි පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	19,000.00	C 9 හෝ ඉහළ	2.42
57	M/C/25/55	මාර/පොල්වත්ත පුා.වි	පුධාන ශාලාව අලුත්වැඩියා කිරීමේ ඉතිරි වැඩ සම්පූර්ණ කිරීම	පළාත් නිශ්චිත	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.48
58	M/C/25/56	මාර/මාතර ආදර්ශ පුා.වි	වැසි ජලය කළමනාකරණ පද්ධතිය	පළාත් නිශ්චිත	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.69

			නවීකරණය කිරීම					
59	M/C/25/57	මාර/කිරින්ද ආදර්ශ පුා.වි	70*25 දෙමහල් ගොඩනැගිල්ල නවීකරණය කිරීම	පළාත් නිශ්චිත	4,000.00	79,000.00	C 7 හෝ ඉහළ	10.43
60	M/C/25/58	මාර/තල්පාවිල ම.ම.වි	කීඩා පිටිය ස∘වර්ධනය කිරීම	පළාත් නිශ්චිත	2,500.00	42,000.00	C 8 හෝ ඉහළ	5.47
61	M/C/25/59	මාර/කඹුරුගමුව ම.වි	80*20 තනි මහල් ගොඩනැගිල්ල 90*25 දෙමහල් ගොඩනැගිල්ලට නවීකරණය කිරීම (අදියර 01)	පළාත් නිශ්චිත සංවර්ධන පුදාන	4,000.00	88,000.00	C 7 හෝ ඉහළ	11.69
62	M/C/25/60	මාර/බෙලිදෙණිය ම.වි	60*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියා කිරීම	පළාත් නිශ්චිත	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.57
63	H/C/25/26	හ/මහගල්වැව ක.වි	90*25 දෙමහල් ගොඩනැහිල්ලේ බිම් මහලේ කාර්යාල කාමරය සකස් කිරීම	නඩත්තු සැලැස්ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.73
64	H/C/25/27	හ/දුටුගැමුණු ම.වි	90*25 තෙමහල් ගොඩනැහිල්ලේ වහලය අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	3.05
65	H/C/25/28	හ/සපුතන්තුීකන්ද පුා.වි	පැති බැම්ම හා ජල කුළුණ ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,500.00	C 9 හෝ ඉහළ	2.7
66	H/C/25/29	හ/මිද් ෙදනිය ම.වි	රැඳවුම් කාප්පය ඉදිකිරීම (කුීඩා පිටිය සඳහා ආරක්ෂක තාප්පය)	පළාත් නිශ්චිත	3,000.00	47,500.00	C 8 හෝ ඉහළ	6.27
67	H/C/25/30	හ/ගභේයාය ක.වි	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.55
68	H/C/25/31	තංගල්ල කලාප අධාාපන කාර්යාලයේ	මායිම් තාප්පය ඉදිකිරීම(ඉතිරි වැඩ)	පළාත් නිශ්චිත	1,000.00	12,000.00	C 9 හෝ ඉහළ	1.49
69	H/C/25/32	හ/බෙලිඅත්ත ම.ම.වි	100*20 තාක්ෂණික විදාහගාරය ගොඩනැහිල්ල නවීකරණය	පළාත් නිශ්චිත	3,500.00	67,500.00	C 8 හෝ ඉහළ	8.91
70	H/C/25/33	හ/කදිරගොඩ පුා.වි	වැසිකිළ අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	18,000.00	C 9 හෝ ඉහළ	2.28
71	H/C/25/34	හ/ගොඩවානගොඩ ක.වි	වැසිකිළි අලුත්වැඩියාව සහ මායිම් කාප්පය අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.67
72	H/C/25/35	හ/කුඩාවැල්ල ක.වි	වැසිකිළි අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,000.00	14,000.00	C 9 හෝ	1.82

							ඉහළ	
							ඉගළ	
73	H/C/25/36	හ/රදනිආර ම.වි	පරිගණක විදාහගාරය අලුත්වැඩියා කිරීම	නඩත්තු සැලැස්ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	2.94
74	H/C/25/37	හ/කිරම ධම්මානන්ද පුා.වි	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	37,000.00	C 8 හෝ ඉහළ	4.80
75	H/C/25/38	හ/කෑරදෙනිය ක.වි	40*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	28,000.00	C 9 හෝ ඉහළ	3.69
76	H/C/25/39	හ/අගලබඩ ක.වි	60*20 ගොඩනැහිල්ල අලුත්වැඩියා කිරීම	නඩත්තු සැලැස්ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	2.97
77	H/C/25/40	හ/අල්අමීර් මුස්ලිම විදාහලය	මායිම් තාප්පය අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	16,000.00	C 9 හෝ ඉහළ	2.08
78	H/C/25/41	හ/පල්ලෙජූලම්පිටි ය ම.වි	60*20 ගොඩනැහිල්ල අලුත්වැඩියා කිරීම	නඩත්තු සැලැස්ම	1,500.00	30,000.00	C 9 හෝ ඉහළ	3.93
79	H/C/25/42	හ/කැකිරිඕබඩ ක.වි	පුස්තකාල ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	39,000.00	C 8 හෝ ඉහළ	5.1
80	H/C/25/43	හ/බෙරලිහෙල ම.වි	80*20 ගොඩනැහිල්ල සහ 50*25 කාර්යාල ගොඩනැහිල්ල වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.74
81	H/C/25/44	හ/ගැටමාන්න දකුණ ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	37,000.00	C 8 හෝ ඉහළ	4.87
82	H/C/25/45	හ/ගැටමාත්ත උතුර ක.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	39,000.00	C 8 හෝ ඉහළ	5.07
83	H/C/25/46	හ/බූන්දල ක.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.22
84	H/C/25/47	හ/පලපොත ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.55
85	H/C/25/48	හ/බටඅත දකුණ ක.වි	40*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	19,000.00	ි C 9 හෝ ඉහළ	2.49
86	H/C/25/49	හ/කහවත්ත ම.වි	නෙප්චූන් ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	3,000.00	61,000.00	C 8 හෝ ඉහළ	8.00
87	H/C/25/50	හ/කණුකැටිය ක.වි	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	24,000.00	C 9 හෝ ඉහළ	3.06

88	H/C/25/51	හ/දෙබරවැව	120*20					
	., ., .,	ජනාධිපති	 ගොඩනැහිල්ලෙ				C 8	F 2F
		විදාහාලය	වහල	නඩත්තු			ග ෝ	5.25
			අලුත්වැඩියාව	සැලැස්ම	2,500.00	40,000.00	ඉහළ	
89	H/C/25/52	හ/දෙනිය පිංගම	80*20					
		ක.වි	ගොඩනැහිල්ලේ				C 9	2.44
			වහල	නඩත්තු			ග ෝ	2.44
			අලුත්වැඩියාව	සැලැස්ම	1,500.00	19,000.00	ඉහළ	
90	H/C/25/53	හ/මීගහවෙල ක.වි	120*20					
			ගොඩනැහිල්ලේ				C 9	2.2
			වහල සහ වැසිකිළි	පළාත්			ගෝ	2.2
			අලුත්වැඩියාව	නිශ්චිත	1,500.00	17,000.00	ඉහළ	
91	H/C/25/54	හ/මොරයාය ම.වි	120*20				C 8	
			ගොඩනැහිල්ල	පළාත්			ග ෝ	7.94
			අලුත්වැඩියාව	නිශ්චිත	3,000.00	60,000.00	ඉහළ	
92	H/C/25/55	හ/වෑකඳවල	120*20				C 8	
		ජනපද ම.වි	ගොඩනැහිල්ල	පළාත්			ගෝ	8.33
			අලුත්වැඩියාව	නිශ්චිත	3,500.00	63,000.00	ඉහළ	
93	H/C/25/56	හ/හිභුරකන්ද ම.වි	72*16					
			ගොඩනැහිල්ල				C 9	1.81
			පුතිසංස්කරණය	පළාත්			හෝ	1.01
			කිරීම	නිශ්චිත	1,000.00	14,000.00	ඉහළ	
94	H/C/25/57	හ/ලුණුගම්වෙහෙර	වැසිකිළි පද්ධතිය				C 9	
		ම.වි	ඉදිකිරීම	පළාත්	_		ග ෝ	2.00
				නිශ්චිත	1,500.00	16,000.00	ඉහළ	
95	H/C/25/58	හ/කටුවන පුා.වි	විදාහලයේ පැති	පළාත්			• 0	
			පැම්ම ඉදි කිරීම	නිශ්චිත			C 8	4.55
				ස∘වර්ධන	2 500 00	25 000 00	හෝ	
96	11/0/25/50	හ/රතනජෝති		පුදාන	2,500.00	35,000.00	ඉහළ	
90	H/C/25/59		පැතිබැම්ම ඉදි	Þ			C 8	г эо
		පුා.වි,ගභුලන්දෙනි	කිරීම (කීඩා පිටිය ඉදිරිපස)	පළාත්	2,500.00	40,000.00	ග ෝ	5.28
97	11/0/25/00	හ/වැවේගම ක.වි	•	නිශ්චිත	2,300.00	40,000.00	ඉහළ	
91	H/C/25/60	හ/ වැම්වගම කි.ව	60*20	OP			C 9	3.10
			ගොඩනැහිල්ල	නඩත්තු	1,500.00	24,000.00	ලහා් 	5.10
98	11/0/25/61	හ/පොළොම්මාරුව	අලුත්වැඩියාව වැසිකිළි	සැලැස්ම	1,300.00	24,000.00	ඉහළ C 9	
90	H/C/25/61	ආදර්ශ විදාහාලය	පැසකළ අලුත්වැඩියාව	Des ^P				2.2
			46200(00000	නඩත්තු	1,500.00	17,000.00	ගෝ • ස	2.2
99				සැලැස්ම	1,300.00	17,000.00	ඉහළ C 9	
99	G/CSL/25/01	ගා/උනන්විටිය	පැති බැම්ම ඉදි	ක්ලීන් ශී			ලො ගෝ	2.8
	G/CSL/25/01	රේවත ම.වි.	කිරීම	ලංකා	1,500.00	23,000.00	ඉහළ	2.0
100			80 X 20				C 9	
	G/CSL/25/02	ගා/ඇත්තිලිගොඩ	ගොඩනැගිල්ල -	ක්ලීන් ශුී			ල ගෝ	
	5, 55 2, 2 5, 6 2	සුදර්ශි ම.වි.	නවීකරණය	ලංකා	1,000.00	16,000.00	ඉහළ	1.9
101				_			C 9	
	G/CSL/25/03	ගා/දෙල්ලව ම.වි.	පැති බැම්ම ඉදි	ක්ලීන් ශුී		00.555.55	ලො <u>්</u> ලො	
			කිරීම	ල∘කා	1,500.00	29,000.00	ඉහළ	3.6
102	M/CCI /25/0	@ -@P-</td <td></td> <td></td> <td></td> <td></td> <td>C 9</td> <td></td>					C 9	
	M/CSL/25/0 1	මාර/දම්පැල්ල ඉ. බ	සංගීත හා නැටුම් කාමර නවීකරණය	ක්ලීන් ශී	1 000 00	0.000.00	හෝ	
		ම.වි.	කාාපට තාපකාරණයි	ලංකා	1,000.00	9,000.00	ඉහළ	1.1
103	G/CSL/25/04	ගා/ රතනසිරි	ගැහැණු වැසිකිලි	ක්ලීන් ශී			C 9	
		රාජකීය විදාහාලය	ඉදි කිරීම	ලංකා	1,500.00	29,000.00	හෝ	3.7
		Ī	Ī	ĺ	ĺ	1	തമാ ഇ	
							ඉහළ	

104	G/CSL/25/05	ගා/ අනුරුද්ධ ක.වි.	වැසිකිලි නවීකරණය (පිරිමි වැසිකිලි 02 හා ගැහැණු වැසිකිලි 04)	ක්ලීන් ශී ලංකා	1,000.00	8,000.00	C 9 හෝ ඉහළ	1.0
105	G/CSL/25/06	ගා/සිරි අභයතිස්ස ම.වි.	ගුරුවරුන්ගේ සහ සිසුන්ගේ වැසිකිලි නවීකරණය	ක්ලීන් ශී ලංකා	1,500.00	22,000.00	C 9 හෝ ඉහළ	2.8
106	G/CSL/25/07	ගා/දික්කුඹුර පුා.වි.	වැසිකිලි පද්ධතියක් ඉදි කිරීම	ක්ලීන් ශී ලංකා	2,500.00	33,000.00	C 8 හෝ ඉහළ	4.2
107	G/CSL/25/08	ගා/හවිජේ ම.වි.	වැසිකිලි නවීකරණය	ක්ලීන් ශී ලංකා	1,000.00	7,000.00	C 9 හෝ ඉහළ	0.9
108	G/CSL/25/09	ගා/හප්පිටිය ක.වි.	ගුරුවරුන්ගේ වැසිකිලි ඉදි කිරීම	ක්ලීන් ශී ලංකා	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.7
109	G/CSL/25/10	ගා/බටපොල ම.ම.වී.	වැසිකිලි ඉදි කිරීම	ක්ලීන් ශී ලංකා	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.3

02. ජාතික තරභකාරී ලංසු පටිපාටිය මත ලංසු ඉදිරිපත් කළ යුතුය. කොන්තුාත් පුදානයේදී සුදුසුකම් ලබන සාර්ථක ලංසුකරුවන් අසාධු ලේඛනගත නොවිය යුතු අතර ඉදිකිරීම් කර්මාන්ත සංවර්ධන අධිකාරියේ ඉහත කාණ්ඩ යටතේ ලියාපදිංචි වී සිටිය යුතුය.

03.ලංසු අයදුම්පත් 2025.06.18 දින සිට 2025.07.03 දින දක්වා පෙ.ව 9.00 සිට ප.ව 3.00 දක්වා ඉහත දක්වා ඇති පරිදි ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාාංශයේ ගිණුම් අංශයේ සරප් වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සිය ඉදිරිපත් කර හෝ ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාාංශ ලේකම් නමින් ගාල්ල කොටුව ලංකා බැංකුවේ ඇති ගිණුම් අංක 1587423 ට බැර කර රිසිට් පත සමග ඔබගේ ඉල්ලීම් ලිපිය ද.ප. අධාාපන අමාතාාංශයේ 070 7130700 දරණ වට්ස්අප් අංකයට පමණක් හෝ acc.moesp@gmail.com ඊ මේල් ලිපිනයට පමණක් යොමු කිරීමෙන් ඔබට අවශා ලංසු පතිකා තැපැල් මගින් හෝ කූරියර් කර හෝ ඊමේල් මගින් හෝ වටස්අප් මගින් ගෙන්වා ගැනීමට හෝ ලබුදුව,දක්ෂිණපාය අධාාපන අමාතාාංශයෙන් (බිම් මහල) ගිණුම් අංශයෙන් ලබා ගත හැකිය. වැඩි විස්තර අමාතාාංශයේ 091-2030700 දුරකථන අංකයට වැඩ කරන දින ඇමතීමෙන් හෝ ද.ප. අධාාපන අමාතාාංශ වෙබ් අඩවියට www.edumin.sp.gov.lk

04. මුදුා තබන ලද ලංසු පතිකා 2025.07.04 පෙ.ව 11.00 ට පෙර ලැබෙන සේ ලේකම්, දකුණු පළාත් අධාාපන අමාතාංශය, දක්ෂිණපාය, ලබුදුව, ගාල්ල යන ලිපිනයට ලියාපදිංචි කැපෑලෙන් එවීමට හෝ අතින් රැගෙන විත් පුධාන ගණකාධිකාරී නිල කාමරයේ තබා ඇති ටෙන්ඩර් පෙට්ටියට බහාලිය හැකිය. පුමාද වී ලැබෙන ලංසු පුතික්ෂේප කරනු ලැබේ.

05.ලංසු විවෘත කිරීම 2025.07.04 දින පෙ.ව 11.00 ට ලංසු පතිකා භාරගෙන අවසන් වූ වහාම දකුණු පළාත් අධාාපන අමාතාාංශයේ පුසම්පාදන කමිටු සභාපතිගේ පුධානත්වයෙන් අමාතාාංශයේදී සිදු කරන අතර එම අවස්ථාවට ලංසුකරුට හෝ ලංසුකරුගේ බලයලත් නියෝජිතයන් හට සහභාගී විය හැක.

06. ලංසුව සමහ ඉදිරිපත් කරන ලංසු සුරක්ෂණය ශී ලංකා වාණිජ බැංකුවකින් දකුණු පළාත් අධාාපන අමාතාංශයේ ලේකම් නමට ලබා ගත් 2025.07. 04 දින සිට 2025.10.04 දක්වා වලංගු ලංසු ඇපකරයක් හෝ අධාාපන අමාතාංශයේ ගිණුම් අංශය වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සියේ පිටපත ලංසු පතිකාව සමහ ඉදිරිපත් කළ යුතුය.

07. ලංසු වලංගු කාලය දින 77 කි.

08. ඉදිරිපත් කරනු ලබන කර්මාන්තයට අදාල ලංසු පිටපත් දෙකකින් යුතුව ඉදිරිපත් කළයුතු අතර එහි මුල් පිටපතහි " මුල් පිටපත" යනුවෙන් සදහන් කළ යුතු අතර අනු පිටපතෙහි " අනුපිටපත" යනුවෙන් සදහන් කළ යුතුය. ලංසුපත් වල මුල් පිටපත හා අනුපිටපත වෙන වෙනම කවරවල බහා මුදුා තබා එම කවර දෙක එක් කවරයක බහා එම කවරය මුදුා තබා කවරයේ වම් පස උඩකෙළවරේ කර්මාන්තයේ නම සහ අංකය සදහන් කළ යුතුය.

09. ඔබ විසින් ඉදිරිපත් කිරීමට නියමිත සෑම ලංසු පතිකාවෙහිම මිල ගණන් සඳහන් කර ඇති පිටු අංකයන්හි ඔබ විසින් සඳහන් කළ යුතු ඒකක මිල ගණන් හා මුළු මුදල දැක්වෙන තීරය සහ සාරාංශයද (වට්ටම් දැක්වෙන තීරයද ඇතුලත්ව) විනිවිද පෙනෙන සේ සෙලෝටේප් කර ලංසු ඉදිරිපත් කිරීම අනිවාර්ය වේ.

10. ද.ප. අධාාපන අමාතාාංශය දැනටමත් දකුණු පළාතේ පාසල්වල ඉදිකිරීම් අලුත්වැඩියා හා නඩත්තු කටයුතුවලට අදාල වාාාපෘති සියයක පමණ පසම්පාදන කටයුතු අවසන් කර ඉදිකිරීම් කටයුතු ආරම්භ කර ඇත.එමෙන්ම මෙම වාාාපෘති එකසිය නමයෙහි ද පුසම්පාදන කටයුතු හැකි ඉක්මනින් අවසන් කර වාාපෘතිවල වැඩ 2025 වසරේ දෙසැම්බර් මස වනවිට අවසන් කල යුතු බැවින් ලංසුකරුවන්ගේ ධාරිතාවය පිළිබඳ ලංසු පුදානයේදී සලකා බලනු ලැබේ.

11.අඩුපාඩු සහිත ලංසුපතිකා පුතික්ෂේප කරනු ලබන ලැබේ. මෙම පුසම්පාදනය සම්බන්ධයෙන් පුසම්පාදන කමිටුවේ තී්රණය අවසාන තී්රණය බව සැලකිය යුතුය.

ඒ.යූ.වේලාරත්න, පුසම්පාදන කමිටු සභාපති, දකුණු පළාත් අධාාපන අමාතාාංශය, පළමු මහල, දක්ෂිණපාය, ලබුදූව, ගාල්ල. 2025.06.18

දුරකථන අංකය - 0912030700 ඊමේල් - acc.moesp@gmail.com

Section - 4

FORM OF BID AND QUALIFICATION INFORMATION

FORM OF BID

Renovation Of 70'x25' Two Storied Building At Kirinda Model Primary School

(Contract No: M/C/25/57)

To: Secretary,

Ministry of Education (Southern Province),

Dakshinapaya Ministry Complex,

Labuduwa,

Galle.

Gentleman,

1. Having examined the Standard Bidding Document - Procurement of Works (ICTAD/SBD/01-Second edition, January 2007), Specifications and Bill of Quantities and Addenda for the execution of the above-named Works, we the undersigned, offer to execute and complete such Works and remedy any defect therein in conformity with the aforesaid Conditions of Contract, Specifications, Bill of Quantities and Addenda for the sum of Sri Lankan Rupees.............

M/C/25/57

2.	We ackno	owledge that the Contract Data forms part of our Bid.
3.		ertake, if our Bid is accepted, to commence the Works as stipulated in the Contract Data, and lete the whole of the Works comprised in the Contract within the time stated in the Contract
4.	with sub-	e to abide by this Bid for the period of
5.		nd until a formal Agreement is prepared and executed this Bid, together with your written ce thereof, shall constitute a binding contract between us.
6.	We accep	pt / we do not accept the Adjudicator.
7.	We unde	erstand that you are not bound to accept the lowest of any Bid you may receive.
	authorize	is
		(IN BLOCK CAPITAL)
Witı	ness :	
		QUALIFICATION INFORMATION

(To be completed and submitted by the Bidder with the Bid)

(Qualification information for supplier & Installer of Air Conditioning system Sub Contractor shall be given separate at the end of main contractor's detail)

CIDA Registration	
Registration number	(Attach copies of relevant pages from the registration book)
Grade (C7 or above)	
Specialty	
Expiry Date	
Blacklisted Contractors	

Have you been declared as a	
defaulted contractor by NPA	
or any other agency?	
(Yes/No)	
If yes provide details	
VAT Registration Number	
Construction Program	(attach as annex)
Legal status	(Attach relevant status copies, as annex)
Value of Construction works	(Attach certified copies of certificate of completion, etc.
Performed in last 5 years	and other documents such as profit-loss and income expenditure statement)
Year	
Value of similar works completed in last 05 years (indicate only the three largest projects)	1. Value Rs
Qualification and experience of key staff - Site & Head Office (Permanent, Contract	Technical:
Basis & Consultants)	1. Technical officer (Civil) – Qualification;

ther Information requested der ITB Clause 4.1

BIDDING DATA AND CONTRACT DATA

G. BIDDING DATA

Instructions to Bidders

The Employer is

Clause Reference Name: The Secretary, Ministry of Education, Southern Province Address: Ministry of Education - Southern Provincial Council,

(1.1)

Ground Floor, "Dakshinapaya"

Ministry Complex,

Labuduwa, Galle.

(1.2) Intended Completion Date is 210 Days from the Start Date.

(1.3) The office for collection of bid form is

Ministry of Education - Southern Provincial Council, Ground Floor, "Dakshinapaya" Ministry Complex, Labuduwa, Galle.

The non-refundable Bid fee is Rupees 4,000.00

The Bid forms will be issued until 3.00 PM on 03.07.2025

- (2.1) The source of funds is **PSDG**
- (4.2) The registration required for main contractor:

specialty - building

Grade - C7 or above (Building) CIDA

- (4.3) The Following information shall be provided in Section 4 for the bidder
 - * CIDA Registration

Registration number:

Grade

Specialty

Expiry Date

- * VAT Registration number
- * Construction program
- * Legal status (Sole proprietor, partnership, company etc.)
- * Total monetary value of construction work performed for each of the last five years;
- * Experience in works of a similar nature and size for each of last ten years;
- * Major items of construction equipment proposed to carry out the contract; (if specified equipment be needed)
- * Qualifications and experience of key site management and technical personnel proposed for the contract
- * Any other
- (4.4) The following information shall be provided by the Bidder
 - * Average of the annual volume of the construction work performed in last five years shall be at least Rs. 20.5 millions.
 - * Experience in the construction of at least one contract of a nature and complexity equivalent to the works over the last 10 years (to comply with this requirement, works cited should be at least 70 percent completed); Attach as Annex.
 - * Proposals for the timely acquisition (own, lease, hire, etc.)of the essential equipment listed in the Bidding Data clause 4.1;

- * Following technical and managerial staff:
- * Technical Officers- 01 NDT, HNDE, NDES or equivalent with 3 year experience

The minimum of liquid assets and/or credit facilities net of other contractual commitments and exclusive of any advance payments which may be made under the contract shall not be less than Rs. 3.4 million

(9.1) Employer's address for the purpose of clarification is;

Name : The Secretary, Ministry of Education - Southern Provincial Council

Address : Ministry of Education - Southern Provincial Council, Ground Floor,

"Dakshinapaya" Ministry Complex, Labuduwa, Galle.

- (11.1) The language of the bidding document shall be English.
- (12.1) The Bid submitted by the bidder shall comprise the following:
 - (A) enclosed in the envelope marked as "ORIGINAL";
 - (a) Volume II
 - (b) Bid security or Bid-Securing Declaration as specified
 - (B) enclosed in the envelop marked as "COPY"
 - (a) Volume III
- (13.3) VAT component shall not be included in the rates. The amount written in the Form of Bid shall be without VAT. However, VAT component shall be shown separately at the end of the BOQ.
- (13.4) The Contract is subjected to price adjustment in accordance with Clause 47 of the Condition of Contract.
- (15.1) The Bid shall be valid up to 91 days from date of closing Bid
- (16.1) Bid shall include a Bid Security using the form included in Section 9.
- (16.2) Bid Security shall be;
 - For an amount Rs. 79,000.00
 - Valid until 04th October 2025 from bid closing.

Securities and Guarantees issued by reputed Commercial bank approved by Central Bank of Sri Lanka as using the form for bid security included in Section 9, Standard Form

No interests will be paid on cash deposits.

- (17.0) Pre Bid Meeting will be held at
- (19.2) a The Employer's address for the purpose of Bid submission is:

M/C/25/57

Ministry of Education - Southern Provincial Council, Ground Floor, "Dakshinapaya" Ministry Complex, Labuduwa, Galle.

(19.2) b Contract name: Renovation Of 70'x25' Two Storied Building At Kirinda Model Primary School

Contract no. : M/C/25/57

(20.1) The deadline for submission of Bids shall be 11.00 hrs. On 04.07.2025

After evaluation of Bids in accordance with the procedures described under Clauses 25, 26, 27, 28, 29 and 30 the Employer will inform to all the bidders in writing the selection of the successful bidder and the intension of contract award to such bidder. The unsuccessful bidders if they so wish, within one week of such notice may make representation to The Secretary, Ministry of Education - Southern Provincial Council at the address given below. Such representation shall be self-contained to enable the The Secretary, Ministry of Education - Southern Provincial Council to arrive at a conclusion and a cash deposit to amount given below shall be made. The Employer may request the bidder who had made representation to submit further evidence during the investigation of such representation. The cash deposit will be forfeited unless the Employer changes the original contract award decision in favor of the bidder who has made such representation.

Address: Ministry of Education - Southern Provincial Council, Ground Floor, "Dakshinapaya" Ministry Complex, Labuduwa, Galle.

Cash Deposit : Rs.25,000.00

34.0 The amount of performance security is 5% of the Initial Contract Price.

The form acceptable is sample format which is in volume I – Section 2, Standard Forms

Securities and Guarantees issued by reputed Commercial bank approved by Central Bank of Sri Lanka

Alternatively, The Bidder can pay cash to Shroff of Ministry of Education - Southern Provincial Council, the Renovation Of 70'x25' Two Storied Building At Kirinda Model Primary School

No interest will be paid on cash deposits.

The advance payment security is 30% of the initial Contract price without provisional sum.

The forms acceptable are sample format which is in volume I – Section 2, Standard Forms.

Securities and Guarantees issued by the agencies approved by the treasury from

time to time shall be accepted.

36.0 CIDA is the authorized agent for appoint an adjudicator.

Fees and types of reimbursable expenses to be paid the Adjudicator shall be on a case to case basis and shall be shared by the Contractor and the Employer.

CONTRACT DATA

(Please note that the Clause nos. given hereunder is that of Conditions of Contract)

(1.1) The Employer is

Name: The Secretary, Ministry of Education - Southern Provincial Council

Address: Ministry of Education - Southern Provincial Council, Ground Floor,

"Dakshinapaya" Ministry Complex, Labuduwa, Galle.

(1.1) The Engineer is

Name : Deputy Chief Secretary

(Engineering Services)

Address : Southern Provincial Engineering

Services Unit, Fort, Galle

Name of Engineer's Representative: District Engineer(Buildings)

Matara.

(1.1) The Works consists of

Renovation Of 70'x25' Two Storied Building At Kirinda Model Primary School

(1.1) Site is located at Kirinda Model Primary School

The Start Date shall be fourteen (14) Days from the Letter of Acceptance.

- (2.3) The following Document also form a part of the Contract:
 - 1.
 - 2.
 - 3.
- (8.1) Schedule of other contractors: None
- (9.1) Schedule of Key Personnel:

Minimum persons with qualifications and experience to be defined,

- 1. Technical Officers- 01 Nos. NDT, HNDE, NDES or equivalent with 3 year experience
- (13.1) The minimum insurance cover shall be:
- The minimum cover for insurance of the Works and of Plant and Material is 110% of the Initial Contract price.

The maximum deductible for insurance of Works and of Plant and Material is 5% of initial Contract price. The minimum cover for loss or damage to Equipment is "Cost of equipment" (b) The maximum deductible for insurance of Equipment is 5% of the minimum cover for equipment The minimum cover for insurance of other property (other than the Site) is (c) Rupees 50,000.00. The minimum cover for personal injury or death: (d) For third party and employees of the Employer and other persons engaged by the Employer in the Works is Rupees Hundred Thousand per event. (13.2)(a) The minimum cover for personnel injury or death, For the Contractor's workmen is Rs. 100,000.00 per event. Contractor's employee's other than workmen is Rs. 100,000.00 per event. (17.1)The Intended Completion Date for the whole of Works shall be 210 days from date of site possession date. (21.1)The Site Possession Date shall be seven (07) Days from Letter of Acceptance. The Contractor shall submit a Program for the Works within Seven Days of delivery (27.1)of the Letter of Acceptance. The period between Programme update is Monthly (27.3)The amount to be withheld for late submission of a Programme is Rupees (27.4)...... (2% of the Initial Contract Price) (35.1)The Defects Liability Period is **250** Days. (39.2)Engineer may order variations up to a total cumulative bill value including variation not exceeding 110% of initial contract sum

The Contract is subject to price adjustment.

Weightings of Inputs

(47.1)

Bulletin No	Name Of Input	Percentage
M3	Cement	0.62%
M8	Sand	0.47%
M14	Structural steel	13.77%
M16	Asbestos Roofing Sheets	8.31%
M20	PVC Pipes	2.96%
M22	General Timber	21.43%
M26	Electrical wire	1.22%
M27	Wall Paint	5.37%
M28	Wood Paint	0.70%
M38	Electrical fittings	3.06%
L1	Skilled Labour	18.24%
L3	Unskilled Labour	13.85%
		90.00%

Non adjustable element shall be: -

BOQ Item Numbers: 46

(48.1) The retention from each payment shall be Ten percent (10%) of the certified work done.

The limit of retention shall be Five percent (5%) of the Initial Contract Price.

- (49.1) The liquidated damages for the whole of the Works shall be 0.05% of the Initial Contract Price per day.
- (50.1) The maximum amount of liquidated damages for the whole of the Works shall be Ten percent (10%) of the Initial Contract Price.
- (52.1) The Performance Security shall be Five percent of the Initial (5%) Contract Price.
- (60.1) The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the works, is 25%

SPECIFICATIONS

SPECIFICATIONS

The Works under this Contract shall be executed in accordance with the Specifications given in the following documents issued by the Institute for Construction Training and Development (ICTAD), "Savsiripaya", Wijerama Mawatha, Colombo 07.

Pul	olication No.:	<u>Description</u> :
*	SCA/4(Vol. I)	Specifications for Building Works, Vol. (I), Sri Lanka. 3 rd Edition (revised) – July 2004.
*	SCA/4(Vol. II)	Specifications for Building Works Vol.(II), Sri Lanka. 2 nd Edition (revised) – October 2001.
*	SCA/3/2	Specifications for Water Supply Sewerage and Storm Water Drainage Works, SriLanka. 2 nd Edition (revised) – April 2002.
*	SCA/8	Specifications for Electrical & Mechanical works associated With Building and Civil Engineering, Sri Lanka. 2 nd Edition (revised) – August 2000.

List of Timber Approved for Building Works in Galle, Matara and Hambantota Districts of the Southern Province Engineering Services

1. Trusses : Jak, Kohomba (Margosa), Nedun, Teak, Halmilla,

Satin, Palu, Milla.

2. Doors, Windows, Gates &

Gate Sashes

: Jak, Kohomba (Margosa), Teak, Nedum, Halmilla,

Satin, Milla.

3. Ledge Braces and Batten

and

Other Ordinary Doors

: Vevarana, Kolon, Welan, Eucaliptus, (Except Doors, Toilet Doors

Grandis), Liyan, Ketakala, Hedawaka.

4. Science Laboratory Furniture : Jak, Kohomba (Margosa), Teak, Nedun,

Mahaogany, Satin, Milla, Halmilla.

5. Roof and Ceiling Framework : Tawwenna, Uva Mandora, Moonamal, Ubberiya,

Eucaliptus (Except Gandis), Kirihambiliya, Etatimbiriya, Helamba, Madan, Kon, Mee, Na,

Ketakala, Liyan, Uruhonda and Dun.

Bedi del is allowed for ceiling framework and

Reepers only.

6. Valence and Barge Boarding : Gini-sapu, Welipenna, Talan, Dawul-kurundu.

Note: If above imported timbers are used contractors are advised to carry out appropriate treatment as directed by the District Engineer.

Kempes and Balaw timber are also allowed to use for all items in 1 to 6 above.

BILL OF QUANTITIES AND SCHEDULES

Notes: In preparation of the bidding document the users are advised to;

- 1) Include appropriate Preliminary Bill items as Bill No. 01 in accordance with ICTAD Publication No. ICTAD/ID
- 2) Allow provision for the bidders to include the VAT Component separately and instruct them not to carry the VAT component to the Form of Bid.
- 3) Advise the bidders that any discount offered will not be considered for Provisional Sum Items.

Lyon

RENOVATION OF 70' X 25' TWO STORIED BUILDING AT KIRINDA MODEL PRIMARY SCHOOL Description

ID	Description	Uni	t Qty		t Engineer (Buildings) — telalara Amo
	Ground	floor			All Control
	Demolisher		¥-7	.e.	
1	Demolishing reinforced cement concrete Columns, Slabs & Beams by meachine, removing reinforcement and clearing debris away from site - (for structural repairs) ground floor	cu.m	7.20		
2	Removing and stacking ,2"x2" GI mesh or Iron grill with frame from wall.	sq.m	52.00		
3	Removing and stacking Timber Door or Window frame with sash, from existing walls	sq.m	6.00		
4	Demolishing brickwork in cement clearing debris away from site	cu.m	0.60	ţ	
5	Removing rendering, cement, and clearing debris away from cement concrete floors and walls - corridor	sq.m	52.00		
5	Demolishing rubble masonry in cement, stacking rubble and clearing debris away from site	cu.m	1.00		
	Total carried to summary				
	Excavation for foundation by manually in any material except rock requiring blasting, part return fill in and ram, and disposing surplus within site as directed. (not exceeding 5ft depth)	cu.m	12.00	,	
	Total carried to summary				-
	Brick Work	-			
	Brickwork 112mm in cement : sand mortar 1:5 (Ground Floor)	sq.m	13.00		
\dashv	Total carried to summary				
	Concretor				
-	Cement concrete 1:2 1/2:5(1")mix: above 3.0 m3 (Shuttering paid separately) incl: curing. Using mixture in corridor & pavement demolished area	cu.m	1.00		
5	Cement concrete 1 : 1 1/2 : 3 (3/4") in column shafts in ground floor, using mixer and vibrator. (Reinforcement, shuttering and finishes paid separately). (GRADE 25).including curing	cu.m	1.50		
lu	Cement concrete 1: 1 1/2: 3(3/4") in beams in ground floor, using mixer and vibrator. Incl. curing (Reinforcement, huttering and finishes paid separately).(GRADE 25).	cu.m	1.10		

Se Di	Reinforcement Omm, 16mm dia. Tor steel reinforcement for columns, unshade beam in Ground floor Cemm, 12mm Dia. Tor steel reinforcement for columns, unshade beam in Ground floor Cemm Dia. Mild steel reinforcement for columns Up to DPC Column & RR fdn. screed Column &	cu.m	3.10 0.70	
Se	Reinforcement Omm, 16mm dia. Tor steel reinforcement for columns Up to OPC Commandation of the columns of the column of the co	kg		
14 10 Di 15 16 su 16 6r be	Omm, 16mm dia. Tor steel reinforcement for columns Up to OPC 6mm, 12mm Dia. Tor steel reinforcement for columns, unshade beam in Ground floor		205.00	
14 10 Di 15 16 su 16 6r be	.0mm, 16mm dia. Tor steel reinforcement for columns Up to OPC .6mm, 12mm Dia. Tor steel reinforcement for columns, unshade beam in Ground floor		205.00	
Di 15 16 su 16 6r 17 6r be	6PC 6mm, 12mm Dia. Tor steel reinforcement for columns, unshade beam in Ground floor		205.00	
16 6r 17 6r be	unshade beam in Ground floor	kg		
17 6r	mm Dia. Mild steel reinforcement for columns Up to DPC	1	161.00	
be		kg	24.50	
_	mm Dia. Mild Steel reinforcement for columns & sunshade beam in Ground floor	kg	210.00	- 0
To	otal carried to summary			
18 Ra	Random Rubble Masonry in cement mortar 1:5 in substructure 6"- 9" rubble)	cu.m	1.00	
		ca.iii	1.00	
То	otal carried to summary			5
PI	Plasterer			
	Cement Sand plastering to wall 1:5, (5/8") thick semi rough G: loor rate to include curing	sq.m	17.00	
	/8 " Thick plastering to RCC beams, slab soffit , column in ement and sand 1:3 (G: Floor)	sq.m	67.00	
ce	/2" thk 1:3 Cement Rendering finished smooth with neat ement floating, Ground floor(sand to be sieved with 1/8" lets) Rate to include curing - pavement demolished area, orridor	sq.m	58.00	
	/4" thk Rendering in Cement and sand 1:3 in floors finished mooth Rate to include curing, - Ground floor- plinth plaster	sq.m	6.30	
To	otal carried to summary			

		1			6
ID	Description	Unit	Qty.	Rate	Amount
23	Supply and fixing 01 No. Pendent type lamp(12W LED Bulb - efficacy:85 lumen/W or above with two years warenty) with GANG switch Complete with necessary concealed conduit wiring as per working order.(Switch - ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (fittings - krypton/Polycrome/Orange) (Conduit - krypton/Polycrome)(Bulb - Orange electric ECO LITE/ ZENOI / Kelani) [Cable SLS 733, Switch SLS 1000 Bulb SLS 984]	nr	6.00		
24	Supplying and fixing 13Amp socket outlet with necessary concealed conduit wiring 7/0.53 (Cu/PVC/PVC) single wire 1.5mm2 1Cx2 ,7/0.53 (1.5mm2) Earth wire all complete as per instruction (Socket - ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (Conduit - Krypton/Polycrome) (fittings - krypton/Polycrome/Orange)	nr	6.00		
25	Supplying and fixing consumer unit 06 way surface mounted M.C.B type (incl.32 Amp. D.P MCB,40 Amp/30 mA-D.P RCCB, 6 nrs M.C.B (6 Amp16 Amp.)700 encloser box & bus bar fixing Philips screws (MCB-Make -Orange electric 10kA/Schneider/Chint NB 7/EB) (RCCB Make -Orange electric 10kA/Schneider/Chint NL1) (Enclosure- Polycrome) Original Makes with company warenty Certificate. all complete as per instruction	nr	1.00		
26	Supply and fixing 56" sweep ceiling fan with electronic fan speed controller concealed conduit wiring (1/1.13 wire 1.0mm2, 1/1.13 earth wire 1mm2 including gang switch)all complete as per instruction Make (USHA ATOM EX 56 " / Telesonic Supreme with safety switch and cable) with 2 years warenty (SLSI Approved makes) (Switches - ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (Conduit - krypton/Polycrome) (fittings -krypton/Polycrome/Orange)	nr	3.00	F	*
27	Dismantling 01 Nr Lamp point / Socket out let / ceiling fan point - including all wiring , conduits, accessoriesetc.	nr	2.00		
28	Supplying and fixing (7/1.04) (Cu/PVC/PVC) (Twin) Main wire (6mm2) (Cable - ACL/Kelani/Orange/Sierra) - Cable SLS 733	m	20.00		P
29	Supplying and fixing 2"x2"x1/4" Angle iron bracket for main supply electricity connection about 5'-0" long. Angle iron bar, bent to " L" shape and fixed to roof end with necessary bolt and nut. Apply two coats of anticorrosive paint to angle iron.	nr	1.00		
30	Supplying and fixing 2" dia galvanized iron earth pipe 6'-0"(1800 mm) long (heavy duty) and connected the7/1.04 earth wire (6mm2) with cable LUG . Including brick chamber with cover slab as per Drawing. (DB to Earth pipe cable/ conduit length 8 m) [Cable SLS 733] (Cable - ACL/Kelani/Orange/Sierra)) (for 30A*, single/. three phase supplies only)	nr	1.00		
31	Supplying and fixing Ceramic pulley with "D" bracket for Electricity connection. all complete as per instruction	nr	1.00		*

ID	Description	Unit	Qty.	Rate	Amount
32	Supply and fixing 01 No. Angel/Batten Type lamp including (12W LED Bulb - efficacy:85 lumen/W or above with two years warenty) with Approved quality Gang switch including necessary concealed conduit wiring as per working order. (Switch -ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (fittings - krypton/Polycrome/Orange) (Conduit - krypton/Polycrome) (Bulb - Orange electric ECO LITE/ ZENOI/ Kelani)[Cable SLS 733, Switch SLS 1000 Bulb SLS 984]	nr	4.00		
	Total carried to summary				٨
	Iron Monger			-	
33	Supplying and making 6 mm dia. M.S. rod grills for windows with 25x25x3 mm thick M.S. angle iron outer frame with 4 nr 25 x 25 x 3 mm angle iron(2 nr together) middle bar verticallly and 2 nr together 25 x 25 x 3 mm angle iron middle bar horizontally & 6 mm dia. M.S. rods weld to frame, at 75 mm C/C. & to 700 angle both ways, horizontal & vertical distance should be 75 mm & 200 mm respectively. Frame fixed to window openings with 1 1/2" iron screws & applying one coats of metal primer & 2 coats of approved quality enamel paint(different colour)(9'-3"x6'-0" size) all complet as per detail Draw. No :SPES/Rate23/Ir-21	sq.m	52.00		
34 *	Iron door with 6 mm dia. M.Sf grill - Fabricating and fixing Iron door Door Frame with 32 x 32 x 6 mm angle Iron (Heavy quality) and Sash with 20 mm Ø dia. G.I pipe outer frame (Heavy quality) with 1nr middle bar. 6mm M.S steel bars welded to upper part of sash frame at 75mm c/c bothways at 700 Angle .12x6 mm thick flat iron welded around the lower part of the frame and 2 nr 20x6 mm thick intermediate flat iron welded horizontally ,and 0.47 thick Zn/Al sheet fixed to flat iron frame with pop rivets. Door sash fixed to frame with 03nr 100 x75mm steel hinges. Applying one coat of metal primer and two coats of enamal paint(Differant colour) . Rate to include 6" Hasp and staple with approved quality 50mm Brass pad lock. Draw.No.SPES/Rate23/Ir-28.	sq.m	6.00	ę.	
	Total carried to summary				
	Painter & Decorator		*,	,	
35	Painting walls with one coats of Acrylic wall filler for external wall (new work or after preparation of old wall) -Ground floor	sq.m	130.00	4	
36	Wethershield paint to external faces of wall 01coat apply using roller brush & 2'' brush(ground Floor)	sq.m	130.00		*
37	Applying skim coat & one coats of wall filler (smooth plastered new work or after preparation of old wall)	sq.m	190.00		
38	Prepare and Painting New walls with two coats of emulsion paint to internal wall (Using roller brush)	sq.m	190.00		
39	Painting plinth and skirting with floor paint, 1 coat including preparing surface	sq.m	23.00		

ID	Description	Unit	Qty.	Rate	Amoun
40	Preparing of surface & applying 2 coats of Black board paint	sq.m	16.00		
41	Prepare and apply Skim coat, approved type one coat of filler and two of emulsion paint to specified colour in smooth plastered surface of sides and soffit of beams columns and slabs in any floor	sq.m	334.00		
	Total carried to summary				
	Plumber			1	
42	Supplying and fixing 100 x 100 Zn/Al Down pipes with Zn/Al Strap (0.47 mm thick AZ150 - thickness certificate necessary) with Silicon joint ,fixed to facia bolt with fixing bracket @ 750 mm C/C with 1"screwsetc (Metecno / BlueScope or equivalent)	m	32.00		
	Total carried to summary				
43	Form work Shuttering for column shaft 225 x225mm including 15mm		25.00		
	thick plywood sheet,50x50mm timber,12mm dia: thread bar,washers,nuts,acro jacks and dismantling same when required. Rate to include 100mm high 3mm thick sponge layer stick on around concrete column at every lapping face),(As per detail Drawing No SPES/Rate 23/Fw-06)Ground floor	sq.m	35.00		
44	Shuttering for beam sides & soffit in 15 mm thk plywood sheets., Class_(II) timber, joists and necessary props 450mm c/c etc. (Rate to include dismantling same when required) ground floor	sq.m	13.00		
45	Sawn timber (class II) formwork for sides of demolished plinth beam.	sq.m	5.00		
46	Provisional sum for supporting system of beam soffit to maintain stability of building until repair damaged columns. 15 mm thk. plywood sheets should be fixed to timber frame with 2" x 2" timber Class (II) & supporting by necessary acro jacks at 600mm c/c . (Rate to include dismantling same when required) ground floor to 1st floor.(specially all works are done as per Engineer's instruction.	ps	1.00	400,000.00	400,000.00
	Total carried to summary				
	General Works				
17	Re construction of sunshade beam including demolishing 9" x 9" sunshade beams & cleaning reinforcement & washing with presuregun & preparing surface & painting one coat safe core RR-rust removal agent for reinforcement & plastobuild ES with Finex bond SRB admixing for 1:1 1/2:3 (3/4") concrete as water proofing.	m	8.00		

ID	Description	Unit	Qty.	Rate	Amount
	<u>Demolisher</u>		-		
18	Removing roof tiles and timber of roof completely, stacking serviceable materials and clearing debris in two storied buildings	sq.m	252.00	x [*]	7 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4
49	Removing and stacking ,2"x2" GI mesh or Iron grill with frame from wall.	sq.m	78.00		*
50	Removing lime plastering and clearing debris away from site	sq.m	5.00		
	Total carried to summary				
	<u>Plasterer</u>				
51	Cement Sand plastering to wall 1:5, (5/8") thick semi rough 1st floor. rate to include curing - under work top & gable wall ext.	sq.m	10.00		
52	1/2" thk 1:3 Cement Rendering finished smooth with neat cement floating Rate to include curing (sand to be sieved with 1/8" nets)- 1st floor	sq.m	36.00	340	
	Total carried to summary				
V 20 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Electrical	T	1.00	-	
53	Supplying and fixing consumer unit 06 way surface mounted M.C.B type (incl.32 Amp. D.P MCB,40 Amp/30 mA-D.P RCCB, 6 nrs M.C.B (6 Amp16 Amp.)700 encloser box & bus bar fixing	nr	1.00		-
	Philips screws (MCB-Make -Orange electric 10kA/ Schneider/Chint NB 7/EB) (RCCB Make -Orange electric 10kA/Schneider/Chint NL1) (Enclosure- Polycrome) Original Makes with company warenty Certificate. all complete as per instruction			ž	-
54	Supply and fixing 56" sweep ceiling fan with electronic fan speed controller concealed conduit wiring (1/1.13 wire 1.0mm2, 1/1.13 earth wire 1mm2 including gang switch)all complete as per instruction Make (USHA ATOM EX 56 " / Telesonic Supreme with safety switch and cable) with 2 years warenty (SLSI Approved makes) (Switches -	nr	3.00		
	ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (Conduit - krypton/Polycrome) (fittings -krypton/Polycrome/Orange)				
55	Supply and fixing 01 No. Pendent type lamp(12W LED Bulb - efficacy:85 lumen/W or above with two years warenty) with GANG switch Complete with necessary concealed conduit	nr	7.00		÷
	wiring as per working order.(Switch - ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (fittings - krypton/Polycrome/Orange) (Conduit - krypton/Polycrome)(Bulb - Orange electric ECO LITE/ ZENOI / Kelani) [Cable SLS 733, Switch SLS 1000 Bulb SLS 984]				

	Description	Unit	Qty.	Rate	Amount
56	Supplying and fixing 13Amp socket outlet with necessary concealed conduit wiring 7/0.53 (Cu/PVC/PVC) single wire 1.5mm2 1Cx2 ,7/0.53 (1.5mm2) Earth wire all complete as per instruction (Socket - ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (Conduit - Krypton/Polycrome) (fittings - krypton/Polycrome/Orange)	nr	6.00	.* .*	
	Total carried to summary				
	Roofer				y
57,	Approved Quality Corrugated Asbestos sheets roofing 1/4"x7" j bolt with nut & washers on imported timber frame 150 x 75 mm purline ,150 x 75 mm wall plate 150 x 50 mm ridge 100 x 50 mm rafters (rafter maximum Span 2.7m) and 50 x 50mm beares supplied fixed complete including frame with applied two coats of clear wood preservative (100 x 50 mm rafter fixed in 750mm C/C) -Ridging measured separately.1st floor (Reffer draw. No. SPES/Rate23/Ro - 11a)	sq.m	252.00		
58	Ridging, Calicut pattern, bedded in cement and lime mortar 1:1:4, colour to match tiles. (Keep went opening every vally point).	m	24.00		
	Total carried to summary				
59	Carpenter & Joiner 10" x 3/4 " Boards , barge 3/4" thick in class II local (Ginisapu)	m	22.00		r
	timber prepared by using multi purpose wood working machine, fixed complete with necessary 2" Iron screws applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint				
60	machine , fixed complete with necessary 2" Iron screws applying one coat of wood presavative, one coat of aluminium	m	46.00		
60	machine, fixed complete with necessary 2" Iron screws applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint 8"x3/4" (200x20mm) Boards, valance 3/4" (20mm) thick in class II local (Ginisapu) timber prepared by using multi purpose wood working machine, fixed complete with necessary 2" Iron screws.applying one coat of wood presavative, one coat of				
60	machine, fixed complete with necessary 2" Iron screws applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint 8"x3/4" (200x20mm) Boards, valance 3/4" (20mm) thick in class II local (Ginisapu) timber prepared by using multi purpose wood working machine, fixed complete with necessary 2" Iron screws.applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint				
60	machine , fixed complete with necessary 2" Iron screws applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint 8"x3/4" (200x20mm) Boards , valance 3/4" (20mm) thick in class II local (Ginisapu) timber prepared by using multi purpose wood working machine , fixed complete with necessary 2" Iron screws .applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint Total carried to summary Iron Monger Supplying and making 6 mm dia. M.S. rod grills for windows with 25x25x3 mm thick M.S. angle iron outer frame with 4 nr 25 x 25 x 3 mm angle iron(2 nr together) middle bar verticallly				
	machine , fixed complete with necessary 2" Iron screws applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint 8"x3/4" (200x20mm) Boards , valance 3/4" (20mm) thick in class II local (Ginisapu) timber prepared by using multi purpose wood working machine , fixed complete with necessary 2" Iron screws .applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint Total carried to summary Iron Monger Supplying and making 6 mm dia. M.S. rod grills for windows with 25x25x3 mm thick M.S. angle iron outer frame with 4 nr		46.00		

ID	Description	Unit	Qty.	Rate	Amount
	Painter & Decorator				
62	Applying skim coat & one coats of wall filler (smooth platered new work or after preparation of old wall)	sq.m	265.00		
63	Prepare and Painting New walls with two coats of emulsion paint to internal wall (Using roller brush)	sq.m	265.00		
64	Painting walls with one coats of Acrylic wall filler for external wall (new work or after preparation of old wall) -1st floor	sq.m	130.00		
65	Wethershield paint to external faces of wall 02coat apply using roller brush 2" brush(First Floor)	sq.m	130.00		
66	Painting plinth and skirting with floor paint, 1 coat including preparing surface	sq.m	16.00		
67	Preparing of surface & applying 2 coats of Black board paint	sq.m	24.00		
68	Prepare and Painting steelwork, 1 coat with anticorrosive paint including removing scale and wire brushing.	sq.m	23.00		
	Total carried to summary			*	
	Plumber				
69	Supplying and fixing 100 x 100 Zn/Al Down pipes with Zn/Al Strap (.47 mm thick AZ150 - thickness certificate necessary) with Silicon joint ,fixed to facia bolt with fixing bracket @ 750 mm C/C with 1"screwsetc (Metecno/BlueScope or equivalent) 1st floor	m r	34.00	f-	*
70	Supplying and fixing Zn/Al Eves gutter ((.47 mm thick -girth 470mm AZ150 - thickness certificate necessary)with Silicon joint ,fixed to facia bolt with fixing bracket @ 500 mm C/C -in 1stfloor(Metecno / BlueScope or equivalent) approval should be taking from engineer before installation.	m	46.00		
71	Basin, sink or urinal including all fittings, removing from walls as per instruction.	nr	3.00		
	Total carried to summary				

RENOVATION OF 70' X 25' TWO STORIED BUILDING AT KIRINDA MODEL PRIMARY SCHOOL

Rate Schedule		Amount
	Ground floor	
Demolisher		
Earth Work		
Brick Work		
Concretor		
Reinforcement		
R R Masonry		
Plasterer		
Electrical		
Iron Monger		
Painter & Decorator		
Plumber		
Form work		
General Works		
	First floor	
Demolisher		
Plasterer		
Electrical .		•
Roofer		
Carpenter & Joiner		
Iron Monger		
Painter & Decorator		
Plumber		
Total		-
Total :		
Less PS:		
Discounts (%):		
(+) PS:		
Contract Amount:		

Renovation Of 70'x25' Two Storied Building At Kirinda Model Primary School.

Total -1 Less Discount if any (%) Total -2 -Rs	•••••
Less Discount if any (%) -Rs	0,000.00)
Total -2 Add provisional sums -Rs. 400 Total -Rs	
Add provisional sums -Rs. 400 Total -Rs	
Total -Rs	
Total Amount in Words	00,000.00
Bidder's Details. Signature of Bidder Date - Name & Address of Bidder Witnesses' Details Signature of Witness - 1 Date	••••
18 % VAT Grand Total Bidder's Details. Signature of Bidder Date - Name & Address of Bidder Witnesses' Details Signature of Witness - 1 Date	
Grand Total Bidder's Details. Signature of Bidder Date - Name & Address of Bidder Witnesses' Details Signature of Witness - 1 Date	
Bidder's Details. Signature of Bidder Date - Name & Address of Bidder Witnesses' Details Signature of Witness - 1 Date	<u></u>
Signature of Bidder Date - Name & Address of Bidder Witnesses' Details Signature of Witness - 1 Date	<u></u>
Signature of Bidder Date - Name & Address of Bidder Witnesses' Details Signature of Witness - 1 Date	
Name & Address of Bidder Witnesses' Details Signature of Witness - 1 Date	
Witnesses' Details Signature of Witness - 1 Date	
Signature of Witness - 1 Date Date	
Signature of Witness - 1 Date Date	
Signature of Witness - 1 Date Date Date	
Name & Address of Witnesses Name & Address of Witnesses	
	ses

DRAWINGS

If any bidder required getting further information regard this drawing, please contact District Engineer (Buildings) Matara.

Contact Details: Address: District Engineer (Buildings) Office,

Pallimulla,

Matara.

Tele: 041-222386

STANDARD FORMS (BID)

• Bid Security

FORM OF BID SECURITY

[Insert issuing agency's name and address of issuing branch or office]
Beneficiary: Ministry of Education - Southern Provincial Council, Ground Floor, "Dakshinapaya". Ministry Complex, Labuduwa, Galle
Date: [Insert (by issuing agency) date]
BID GUARANTEE NO.: [Insert (by issuing agency) number]
We have been informed that
Furthermore, we understand that, according to your conditions, Bids must be supported by a Bid Guarantee.
At the request of the Bidder, we
 (a) has withdrawn its Bid during the period of bid validity specified; or (b) does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or (c) having been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails to refuses to execute the Contract Form, if required, or (ii) fails to refuses to furnish a Performance Security, in accordance with the ITB.
This Guarantee shall expire: (a) if the Bidder is the successful bidder, upon our receipt of copies of the Contract signed by the bidder and the Performance Security issued to you by the Bidder; or
(b) If the Bidder is not the successful bidder, upon the earlier of the successful bidder furnishing the performance security, otherwise it will remain in force up to(insert the date, 28 days beyond the validity of the bid)
Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.
[Signature of authorized representative(s)]

Check List for Bidders

ITEM	ITB Clause	YES (tick)	REFERENCE
Form of Bid		(*-*)	
Addressed to the Employer?	18		
Completed?	18		
Signed?	18		
Bid Security (if required)			
Addressed to the Employer?	16		
Format as required?	16		
Issuing Agency as specified?	16		
Amount as requested?	16		
Validity 28 days beyond the validity of Bid?	16		
Qualification Information			
All relevant information completed?	4		
Signed?	4		
Addendum			
Contents of the addendum (if any) taken in to account?	10		
BID package			
All the documents given in ITB Clause 12 enclosed in the original and copy?	12		
ITB Clause 19 followed before Sealing the Bid Package?	19		