

MINISTRY OF EDUCATION SOUTHERN PROVINCE

BIDDING DOCUMENT

FOR

RENOVATION OF 120X20 BUILDING AT H/VEKANDAWALA JANAPADA M.V.

| Issued to | : |
|-------------|-------------------------------------|
| Date | : |
| Contract No | : |
| Employer | : Secretary, Ministry of Education, |

Southern Province.

CONTENTS

Volume 1

Section 1 Instructions to Bidders

Section 2 Standard Forms (Contract)

Section 3 Conditions of Contract

Volume 2

Invitation for Bids

Section 4 Form of Bid and Qualification Information

Section 5 Schedule

Section 6 Specifications

Section 7 Bills of Quantities

Section 8 Drawings

Section 9 Standard Forms (Bid)

Volume 1 consisting of section 1, section 2, section 3 will be applicable for this contract shall be given volume 1 of "Standard Bidding Document, Procurement of Works, Minor Contracts", CIDA publication no: CIDA/SBD/03, Second Edition, January 2007, publish by Construction Industry Development Authority (CIDA), Savusiripaya, 123. Wijerama Mawatha, Colombo 07.

The above Document will not be issued with the Bidding Document and Bidder is advised to purchase it from CIDA.

| H/C/25/55/01 | | |
|---------------|---------------------|--|
| 11/0/23/33/01 | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | INVITATION FOR BIDS | |
| | INVITATION FOR BIDS | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | 3 | |
| | 7 | |

පුසම්පාදන දැන්වීම

දකුණු පළාත් අධාාපන, ඉඩම් හා ඉඩම් සංවර්ධන,මහා මාර්ග හා පුවෘත්ති අමාතාාංශය දකුණු පළාත් සභාව

පළාත් නිශ්චිත සංවර්ධන පුදාන, ක්ලීන් ශී ලංකා වැඩසටහන හා නඩත්තු සැලැස්ම 2025 යටතේ කුියාත්මක කරනු ලබන පහත සඳහන් වැඩ යෝජනා සඳහා සුදුසුකම් ලත් කොන්තුාත් කරුවන්ගෙන්, දකුණු පළාත් අධාාපන අමාතාාංශයේ පුසම්පාදන කමිටු සභාපති විසින් ලංසු පත් කැඳවනු ලැබේ.

| අනු | වාහපෘති | පාසල | වැඩ විස්තරය | කර්මාන්ත | ආපසු | ලංසු | අවශා | මුළු |
|-----|-----------|-------------------|-------------------|----------|--------------------|------------|------------|---------|
| අංක | අංකය | | | ය ඉටු | නොගෙව | සුරක්ෂණ | CIDA | 88වැ |
| ය | | | | කරනු | නු ලබන | වටිනාකම | ලියාපදිං | ය |
| | | | | ලබන | ඇප | රු. | චිය | ඇස්ත |
| | | | | වාහාපෘති | තැන්පත් | | | මේන් |
| | | | | සැලැස්ම | මුදල රු. | | | තු |
| | | | | | | | | මුදල |
| | | | | | | | | vat |
| | | | | | | | | සමග |
| | | | | | | | | රු. මි. |
| 1 | G/C/25/34 | ගා/උඩුගම ම.වි | 70*25 ඉදමහල් | පළාත් | | | C 8 | |
| | | | ගොඩනැහිල්ලේ | නිශ්චිත | 2,500.00 | 34,000.00 | ගෝ නෝ | 4.34 |
| | | | වහල අලුත්වැඩියාව | | | | ඉහළ | |
| 2 | G/C/25/35 | ගා/හියාරේ | 90*25 | පළාත් | | | | |
| | | නැඟෙනහිර ක.වි | ගොඩනැහිල්ලේ | නිශ්චිත | 1,500.00 26,000.00 | 26,000,00 | C 9 හෝ | 3.40 |
| | | | කොරිඩෝව | | | ඉහළ ඉහළ | 3.40 | |
| | | | ඉදිකිරීම | | | | | |
| 3 | G/C/25/36 | ගා/තිත්තගල්ල | 180*25 පුධාන | පළාත් | | | C 8 | |
| | | අටානිකිත ක.වි | ශාලාවේ වහල | නිශ්චිත | 2,500.00 | 35,000.00 | හෝ නේ | 4.41 |
| | | | අලුත්වැඩියාව | | | | ඉහළ | |
| 4 | G/C/25/37 | ගා/හපුගල පුා.වි | මායිම් තාප්පය ඉදි | නඩත්තු | 1 500 00 | 27,000,00 | C 9 | 2.46 |
| | | | කිරීම | සැලැස්ම | 1,500.00 | 27,000.00 | හෝ ඉහළ | 3.46 |
| 5 | G/C/25/38 | ගා/නරාවල ම.වි | 80*20 | නඩත්තු | | | C 8 | |
| | | | ගොඩනැහිල්ල | සැලැස්ම | 2,500.00 | 32,000.00 | ග ෝ | 4.10 |
| | | | අලුත්වැඩියාව | | | | ඉහළ | |
| 6 | G/C/25/39 | ගා/ප∘චාලිය පුා.වි | පාසල් | නඩත්තු | | | C 9 | |
| | | | ගොඩනැහිල්ල | සැලැස්ම | 1,500.00 | 21,000.00 | හෝ | 2.73 |
| | | | අලුත්වැඩියාව | | | | ඉහළ | |

| | H/C/25/55/01 | L | | | | | | |
|----|--------------|---|--|-------------------|----------|-----------|------------------|------|
| 7 | G/C/25/40 | ගා/කළහාණතිස්ස විදහාලය | 80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 22,000.00 | C 9 හෝ ඉහළ | 2.88 |
| 8 | G/C/25/41 | ගා/ජයවර්ධන විදාහලය | 80*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 25,000.00 | C 9 හෝ ඉහළ | 3.14 |
| 9 | G/C/25/42 | ගා/පැදින්තොරුව සරණපාල ජයන්ති පුා.වි | 60*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 26,000.00 | C 9 හෝ ඉහළ | 3.35 |
| 10 | G/C/25/43 | ගා/ඇත්තිලිගොඩ සුදර්ශි ම.වි | 100*25 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 30,000.00 | C 9 හෝ ඉහළ | 3.91 |
| 11 | G/C/25/44 | ගා/මීගහගොඩ ක.වි | 50*20 විදාහාගාර ගොඩනැඟිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 31,000.00 | C 9 හෝ ඉහළ | 3.93 |
| 12 | G/C/25/45 | ගා/කඩිහිංගල ම.වි | 70*20 දෙමහල් ගොඩනැහිල්ලේ විදුලි පද්ධතිය නවීකරණය | නඩත්තු සැලැස්ම | 1,500.00 | 17,000.00 | C 9 හෝ ඉහළ | 2.12 |
| 13 | G/C/25/46 | අම්බලන්ගොඩ කලාප අධාහාපන කාර්යාලය | කාර්යාල ගොඩනැඟිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 20,000.00 | C 9 හෝ ඉහළ | 2.49 |
| 14 | G/C/25/47 | ගා/වටරැක ශී සෝහිත විදාහලය | 40*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 25,000.00 | C 9 හෝ ඉහළ | 3.22 |
| 15 | G/C/25/48 | ගා/විදාහනන්ද ක.වි | පැති බැම්ම අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 34,000.00 | C 8 හෝ ඉහළ | 4.40 |
| 16 | G/C/25/49 | ගා/උනත්නවිටිය රේවත ම.වි | 90*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 36,000.00 | C 8 හෝ ඉහළ | 4.66 |
| 17 | G/C/25/50 | ගා/සිරි පඹ∘කර පුා.වි | 80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 25,000.00 | C 9 හෝ ඉහළ | 3.15 |
| 18 | G/C/25/51 | ගා/බටදූව සිරි රතනජෝති ම.වි | 90*25 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 26,000.00 | C 9 හෝ ඉහළ | 3.28 |
| 19 | G/C/25/52 | ගා/අක්මීමණ ම.වි | 100*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 38,000.00 | C 8 හෝ ඉහළ | 4.97 |

| 20 | 0/0/05/52 | | 00*25 | - D | | | | T |
|----|-----------|-----------------------------------|--|-------------------|----------|-----------|------------------|------|
| 20 | G/C/25/53 | ගා/ආතන්ද විජය විදාහලය | 90*25 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 25,000.00 | C 9 හෝ ඉහළ | 3.21 |
| 21 | G/C/25/54 | ගා/ඉඳුරුව ම.වි | 120*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 3,000.00 | 49,000.00 | C 8 හෝ ඉහළ | 6.47 |
| 22 | G/C/25/55 | ගා/තලංගහ සරස්වතී දෙමළ පාසල | වැසිකිළ පද්ධතිය ඉදි කිරීම | පළාත් නිශ්චිත | 1,000.00 | 16,000.00 | C 9 හෝ ඉහළ | 1.99 |
| 23 | G/C/25/56 | ගා/දික්කුඹුර සිද්ධාර්ථ ම.වි | 120*30 පුධාන ශාලාව නවීකරණය | පළාත් නිශ්චිත | 2,500.00 | 40,000.00 | C 8 හෝ ඉහළ | 5.29 |
| 24 | G/C/25/57 | ගා/ලේල්වල ක.වි | 80*20 ගොඩනැහිල්ල අලුත්වැඩියාව | පළාත් නිශ්චිත | 3,500.00 | 75,000.00 | C 8 හෝ ඉහළ | 9.93 |
| 25 | G/C/25/58 | ගා/පොරවගම ක.වි | පැති බැම්ම අලුත්වැඩියාව | පළාත් නිශ්චිත | 2,500.00 | 34,000.00 | C 8 හෝ ඉහළ | 4.39 |
| 26 | G/C/25/59 | ගා/ගතේගම රෝමානු කතෝලික පාසල | 80*20 නව ගොඩනැහිල්ල ඉදි කිරීම | පළාත් නිශ්චිත | 1,500.00 | 20,000.00 | C 9 හෝ ඉහළ | 2.60 |
| 27 | G/C/25/60 | ගා/ශීපති ම.වි | 80*20 දෙමහල් ගොඩනැහිල්ල ඉදි කිරීම | පළාත් නිශ්චිත | 2,500.00 | 37,000.00 | C 8 හෝ ඉහළ | 4.79 |
| 28 | G/C/25/61 | ගා/මාමනදොළ ක.වි | 90*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | පළාත් නිශ්චිත | 2,500.00 | 32,000.00 | C 8 හෝ ඉහළ | 4.15 |
| 29 | G/C/25/62 | ගා/උක්වත්ත විදාහාලය | 90*25 තෙමහල් ගොඩනැහිල්ලේ ඉදි කිරීම (ඉතිරි වැඩ) | පළාත් නිශ්චිත | 2,500.00 | 41,000.00 | C 8 හෝ ඉහළ | 5.42 |
| 30 | G/C/25/63 | ගා/අක්කරවිස්ස ක.වි | මායිම් තාප්පය අලුත්වැඩියාව | පළාත් නිශ්චිත | 1,500.00 | 25,000.00 | C 9 හෝ ඉහළ | 3.21 |
| 31 | G/C/25/64 | ගා/කළුවලගල ක.වි | 40*20 ගොඩනැහිල්ල ඉදි කිරීම | පළාත් නිශ්චිත | 3,000.00 | 46,000.00 | C 8 හෝ ඉහළ | 6.07 |
| 32 | G/C/25/65 | ගා/අවිත්තාව නාලන්දා ම.වි | 80*20 ගොඩනැතිල්ලේ වහල අලුත්වැඩියාව | පළාත් නිශ්චිත | 1,500.00 | 29,000.00 | C 9 හෝ ඉහළ | 3.73 |

| | H/C/25/55/01 | L | | | | | | |
|----|---------------|-----------------------------|--|-------------------|----------|---------------|------------------|------|
| 33 | G/C/25/66 | ගා/මහින්ද රාජපක්ෂ ම.වි | මායිම් තාප්පය අලුත්වැඩියාව | පළාත් නිශ්චිත | 3,000.00 | 61,000.00 | C 8 හෝ ඉහළ | 7.88 |
| 34 | G/C/25/67 | ගා/ගුණාතන්ද පුා.වි | 50*25 ගොඩනැතිල්ල අලුත්වැඩියාව | පළාත් නිශ්චිත | 1,500.00 | 17,000.00 | C 9 හෝ ඉහළ | 2.16 |
| 35 | G/C/25/68 | ගා/බී.ටී.එස් විදාහලය | 80*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 32,000.00 | C 8 හෝ ඉහළ | 4.07 |
| 36 | G/C/25/69 | ගා/මාවඩවිල ම.වි | 90*25 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 24,000.00 | C 9 හෝ ඉහළ | 3.01 |
| 37 | G/C/25/70 | ගා/සිරිනිවාස ම.වි | 100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 40,000.00 | C 8 හෝ ඉහළ | 5.31 |
| 38 | G/C/25/71 | ගා/දොළහේන ක.වි | 80*20 ගොඩනැහිල්ලේ වහල අලුක්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 43,000.00 | C 8 හෝ ඉහළ | 5.69 |
| 39 | G /C/25/72 | ගා/පිලාත තක්ෂිලා පුා.වි. | මායිම් තාප්පය නවීකරණය | පළාත් නිශ්චිත | 1,000.00 | 14,000.0 | C9 හෝ ඉහළ | 1.8 |
| 40 | G /C/25/73 | ගා/ස∘ඝරතන පුා.වි. | 100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව. | පළාත් නිශ්චිත | 2,500.00 | 34,000.0 | C8 හෝ ඉහළ | 4.4 |
| 41 | G/C/25/7 4 | ගා/තෙලිකඩ ම.වි. | 80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව | පළාත් නිශ්චිත | 2,500.00 | 35,000.0 0 | C8 හෝ ඉහළ | 4.5 |
| 42 | G/C/25/7 5 | ගා/කරන්දෙණිය ක.වී. | 80*20 ගොඩනැගිල්ල අලුත්වැඩියාව | පළාත් නිශ්චිත | 1,500.00 | 29,000.0 | C9හෝ ඉහළ | 3.7 |
| 43 | G/C/25/7 6 | ගා/ලේනගල්පලා ත ක.වි. | 80*20 ගොඩනැගිල්ල අලුත්වැඩියාව | පළාත් නිශ්චිත | 1,500.00 | 27,000.0 0 | C9 හෝ ඉහළ | 3.4 |
| 44 | G /C/25/77 | ගා/රතනසාර ම.වි. | 100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව | පළාත් නිශ්චිත | 1,500.00 | 23,000.0 | C9 හෝ ඉහළ | 2.9 |
| 45 | G /C/25/78 | ගා/යටගල ම.වි. | මායිම් තාප්පය අලුත්වැඩියා කිරීම. | පළාත් නිශ්චිත | 2,500.00 | 39,000.0 | C8 හෝ ඉහළ | 5.1 |
| 46 | G /C/25/79 | ගා/ඕල්කට් ම.වි | 80*20 ගොඩනැගිල්ල අලුත්වැඩියාව | පළාත් නිශ්චිත | 2,500.00 | 40,000.0 | C8 හෝ ඉහළ | 5.3 |
| 47 | G /C/25/80 | ගා/තෙල්ලඹුර වීජය ක.වි. | පැති බැම්ම ඉදි කිරීම. | පළාත් නිශ්චිත | 2,500.00 | 34,000.0 | C8 හෝ ඉහළ | 4.3 |
| 48 | G /C/25/81 | ගා/හියාරේ ම.වි. | 80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව | පළාත් නිශ්චිත | 2,500.00 | 45,000.0 0 | C8 හෝ ඉහළ | 5.8 |

| | H/C/25/55/01 | | | | | | | |
|----|---------------|-------------------------------------|--|--------------------------------------|----------|-----------|------------------|-------|
| 49 | G /C/25/82 | ගා/උස්වතුන් හසානා ම.වි. | 160*25 තෙමහල් ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව. | පළාත් නිශ්චිත | 2,500.00 | 34,000.0 | C8 හෝ ඉහළ | 4.4 |
| 50 | G /C/25/83 | ගා/බුද්ධදත්ත පුා.වි. | 120*20 පුධාන ශාලාව අලුත්වැඩියාව | පළාත් නිශ්චිත | 3,500.00 | 64,000.0 | C8 හෝ ඉහළ | 8.4 |
| 51 | G /C/25/84 | ගා/සිරි අභයතිස්ස ක.වි. | දෙමහල් ගොඩනැහිල්ලේ යකඩ ගුීල් සවි කිරීම. | නඩත්තු සැලැස්ම | 1,000.00 | 16,000.0 | C9 හෝ ඉහළ | 1.9 |
| 52 | M/C/25/31 | මාර/පර්සි | 80*20 | | | | | |
| | | අබේවර්ධන | ගොඩනැහිල්ලේ | නඩත්තු | 2,500.00 | 40,000.00 | C8 හෝ | 5.3 |
| | | විදාහලය | වහල අලුත්වැඩියාව. | සැලැස්ම | | | ඉහළ | |
| 53 | M/C/25/44 | මාර/ජිනරාජ ක.වී. | වැසිකිළි පද්ධතිය අලුත්වැඩියා කිරීම. | පළාත් නිශ්චිත | 1,500.00 | 22,000.00 | C9 හෝ ඉහළ | 2.1 |
| 54 | M/C/25/52 | අකුරැස්ස කලාප අධාාපන කාර්යාලය | පැති බැම්ම පුතිසංස්කරණය කිරීම | නඩත්තු සැලැස්ම | 1,500.00 | 28,000.00 | C 9 හෝ ඉහළ | 3.59 |
| 55 | M/C/25/53 | මාර/කරගොඩ උයන්ගොඩ ම.වි | වැසිකිළි පද්ධතිය ඉදි කිරීම | පළාත් නිශ්චිත | 1,500.00 | 20,000.00 | ල ගෝ ඉහළ | 2.57 |
| 56 | M/C/25/54 | මාර/බැරගම ක.වි | වැසිකිළි පද්ධතිය ඉදි කිරීම | පළාත් නිශ්චිත | 1,500.00 | 19,000.00 | ි ල හෝ ඉහළ | 2.42 |
| 57 | M/C/25/55 | මාර/පොල්වත්ත පුා.වි | පුධාන ශාලාව අලුත්වැඩියා කිරීමේ ඉතිරි වැඩ සම්පූර්ණ කිරීම | පළාත් නිශ්චිත | 2,500.00 | 34,000.00 | ල හෝ ඉහළ | 4.48 |
| 58 | M/C/25/56 | මාර/මාතර ආදර්ශ පුා.වි | වැසි ජලය කළමනාකරණ පද්ධතිය නවීකරණය කිරීම | පළාත් නිශ්චිත | 1,500.00 | 21,000.00 | C 9 හෝ ඉහළ | 2.69 |
| 59 | M/C/25/57 | මාර/කිරින්ද ආදර්ශ පුා.වි | 70*25 දෙමහල් ගොඩනැගිල්ල නවීකරණය කිරීම | පළාත් නිශ්චිත | 4,000.00 | 79,000.00 | C 7 හෝ ඉහළ | 10.43 |
| 60 | M/C/25/58 | මාර/තල්පාවිල ම.ම.වි | කීඩා පිටිය ස∘වර්ධනය කිරීම | පළාත් නිශ්චිත | 2,500.00 | 42,000.00 | C 8 හෝ ඉහළ | 5.47 |
| 61 | M/C/25/59 | මාර/කඹුරුගමුව ම.වි | 80*20 තනි මහල් ගොඩනැගිල්ල 90*25 දෙමහල් ගොඩනැගිල්ලට නවීකරණය කිරීම (අදියර 01) | පළාත් නිශ්චිත සංවර්ධන පුදාන | 4,000.00 | 88,000.00 | C 7 හෝ ඉහළ | 11.69 |
| 62 | M/C/25/60 | මාර/බෙලිදෙණිය ම.වි | 60*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියා කිරීම | පළාත් නිශ්චිත | 1,500.00 | 27,000.00 | ඉහළ හෝ C 9 | 3.57 |
| 63 | H/C/25/26 | හ/මහගල්වැව ක.වි | 90*25 දෙමහල් ගොඩනැහිල්ලේ බිම් මහලේ කාර්යාල කාමරය සකස් කිරීම | නඩත්තු සැලැස්ම | 1,500.00 | 21,000.00 | C 9 හෝ ඉහළ | 2.73 |
| 64 | H/C/25/27 | හ/දුටුගැමුණු ම.වි | 90*25 තෙමහල් ගොඩනැහිල්ලේ වහලය අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 23,000.00 | C 9 හෝ ඉහළ | 3.05 |
| 65 | H/C/25/28 | හ/සපුතන්තීකන්ද පුා.වි | පැති බැම්ම හා ජල කුළුණ ඉදි කිරීම | පළාත් නිශ්චිත | 1,500.00 | 20,500.00 | C 9 හෝ ඉහළ | 2.7 |

| 66 | H/C/25/29 | හ/මිද්දෙනිය ම.වි | රැඳවුම් තාප්පය | | | | | |
|----|-----------|------------------------------------|---|-------------------|----------|-----------|---------------|------|
| 00 | П/С/25/29 | හැමදිමදිනි ය ම.ට | ඉදිකිරීම (කුීඩා පිටිය සඳහා | පළාත් | 2 222 22 | | C 8 ഞෝ | 6.27 |
| 67 | H/C/25/30 | හ/ගමේයාය ක.වි | ආරක්ෂක තාප්පය) 80*20 | නිශ්චිත | 3,000.00 | 47,500.00 | ඉහළ | |
| 07 | n/C/23/30 | | 80 20 ගොඩනැහිල්ල අලුත්වැඩියාව | පළාත් නිශ්චිත | 1,500.00 | 27,000.00 | C 9 හෝ ඉහළ | 3.55 |
| 68 | H/C/25/31 | තංගල්ල කලාප අධාාපන කාර්යාලයේ | මායිම් තාප්පය ඉදිකිරීම(ඉතිරි වැඩ) | පළාත් නිශ්චිත | 1,000.00 | 12,000.00 | C 9 හෝ ඉහළ | 1.49 |
| 69 | H/C/25/32 | හ/බෙලිඅත්ත ම.ම.වි | 100*20 තාක්ෂණික විදාාාගාරය ගොඩනැහිල්ල නවීකරණය | පළාත් නිශ්චිත | 3,500.00 | 67,500.00 | C 8 හෝ ඉහළ | 8.91 |
| 70 | H/C/25/33 | හ/කදිරගොඩ පුා.වි | වැසිකිළ අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 18,000.00 | C 9 හෝ ඉහළ | 2.28 |
| 71 | H/C/25/34 | හ/ගොඩවානගොඩ ක.වි | වැසිකිළි අලුත්වැඩියාව සහ මායිම් තාප්පය අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 21,000.00 | C 9 හෝ ඉහළ | 2.67 |
| 72 | H/C/25/35 | හ/කුඩාවැල්ල ක.වි | වැසිකිළි අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,000.00 | 14,000.00 | C 9 හෝ ඉහළ | 1.82 |
| 73 | H/C/25/36 | හ/රදනිආර ම.වි | පරිගණක විදාහාගාරය අලුත්වැඩියා කිරීම | නඩත්තු සැලැස්ම | 1,500.00 | 23,000.00 | C 9 හෝ ඉහළ | 2.94 |
| 74 | H/C/25/37 | හ/කිරම ධම්මානන්ද පුා.වි | 80*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 37,000.00 | C 8 හෝ ඉහළ | 4.80 |
| 75 | H/C/25/38 | හ/කෑරදෙනිය ක.වි | 40*20 ගොඩනැතිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 28,000.00 | C 9 හෝ ඉහළ | 3.69 |
| 76 | H/C/25/39 | හ/අගලබඩ ක.වි | 60*20 ගොඩනැහිල්ල අලුත්වැඩියා කිරීම | නඩත්තු සැලැස්ම | 1,500.00 | 23,000.00 | C 9 හෝ ඉහළ | 2.97 |
| 77 | H/C/25/40 | හ/අල්අමීර් මුස්ලිම් විදාාාලය | මායිම් තාප්පය අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 16,000.00 | C 9 හෝ ඉහළ | 2.08 |
| 78 | H/C/25/41 | හ/පල්ලෙජූලම්පිටි ය ම.වි | 60*20 ගොඩනැහිල්ල අලුත්වැඩියා කිරීම | නඩත්තු සැලැස්ම | 1,500.00 | 30,000.00 | C 9 හෝ ඉහළ | 3.93 |
| 79 | H/C/25/42 | හ/කැකිරිඕබඩ ක.වි | පුස්තකාල ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 39,000.00 | C 8 හෝ ඉහළ | 5.1 |
| 80 | H/C/25/43 | හ/බෙරලිහෙල ම.වි | 80*20 ගොඩනැහිල්ල සහ 50*25 කාර්යාල ගොඩනැහිල්ල වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 21,000.00 | C 9 හෝ ඉහළ | 2.74 |
| 81 | H/C/25/44 | හ/ගැටමාන්න දකුණ ම.වි | 100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 37,000.00 | C 8 හෝ ඉහළ | 4.87 |
| 82 | H/C/25/45 | හ/ගැටමාන්න උතුර ක.වි | 100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 39,000.00 | C 8 හෝ ඉහළ | 5.07 |
| 83 | H/C/25/46 | හ/බූන්දල ක.වි | 80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 32,000.00 | C 8 හෝ ඉහළ | 4.22 |

| 84 | H/C/25/47 | හ/පලපොත ම.වි | 100*20 | | | | | |
|-----|-----------------|-------------------------------------|--|--------------------------------------|----------|-----------|---------------|------|
| 01 | 11/ 5/23/47 | <i>3/303333</i> 3.3 | ගොඩනැහිල්ලේ වහල අලුක්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 27,000.00 | C 9 හෝ ඉහළ | 3.55 |
| 85 | H/C/25/48 | හ/බටඅත දකුණ ක.වි | 40*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 19,000.00 | C 9 හෝ ඉහළ | 2.49 |
| 36 | H/C/25/49 | හ/කහවත්ත ම.වි | නෙප්වූන් ගොඩනැතිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 3,000.00 | 61,000.00 | C 8 හෝ ඉහළ | 8.00 |
| 37 | H/C/25/50 | හ/කණුකැටිය ක.වි | 80*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 24,000.00 | C 9 හෝ ඉහළ | 3.06 |
| 88 | H/C/25/51 | හ/දෙබරවැව ජනාධිපති විදාහාලය | 120*20 ගොඩනැහිල්ලෙ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 2,500.00 | 40,000.00 | C 8 හෝ ඉහළ | 5.25 |
| 89 | H/C/25/52 | හ/දෙනිය පිංගම ක.වි | 80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 19,000.00 | C 9 හෝ ඉහළ | 2.44 |
| 90 | H/C/25/53 | හ/මීගහවෙල ක.වි | 120*20 ගොඩනැහිල්ලේ වහල සහ වැසිකිළි අලුත්වැඩියාව | පළාත් නිශ්චිත | 1,500.00 | 17,000.00 | C 9 හෝ ඉහළ | 2.2 |
| 91 | H/C/25/54 | හ/මොරයාය ම.වි | 120*20 ගොඩනැතිල්ල අලුත්වැඩියාව | පළාත් නිශ්චිත | 3,000.00 | 60,000.00 | C 8 හෝ ඉහළ | 7.94 |
| 92 | H/C/25/55 | හ/වෑකඳවල ජනපද ම.වි | 120*20 ගොඩනැහිල්ල අලුත්වැඩියාව | පළාත් නිශ්චිත | 3,500.00 | 63,000.00 | C 8 හෝ ඉහළ | 8.33 |
| 93 | H/C/25/56 | හ/හිභූරකන්ද ම.වි | 72*16 ගොඩනැහිල්ල පුතිසංස්කරණය කිරීම | පළාත් නිශ්චිත | 1,000.00 | 14,000.00 | C 9 හෝ ඉහළ | 1.83 |
| 94 | H/C/25/57 | හ/ලුණුගම්වෙහෙර ම.වි | වැසිකිළි පද්ධතිය ඉදිකිරීම | පළාත් නිශ්චිත | 1,500.00 | 16,000.00 | C 9 හෝ ඉහළ | 2.00 |
| 95 | H/C/25/58 | හ/කටුවන පුා.වි | විදාහලයේ පැති පැම්ම ඉදි කිරීම | පළාත් නිශ්චිත සංවර්ධන පුදාන | 2,500.00 | 35,000.00 | C 8 හෝ ඉහළ | 4.5 |
| 96 | H/C/25/59 | හ/රතනජෝති පුා.වි,ගභුලන්දෙනි ය | පැතිබැම්ම ඉදි කිරීම (කීඩා පිටිය ඉදිරිපස) | පළාත් නිශ්චිත | 2,500.00 | 40,000.00 | C 8 හෝ ඉහළ | 5.28 |
| 97 | H/C/25/60 | හ/වැවේගම ක.වි | 60*20 ගොඩනැහිල්ල අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 24,000.00 | C 9 හෝ ඉහළ | 3.10 |
| 98 | H/C/25/61 | හ/පොළොම්මාරුව ආදර්ශ විදහාලය | වැසිකිළි අලුත්වැඩියාව | නඩත්තු සැලැස්ම | 1,500.00 | 17,000.00 | C 9 හෝ ඉහළ | 2.2 |
| 99 | G/CSL/25/ 01 | ගා/උනන්විටිය රේවත ම.වි. | පැති බැම්ම ඉදි කිරීම | ක්ලීන් ශී ලංකා | 1,500.00 | 23,000.00 | C 9 හෝ ඉහළ | 2.8 |
| 100 | G/CSL/25/ 02 | ගා/ඇත්තිලිගොඩ සුදර්ශි ම.වි. | 80 X 20 ගොඩනැගිල්ල නවීකරණය | ක්ලීන් ශී ලංකා | 1,000.00 | 16,000.00 | C 9 හෝ ඉහළ | 1.9 |
| 101 | G/CSL/25/ 03 | ගා/දෙල්ලව ම.වි. | පැති බැම්ම ඉදි කිරීම | ක්ලීන් ශී ලංකා | 1,500.00 | 29,000.00 | C 9 හෝ ඉහළ | 3.6 |
| 102 | M/CSL/25/ 01 | මාර/දම්පැල්ල ම.වි. | සංගීත හා නැටුම් කාමර නවීකරණය | ක්ලීන් ශී ලංකා | 1,000.00 | 9,000.00 | C 9 හෝ ඉහළ | 1.1 |

| | H/C/25/55/01 | | | | | | | |
|-----|-----------------|--------------------------------|---|-------------------|----------|---------------|---------------|-----|
| 103 | G/CSL/25 /04 | ගා/ රතනසිරි රාජකීය විදාහාලය | ගැහැණු වැසිකිලි ඉදි කිරීම | ක්ලීන් ශී ලංකා | 1,500.00 | 29,000.0 | C 9 හෝ ඉහළ | 3.7 |
| 104 | G/CSL/25 /05 | ගා/ අනුරුද්ධ ක.වි. | වැසිකිලි නවීකරණය (පිරිමි වැසිකිලි 02 හා ගැහැණු වැසිකිලි 04) | ක්ලීන් ශී ලංකා | 1,000.00 | 8,000.00 | C 9 හෝ ඉහළ | 1.0 |
| 105 | G/CSL/25 /06 | ගා/සිරි අහයතිස්ස ම.වි. | ගුරුවරුන්ගේ සහ සිසුන්ගේ වැසිකිලි නවීකරණය | ක්ලීන් ශී ලංකා | 1,500.00 | 22,000.0 0 | C 9 හෝ ඉහළ | 2.8 |
| 106 | G/CSL/25 /07 | ගා/දික්කුඹුර පුා.වි. | වැසිකිලි පද්ධතියක් ඉදි කිරීම | ක්ලීත් ශී ලංකා | 2,500.00 | 33,000.0 0 | C 8 හෝ ඉහළ | 4.2 |
| 107 | G/CSL/25 /08 | ගා/හවිපේ ම.වි. | වැසිකිලි නවීකරණය | ක්ලීත් ශී ලංකා | 1,000.00 | 7,000.00 | C 9 හෝ ඉහළ | 0.9 |
| 108 | G/CSL/25 /09 | ගා/හප්පිටිය ක.වි. | ගුරුවරුන්ගේ වැසිකිලි ඉදි කිරීම | ක්ලීන් ශී ලංකා | 1,500.00 | 29,000.0 0 | C 9 හෝ ඉහළ | 3.7 |
| 109 | G/CSL/25 /10 | ගා/බටපොල ම.ම.වී. | වැසිකිලි ඉදි කිරීම | ක්ලීන් ශී ලංකා | 2,500.00 | 34,000.0 0 | C 8 හෝ ඉහළ | 4.3 |

02. ජාතික තරඟකාරී ලංසු පටිපාටිය මත ලංසු ඉදිරිපත් කළ යුතුය. කොන්තුාත් පුදානයේදී සුදුසුකම් ලබන සාර්ථක ලංසුකරුවන් අසාධු ලේඛනගත නොවිය යුතු අතර ඉදිකිරීම් කර්මාන්ත සංවර්ධන අධිකාරියේ ඉහත කාණ්ඩ යටතේ ලියාපදිංචි වී සිටිය යුතුය.

03.ලංසු අයදුම්පත් 2025.06.18 දින සිට 2025.07.03 දින දක්වා පෙ.ව 9.00 සිට ප.ව 3.00 දක්වා ඉහත දක්වා ඇති පරිදි ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාාංශයේ ගිණුම් අංශයේ සරප් වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සිය ඉදිරිපත් කර හෝ ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාාංශ ලේකම් නමින් ගාල්ල කොටුව ලංකා බැංකුවේ ඇති ගිණුම් අංක 1587423 ට බැර කර රිසිට් පත සමග ඔබගේ ඉල්ලීම් ලිපිය ද.ප. අධාාපන අමාතාාංශයේ 070 7130700 දරණ වට්ස්අප් අංකයට පමණක් හෝ acc.moesp@gmail.com ඊ මේල් ලිපිනයට පමණක් යොමු කිරීමෙන් ඔබට අවශා ලංසු පතිකා තැපැල් මගින් හෝ කූරියර් කර හෝ ඊමේල් මගින් හෝ වටස්අප් මගින් ගෙන්වා ගැනීමට හෝ ලබුදුව,දක්ෂිණපාය අධාාපන අමාතාාංශයෙන් (බිම් මහල) ගිණුම් අංශයෙන් ලබා ගත හැකිය. වැඩි විස්තර අමාතාාංශයේ 091-2030700 දුරකථන අංකයට වැඩ කරන දින ඇමතීමෙන් හෝ ද.ප. අධාාපන අමාතාාංශ වෙබ් අඩවියට www.edumin.sp.gov.lk පිවිසිමෙන් අදාල ලංසු පතිකා පරික්ෂා කල හැකිය.

04. මුදා තබන ලද ලංසු පනිකා 2025.07.04 පෙ.ව 11.00 ට පෙර ලැබෙන සේ ලේකම්, දකුණු පළාත් අධාාපන අමාතාංශය, දක්ෂිණපාය, ලබුදුව, ගාල්ල යන ලිපිනයට ලියාපදිංචි තැපෑලෙන් එවීමට හෝ අතින් රැගෙන විත්

H/C/25/55/01

පුධාන ගණකාධිකාරී නිල කාමරයේ තබා ඇති ටෙන්ඩර් පෙට්ටියට බහාලිය හැකිය. පුමාද වී ලැබෙන ලංසු පුතික්ෂේප කරනු ලැබේ.

05.ලංසු විවෘත කිරීම 2025.07.04 දින පෙ.ව 11.00 ට ලංසු පතිකා භාරගෙන අවසන් වූ වහාම දකුණු පළාත් අධාාපන අමාතාංශයේ පුසම්පාදන කමිටු සභාපතිගේ පුධානත්වයෙන් අමාතාංශයේදී සිදු කරන අතර එම අවස්ථාවට ලංසුකරුට හෝ ලංසුකරුගේ බලයලත් නියෝජිතයන් හට සහභාගී විය හැක.

06. ලංසුව සමහ ඉදිරිපත් කරන ලංසු සුරක්ෂණය ශී ලංකා වාණිජ බැංකුවකින් දකුණු පළාත් අධාාපන අමාතාංශයේ ලේකම් නමට ලබා ගත් 2025.07. 04 දින සිට 2025.10.04 දක්වා වලංගු ලංසු ඇපකරයක් හෝ අධාාපන අමාතාංශයේ ගිණුම් අංශය වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සියේ පිටපත ලංසු පතිකාව සමහ ඉදිරිපත් කළ යුතුය.

07. ලංසු වලංගු කාලය දින 77 කි.

08. ඉදිරිපත් කරනු ලබන කර්මාන්තයට අදාල ලංසු පිටපත් දෙකකින් යුතුව ඉදිරිපත් කළයුතු අතර එහි මුල් පිටපතෙහි " මුල් පිටපත" යනුවෙන් සදහන් කළ යුතු අතර අනු පිටපතෙහි " අනුපිටපත" යනුවෙන් සදහන් කළ යුතුය. ලංසුපත් වල මුල් පිටපත හා අනුපිටපත වෙන වෙනම කවරවල බහා මුදා තබා එම කවර දෙක එක් කවරයක බහා එම කවරය මුදා තබා කවරයේ වම් පස උඩකෙළවරේ කර්මාන්තයේ නම සහ අංකය සඳහන් කළ යුතුය.

09. ඔබ විසින් ඉදිරිපත් කිරීමට නියමිත සෑම ලංසු පතුිකාවෙහිම මිල ගණන් සඳහන් කර ඇති පිටු අංකයන්හි ඔබ විසින් සඳහන් කළ යුතු ඒකක මිල ගණන් හා මුළු මුදල දැක්වෙන තීරය සහ සාරාංශයද (වට්ටම් දැක්වෙන තීරයද ඇතුලත්ව) විනිවිද පෙනෙන සේ සෙලෝටේප් කර ලංසු ඉදිරිපත් කිරීම අනිවාර්ය වේ.

10. ද.ප. අධාාාපන අමාතාාංශය දැනටමත් දකුණු පළාතේ පාසල්වල ඉදිකිරීම් අලුත්වැඩියා හා නඩත්තු කටයුතුවලට අදාල වාාාපෘති සියයක පමණ පුසම්පාදන කටයුතු අවසන් කර ඉදිකිරීම් කටයුතු ආරම්භ කර ඇත.එමෙන්ම මෙම වාාාපෘති එකසිය නමයෙහි ද පුසම්පාදන කටයුතු හැකි ඉක්මනින් අවසන් කර වාාපෘතිවල වැඩ 2025 වසරේ දෙසැම්බර් මස වනවිට අවසන් කල යුතු බැවින් ලංසුකරුවන්ගේ ධාරිතාවය පිළිබඳ ලංසු පුදානයේදි සලකා බලනු ලැබේ.

11.අඩුපාඩු සහිත ලංසුපතිකා පුතික්ෂේප කරනු ලබන ලැබේ. මෙම පුසම්පාදනය සම්බන්ධයෙන් පුසම්පාදන කමිටුවේ තී්රණය අවසාන තී්රණය බව සැලකිය යුතුය.

ඒ.යූ.වේලාරත්න, පුසම්පාදන කමිටු සභාපති, දකුණු පළාත් අධාාපන අමාතාංශය, පළමු මහල, දක්ෂිණපාය, ලබුදූව, ගාල්ල. 2025.06.18

දුරකථන අංකය - 0912030700 ඊමේල් - acc.moesp@gmail.com

| H/C/25/55/01 | | | | | |
|--------------|-------------|----------|----------|----------|---------|
| | | | | | |
| | | SEC | CTION 4 | | |
| | | | | | |
| FOR | | | | | |
| FOR | RM OF BID A | AND QUAI | LIFICATI | ON INFOR | RMATION |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Address

Witness

FORM OF BID

Name of Contract : Renovation of 120x20 building at H/Vekandawala Janapada M.V. To : Secretary, Ministry of Education, Southern Province. Gentleman, Having examined the Standard Bidding Document - Procurement of Works - Minor Contracts [ICTAD/ SBD/ 03 -Second Edition, January 2007], Schedule, Specifications, Drawings and Bills of Quantities and addenda for the execution of the above named Works, we/I the undersigned, offer to execute and complete such Works and remedy any defect therein in conformity with the aforesaid Conditions of Contract, Schedule, Specifications, Drawings, Bill of **Ouantities** and Addenda for the sum of Sri Lankan Rupees sums as may be ascertained in accordance with the said Conditions. We/I acknowledge that the Schedule forms part of our/my Bid. We/I undertake, if our Bid is accepted, to commence the Works as stipulated in the Schedule, and to complete the whole of the Works comprised in the Contract within the time stated in the Schedule. We/I agree to abide by this bid for the period stated in the Sub-Clause 15 of Instructions to Bidders or any extended period and it shall remain binding upon us and may be accepted at any time before the expiration of that period. Unless and until a formal agreement is prepared and executed this Bid, together with your written acceptance thereof, shall constitute a binding contract between us/me. We/I understand that you are not bound to accept the lowest or any Bid you may receive. sign tenders for and on behalf of (IN BLOCK CAPITALS) Signature . Name • Designation .

•

Qualification Information

(to be completed by the bidder and submitted with the Bid)

| | Eligibility Require | ement | Bidder's Qualification | | |
|---|---|--|--|--|--|
| ICTAD Registration | | | | | |
| Registration number | | | | | |
| Grade | C8 or Above | | | | |
| Speciality | Buildings | | | | |
| Expiry Date | | | | | |
| Backlisted Contractors | | | | | |
| Have you been declared as a d Agency? | efaulted contractor by NPA or | faulted contractor by NPA or any other | | | |
| IF yes provide details | | | | | |
| VAT Registration Number | | | | | |
| Construction Program | (attach as annex) | | | | |
| Legal status | Public company/Private Compa | any/Partnersh | ip/Sole proprietor | | |
| | Eligibility Requirement | | Bidder's Qualification | | |
| Qualification and experience of key staff | Category, Experience and Qualifications (Insert requirement)* | Required Nos.* | Proposed by bidder (Name, experience and Qualifications) | | |
| | 1 | | | | |
| | 2 | | | | |
| | 3 | | | | |
| List Other information required | | | | | |

Signature of the Bidder:....

| H/C/25/55/01 | | |
|--------------|------------------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | SECTION 5 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | SCHEDULE | |
| | SCHEDCEE | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | 16 | |

Schedule

| ITB Clause | Conditions of Contract Clause | Item | Data |
|---------------|-------------------------------------|-----------------------------|---|
| 1. | 1.1.8 | Employer is: | Name: Secretary Address: Ministry of Education, Southern Province. |
| | | | |
| | 1.1.10 | Engineer is: | Name: District Engineer (Buildings) |
| | | | Address: District Engineer (Buildings) Office, 2 nd Floor, Administrative Complex, Hambantota. |
| 1 & 13 | 1.1.21 | Summary of Works | The Works consists of: Located at: H/Vekandawala Janapada M.V. |
| | | | Contract Name: Renovation of 120x20 building |
| | | | Contract Number H/C/25/55 |
| | 1.1.14 | Intended Completion Date | Intended Completion Date is 120 Days from the Start Date |
| 2. | | Source of Funds | The source of funds is |
| 3. | | Eligibility | The requirement is CIDA C8 or Above |
| 12. | | Documents of the Bid | Any other information |
| 13. | 10.10 | Price Adjustment | The Contract is / is not subject to price adjustment in accordance with Sub-Clause 10.10 of the Conditions of Contract. The price adjustment shall be computed in accordance with Option B under sub clause 10.10. |
| | | | Non adjustable element shall be: BOQ Item Numbers : |
| | | | Option B: Type of Construction: Non residential buildings |

| H | ľ | /25 | /55, | /∩1 |
|------|--------|-----|-------|-------|
| 1 1/ | \sim | 20 | וטט ו | , 0 1 |

| 16. | | Bid Security | Bid shall include a Bid Security: |
|-----|----------|--|--|
| | | | for an amount LKR 63,000.00 issued by an agency acceptable to Employer using the form for bid security (unconditional guarantee) included in Section 9, Standard Forms, remain valid till 2025.10.04 |
| | | | or |
| | | | if paid by cash to the Employer, LKR 63,000.00 |
| 31. | 4.4 | Performance Security | Amount of Performance Security required is 5% of the Initial Contract Price |
| | | | The form acceptable is unconditional guarantee as standard form as per SBD/03 |
| | 6.4 | Late Completion | The amount to be paid is 0.05 % of Initial Contract Price per Day, subjected to maximum of 10 % of Initial Contract Price. |
| | 8.1 | Notification of Defects | The period for Defect Notification is 180 Days from Taking Over. |
| | 10.3 | Retention | The amount of retention is 10 % of certified work done. |
| | | | The maximum amount of retention is 5 % of Initial Contract Price. |
| | 10.12 | Advance Payment | Upon the payment of the advance payment in full the Employer shall return the original of the advance payment guarantee to the Contractor. |
| | 13.1 (c) | Insurance, third party | Minimum amount for third party insurance is LKR 100,000.00 |
| | 13.1 (a) | Insurance for Works, Material and plant | The minimum cover for insurance of the works and plant and materials is 110% of initial contract price. |
| | 13.1 | Insurance for Contractor's Personnel | Minimum amount for Insurance is LKR 500,000.00 |
| 33. | 1.1.11 | Adjudicator | CIDA |
| | 14.0 | Resolution of Disputes | Deputy Chief Secretary (Engineering Services), Southern Province |
| | | | Fees and types of reimbursable expenses to be paid to the Adjudicator shall be on a case to case basis and shall be shared by the Contractor and the Employer. |

| H/C/25/55/01 | | |
|--------------|-----------------------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | SECTION 6 | |
| | SECTION | |
| | | |
| | | |
| | | |
| | CDECIPIO A PIONO | |
| | SPECIFICATIONS | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | 19 | |

TECHNICAL SPECIFICATIONS

Technical specification that are applicable to this project are listed below:

SCA/3/1 - Irrigation and Land Drainage

SCA/3/2 - Water Supply Sewerage and Storm Water Drainage

SCA/3/3 - Reclamation Works

SCA/3/4 - Ground Water Exploration & Exploitation

SCA/4/I - Building Works (Vol I)

SCA/4/II - Building Works (Vol II)

SCA/5 - Roads and Bridges

SCA/6 - Coastal Harbour Engineering Works

SCA/8 - Electrical and Mechanical Works

ICTAD/DEV/16 - Board & Cast In situ Reinforced Concrete Piles

ICTAD/DEV/17 - Site Investigation for Building Works & Sample Bill of Quantities

Any other specification approved by the Government.

Above publications shall be purchase from the Construction Industry Development Authority (CIDA), Savusiripaya, 123. Wijerama Mawatha, Colombo 07.

| H/C/25/55/01 | | |
|--------------|--------------------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | SECTION 7 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | BILL OF QUANTITIES | |
| | • | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | 21 | |
| | | |

RENOVATION OF 120X20 BUILDING AT H/VEKANDAWALA JANAPADA M.V.

| ID | Description | Unit | Qty. | Rate | Amount | | |
|----|---|------|--------|------|--------|--|--|
| | 120' x 20' Building | | | | | | |
| | DEMOLISH WORKS | | | | | | |
| 1 | Removing roof tiles and timber of roof completely, stacking serviceable materials and clearing debris in single storied buildings | sq.m | 214.00 | | | | |
| 2 | Removing tiles & reapers from the roof & stacking serviceable material clearing debris away. | sq.m | 167.00 | | | | |
| 3 | Removing Unloading existing Truss (Timber) | nr | 2.00 | | | | |
| 4 | Unloading , Hoisting & Re-fixing existing Truss (Timber , steel….etc) | nr | 2.00 | | | | |
| 5 | Removing & Re-fixing ,2"x2" GI mesh or Iron grill with frame from wall. | sq.m | 25.00 | | | | |
| 6 | Demolishing brickwork in lime stacking brick and clearing debris away from site. | cu.m | 2.50 | | | | |
| 7 | Demolishing floors 3" thick brick paved, stacking reuseable bricks and clearing debris away from site | sq.m | 145.00 | | | | |
| 8 | Removing and stacking Timber Window frame with sash, from existing walls | sq.m | 1.50 | | | | |
| 9 | Removing lime plastering and clearing debris away from site | sq.m | 60.00 | | | | |
| | Total carried to summary | | | | | | |

| | H/C/25/55/01 | | | |
|----|---|------|-------|---|
| 10 | Excavation for foundation by manually in any material except rock requiring blasting, part return fill in and ram, and disposing surplus within site as directed. (not exceeding 5ft depth) | cu.m | 2.00 | |
| | Total carried to summary | | | |
| | BRICK WORKS | | , | ı |
| 11 | Brickwork in cement : sand mortar 1:5 in piers (Ground Floor). | cu.m | 0.70 | |
| 12 | Brickwork in 225 mm 1:5 cement : sand mortar (Ground Floor). | cu.m | 4.10 | |
| 13 | Brickwork 112mm in cement : sand mortar 1:5 (Ground Floor) | sq.m | 14.00 | |
| | Total carried to summary | | | |
| | CONCRETE WORKS | | | |

H/C/25/55/01

| ID | Description | Unit | Qty. | Rate | Amount |
|----|--|------|-------|------|--------|
| 14 | Cement concrete 1:3:6 (1") up to 3.00 m3(Shuttering paid separately) incl: curing(Grade 15) lean concrete for column fotting. | cu.m | 0.15 | | |
| 15 | Cement Concrete 1 : 1 1/2 : 3 (3/4") (R/F and Shuttering paid separately) (GRADE 25)incl: mixer vibrater and curing column footing | cu.m | 0.70 | | |
| 16 | Cement Concrete 1 : 1 1/2 : 3 (3/4") (R/F and Shuttering paid separately) (GRADE 25)incl: mixer vibrater and curing column shaft up to DPC | cu.m | 0.25 | | |
| 17 | Cement concrete 1 : 1 1/2 : 3 (3/4") in column shafts in ground floor, using mixer and vibrator. (Reinforcement, shuttering and finishes paid separately). (GRADE 25).including curing column shaft to DPC to roof level. | | 0.35 | | |
| 18 | Cement concrete 1: 1 1/2: 3(3/4") in beams in ground floor, using mixer and vibrator. Incl. curing (Reinforcement, shuttering and finishes paid separately).(GRADE 25). roof beam | cu.m | 0.60 | | |
| 19 | Pad stones in cement concrete 1:2:4(3/4")(Gr.20) precast or in site (size 131/2"x131/2"x9") (Rate including shuttering & curing) | nr | 6.00 | | |
| 20 | Lintel, cement concrete 1:2:4(3/4") (Gr.20) 9" x 6" (Reinforcement paid separately). Rate including shuttering &curing | m | 3.10 | | |
| 21 | Cement concrete 1:2 1/2:5(1")mix: above 3.0 m3 (Shuttering paid separately) incl: curing. Using mixture. | cu.m | 17.50 | | |

| | H/C/25/55/01 | | | |
|----|--|------|-------|--|
| 22 | Cement concrete 1:2:4(3/4") (Gr.20 concrete) (R/F and Shuttering paid separately)incl: curing(manual mixing up to 3m3) copping | cu.m | 0.10 | |
| | Total carried to summary | | | |
| | REINFORCEMENT WORKS | | | |
| 23 | 10mm dia r/f for column footing | kg | 20.00 | |
| 24 | 16mm dia r/f for up to DPC Column shaft | kg | 22.00 | |
| 25 | 16mm dia r/f for DPC to roof level column shaft | kg | 42.00 | |
| 26 | 16 /12 mm dia r/f for roof beam & lintol | kg | 91.00 | |
| 27 | 8mm dia tor steel r/f for stirrup beam | kg | 21.00 | |
| 28 | 6mm dia r/f for column shaft up to dpc | kg | 6.00 | |
| 29 | 6mm dia r/f above dpc for column shaft, beam & copping | kg | 12.00 | |
| | Total carried to summary | | | |

H/C/25/55/01

| ID | Description | Unit | Qty. | Rate | Amount |
|----|--|------|--------|------|--------|
| 30 | Random Rubble Masonry in cement mortar 1:5 in substructure (6"- 9" rubble) | cu.m | 0.70 | | |
| | Total carried to summary | | | | |
| | PLASTER WORKS | | | | |
| 31 | Cement Sand plastering to wall 1:5, (5/8") thick semi rough G: floor rate to include curing External | sq.m | 81.00 | | |
| 32 | Cement Sand plastering to wall 1:5, (5/8") thick semi rough G: floor rate to include curing internal | sq.m | 52.00 | | |
| 33 | Skirting in Cement mortar 1:3, 1/2" X 4" projected or flush to wall finish with floating including forming groove. (G: floor) | m | 60.00 | | |
| 34 | 3/4" thk Rendering in Cement and sand 1:3 in floors finished smooth Rate to include curing, - plinth plaster | sq.m | 9.50 | | |
| 35 | 1/2" thk 1:3 Cement Rendering finished smooth with neat cement floating, Ground floor(sand to be sieved with 1/8" nets) Rate to include curing | sq.m | 252.00 | | |
| | Total carried to summary | | | | |

| | H/C/25/55/01 | | | |
|-----|---|----|-------|--|
| 36 | Supply and fixing 01 No. Pendent type lamp(9 W LED Bulb - efficacy:85 lumen/W or above with two years warenty) with GANG switch Complete with necessary concealed conduit wiring as per working order.(Switch - ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (fittings - krypton/Polycrome/Orange) (Conduit - krypton/Polycrome) (Bulb - Orange electric ECO LITE/ ZENOI/ Kelani)) [Cable SLS 733, Switch SLS 1000 Bulb SLS 984] | nr | 26.00 | |
| 37 | Supply and fixing 13Amp socket outlet with necessary PVC casing wiring (7/0.53 PVC single wire 1.5mm2) 1 core ×2, 7/0.53 earth wire (1.5mm2) all complete as per the instruction. (Socket - ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (Casing - krypton/Polycrome) (fittings - krypton/Polycrome/Orange) | nr | 10.00 | |
| 338 | Supply and fixing 56" sweep ceiling fan with electronic fan speed controller concealed conduit wiring (1/1.13 wire 1.0mm2, 1/1.13 earth wire 1mm2 including gang switch)all complete as per instruction Make (USHA ATOM EX 56 " / Telesonic Supreme with safety switch and cable) with 2 years warenty (SLSI Approved makes) (Switches - ACL/Chint/Krypton/Orange) (Cable - ACL/Kelani/Orange/Sierra) (Conduit - krypton/Polycrome) (fittings - krypton/Polycrome/Orange) | nr | 10.00 | |

| ID | Description | Unit | Qty. | Rate | Amount |
|----|--|------|--------|------|--------|
| 39 | Supplying and fixing 2" dia galvanized iron earth pipe 6'-0"(1800 mm) long (heavy duty) and connected the7/1.04 earth wire (6mm2) with cable LUG . Including brick chamber with cover slab as per Drawing. (DB to Earth pipe cable/ conduit length 8 m) [Cable SLS 733] (Cable - ACL/Kelani/Orange/Sierra)) (for 30A , single/ three phase supplies only) | nr | 1.00 | | |
| 40 | Supplying and fixing consumer unit 10 way surface mounted M.C.B type (incl.32 Amp. D.P MCB,40 Amp/30 mA-D.P RCCB, 10 nrs M.C.B (6 Amp -16 Amp.)900 encloser box & bus bar , fixing Philips screws (MCB-Make - Orange electric 10kA/ Schneider/Chint NB 7/EB) (RCCB Make - Orange electric 10kA/Schneider/Chint NL1) (Enclosure - Polychrome)Original Makes with company warenty Certificate. all complete as per instruction | nr | 1.00 | | |
| 41 | Supplying and fixing Ceramic pulley with "D" bracket for Electricity connection. all complete as per instruction | nr | 2.00 | | |
| 42 | Supplying and fixing (7/1.04) (Cu/PVC/PVC) (Twin) Main wire (6mm2) (Cable - ACL/Kelani/Orange/Sierra) - Cable SLS 733 | m | 100.00 | | |
| 43 | Supply and extend ceiling fan rod including, Connecting cable all complet as per the instruction Rate per 1.52m (used for USHA/ Telesonic) | nr | 10.00 | | |
| | Total carried to summary | | | | |

| | ROOF WORKS | | | |
|----|---|------|--------|------|
| 44 | Supplying of imported timber for wall plates | cu.m | 1.25 | |
| 45 | Supplying of 100 x 50mm rafters Imported timber | m | 192.00 | |
| 46 | Suppling of 50 x 50 mm Beares - Imported timber | m | 235.00 | |
| 47 | 50 x 50 mm Beares Imported timber supplied & fixed new with iron nails | m | 174.00 | |
| 48 | Supply large Corrugated Asbestos roofing sheet to the site (Elephant Masconite, Rino or equivalent approved by the engineer) (Payments will be made to the fixed area only) | m2 | 226.00 | |
| 49 | Corrugated asbestos sheets supplied and fixed to roof or wall on existing framework with necessary roofing screws and limpet washers or hook bolts. (Elephant Masconite, Rino or equivalent approved by the engineer) | sq.m | 168.00 | |
| 50 | Ridging, Calicut pattern, bedded in cement and lime mortar 1:1:4, colour to match tiles. (Keep went opening every vally point). | m | 40.00 | |
| 51 | Supplying and fixing 8" x 4" (200 x 100 mm) imported timber | cu.m | 0.15 | |
| | Total carried to summary | | | |

Printe by - Online Information Management System @ 2025/04/29 12:25:11 PM d

| ID | Description | Unit | Qty. | Rate | Amount |
|----|--|------|-------|------|--------|
| 52 | 8"x3/4" (200x20mm) Boards, barge, valance, fascia, 3/4" (20mm) thick in class II local (Ginisapu) timber prepared by using multi purpose wood working machine, fixed complete with necessary 2" Iron screws applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint | m | 82.00 | | |
| 53 | 10" x 3/4 " Boards , barge , valance, fascia, 3/4" thick in class II local (Ginisapu) timber prepared by using multi purpose wood working machine , fixed complete with necessary 2" Iron screws applying one coat of wood presavative, one coat of aluminium primer & two coats of enamal paint | m | 29.00 | | |
| | Total carried to summary | | | | |
| | IRON WORKS | , | | | |
| 54 | Supplying and making 6 mm dia. M.S. rod grills for windows with 25x25x3 mm thick M.S. angle iron outer frame with 4 nr 25 x 25 x 3 mm angle iron(2 nr together) middle bar vertically and 2 nr together 25 x 25 x 3 mm angle iron middle bar horizontally & 6 mm dia. M.S. rods weld to frame, at 75 mm C/C. & to 700 angle both ways, horizontal & vertical distance should be 75 mm & 200 mm respectively. Frame fixed to window openings with 1 1/2" iron screws & applying one coats of metal primer & 2 coats of approved quality enamel paint(different | sq.m | 10.00 | | |

H/C/25/55/01

| | colour)(9'-3"x6'-0" size) all complet as per detail Draw. No :SPES/Rate23/Ir-21 | | | | |
|----|---|------|--------|--|--|
| | Total carried to summary | | | | |
| | PAINTING WORKS | | | | |
| 55 | Prepare and & applying two coats of Wood preservative, (clear) to timber for asbestos roof including touching up cut ends | sq.m | 276.00 | | |
| 56 | Applying skim coat & one coats of wall filler for internal wall. (semi rough plastered new work or after preparation of old wall) | sq.m | 48.00 | | |
| 57 | Painting walls with one coats of wall filler (internal)(new work or after preparation of old wall) | sq.m | 81.00 | | |
| 58 | Prepare and Painting Walls with 2 coats of Emulsion paint including surface preparation of old wall. | sq.m | 233.00 | | |
| 59 | Wethershield paint to external faces of wall 02coat apply using roller brush 2" brush (ground Floor) | sq.m | 132.00 | | |
| 60 | Painting plinth and skirting with floor paint, 2 coats including preparing surface | sq.m | 40.50 | | |
| 61 | Preparing of surface & applying 2 coats of enamel paint. | sq.m | 63.00 | | |
| | Total carried to summary | | | | |

| ID | Description | Unit | Qty. | Rate Am | ount |
|----|---|------|------|---------|------|
| | | | | | |
| | ALLUMINIUM WORKS | | | | |
| 62 | Supplying, fabricating and fixing Aluminium natural anodized casement window with frame (2 Nrs window sashes) as per Drg. No. SPES/RATE23/CW/02. Overall size of the window frame is 1200x1200mm. (Size may be changed according to the site) Window frame consisting top, bottom and side bars (41x31mm), middle bars (46x41mm), and fixing with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets and 8x1 1/2" ST screws. Frame should be fixed to wall with 12 Nrs of No 6 rowl plugs and 8x2" ST screws. Window sash consisting top, bottom and side bars (40x35mm) should be fixed using 8x1 1/2" ST screws, and 5mm thick clear glass. Rate should be included for supplying and fixing required 437K Rubber beading, 674U Rubber beading, 4 Nrs of 14" SS 304 bar hinges using 5/32x3/8" Al rivets, 2 Nrs of heavy quality Al fasteners using 5/32x3/8" Al rivets, Screws, Pop rivets, Silicone etc. | sq.m | 1.50 | | |

| | - | | | |
|----|----------|-------|------|-------|
| 11 | <i>-</i> | / つ ㄷ | /55. | m |
| н | / (/ | ノフ | / 77 | / () |
| | | | | |

| 63 | Supplying, fabricating and fixing Aluminium natural anodized paneled door (Top and Bottom panel â€" Al/PVC Composite board) with frame (1 Nr door sash) as per Drg. No. SPES/RATE23/D/03. Overall size of the door frame is 750x2100mm. (Size may be changed according to the site) Door frame consisting top and side bars (76x23mm), and fixing with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets. Frame should be fixed to wall with 8 Nrs of No 6 rowl plugs and 8x3" ST screws. Door sash consisting top and bottom bar (80x42mm), side bars (66x45mm hinges side, 70x45mm lock side) and middle bar (100x42mm). 16x15mm clip bar should be used for required bars. Sash frame should be fixed with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets, 8mm dia. treaded bar with nuts for top and bottom bars. 3mm thick Al/PVC double side composite board for top and bottom panels should be fixed. Rate should be included for supplying and fixing required Mohair beading, 3303A Rubber beadings, 3 Nrs of 100x75mm Aluminium hinges using 5/32x3/8" Al rivets, 2 Nrs of Aluminium plate door handle, Door lock (CL or equivalent approved by the Engineer), 2 Nrs of 3" Al Barrel Bolt, Screws, Pop rivets, Silicone etc. | sq.m | 2.10 | |
|----|---|----------|--------|-------|
| | Total carried to summary | | | |
| | MAINTANACE WORKS | <u> </u> | | _ |
| 64 | Corrugated asbestos roof - using, supplied & available material, with frame work including applying with two coats of wood preservative-black to timber and laying corrugated asbestos sheet.(G. floor) | sq.m | 226.00 | |
| | Total carried to summary | | | |
| | 33 | | | |

| D | Description | Unit | Qty. | Rate | Amount |
|----|--|------|--------|------|--------|
| | EXTRA ITEMS | | | | |
| 65 | Post or pre construction termite treatment using BIFLEX 10TC (Bifenthrin 100g/l) chemical. Chemical should be injected at a rate of 200 litres per 400 sq.ft of soil area. Using diluted chemical with water at a rate of 1:2000, five years warranty is required. Total carried to summary | m2 | 266.00 | | |
| | FORM WORK | | | | |
| 66 | Sawn timber (class II) formwork for sides of foundation footings. | sq.m | 3.10 | | |
| 57 | Sawn timber (class II) formwork for column shaft up to dpc | sq.m | 3.00 | | |
| 58 | Shuttering for column shaft 225x225mm including 2mm iron plate and 25mm x 25mm x3mm angle iron welded to bended plate horizontally at 300mm c/c. Rate to include U clips,acro jacks.and dismantling same when required (Rate to include 100mm high 3mm thick sponge layer stick on around concrete column at every lapping face) -(As per detail Drawing No SPES/Rate 23/Fw-09)Ground floor | sq.m | 6.10 | | |
| 9 | Shuttering for beam sides & soffit in 15 mm thk plywood sheets ,Class (II) timber, joists and necessary props 450mm c/c etc. (Rate to include dismantling same when required) ground floor | sq.m | 7.00 | | |

| | H/C/25/55/01 | | | |
|----|--|---|------|--|
| | | | | |
| 70 | Shuttering for 4 1/2"X 3"concrete copping using Class (II) timber planks (Rate to include dismantling same when required).for both sides | m | 5.50 | |
| | Total carried to summary | | | |
| | rotat carried to sammary | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

RENOVATION OF 120X20 BUILDING AT H/VEKANDAWALA JANAPADA M.V.

SUMMARY

120x20 Building

| Demolish Works Earth Works Brick | |
|-------------------------------------|--|
| Works Concrete Works | |
| Reinforcement Works RRM Works | |
| Plaster Works Electrical Works Roof | |
| Works Carpentary Works Iron Works | |
| Painting Works Alluminium Works | |
| Maintanace Works Extra Items | |
| Form Works | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| SUB TOTAL | |

RENOVATION OF 120X20 BUILDING AT H/VEKANDAWALA JANAPADA M.V.

| (A) | BOQ Total | : | LKR |
|------------------|--|------|---------------------------------|
| (B) | Less for Provisional Sums | : | LKR |
| (C) | Sub Total (A-B) | : | LKR |
| (D) | Less for Discount (If Any) (%) | : | LKR |
| (E) | Sub Total (C-D) | : | LKR |
| (F) | Add for Provisional Sums | : | LKR |
| | d Amount (E+F) g VAT, Carried to Form of Bid)) | : | LKR |
| Total Bio | d Amount in Words | | |
| 18 % V | AT | : | LKR |
| Grand T | Potol | _ | LKR |
| Grana I | lotai | : | |
| Note: Bidders | are requested to provide discounts, if any, as and to a percentage. Your discount will also be applicated to a percentage. | a pe | rcentage. Otherwise, it will be |

| H/C/25/55/01 | |
|--------------|-----------|
| , , , , - | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | SECTION 8 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | DRAWINGS |
| | DIAWINGS |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 1 | |

SECTION 9

STANDARD FORMS

- **➣** Form of Bid Security
- > Form of Letter of Acceptance
- > Form of Performance Security
 - > Agreement

[Letter heading paper of the procuring entity]

BID SECURITY

| [this Gu | uarantee form shall be filled in accordance with the instructions indicated in brackets] [insert issuing |
|-----------------------------|--|
| agency' | 's name, and address of issuing branch or office] |
| Benefic | ciary: Secretary, Ministry of Education, Southern Province. |
| Date: | [insert date (by issuing agency)] |
| BID GU | UARANTEE No.: [insert (by issuing agency) number] |
| [insert (bid date execution | the been informed that (by issuing agency) name of the bidder] (hereinafter called "the bidder") has submitted to you its ed [insert (by issuing agency) date] (hereinafter called "the Bid") for the con of Renovation of 120x20 building at H/Vekandawala Janapada M.V. under Invitation for construction in the interpretation of 120x20 building at H/Vekandawala Janapada M.V. under Invitation for construction in the interpretation of the bidder. |
| Furthern Guarant | more, we understand that, according to your conditions, Bids must be supported by a Bid tee. |
| in total writing | request of the bidder, we |
| (a) | has withdrawn its Bid during the period of bid validity specified; or |
| ` ' | does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or |
| | having been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB. |
| Contrac bidder i | darantee shall expire: (a) if the bidder is the successful bidder, upon our receipt of copies of the st signed by the bidder and of the Performance Security issued to you by the bidder; or (b) if the is not the successful bidder, upon the earlier of the successful bidder furnishing the performance of the content of the successful bidder furnishing the performance of the content of the successful bidder furnishing the performance of the successful bidder furnishing the performance of the content of the successful bidder furnishing the performance of the successful bidder furnishing the successful bidder furnishing the performance of th |
| _ | uently, any demand for payment under this Guarantee must be received by us at the office on or hat date. |
| [signati | ure(s) of authorized representative(s) |

[Letter heading paper of the procuring entity]

LETTER OF ACCEPTANCE

| | | | | [Date] |
|---|------------------|--------------------|---------------------|------------------------|
| To: | | | | |
| | [Name and ad | ddress of the Co | ntractor] | |
| This is to notify you that you remedying defects of the | | | | |
| [name of the Contract and ide | ntification numb | ber] for the Con | ntract price of | LKR |
| [amount in figures and word accepted. | | | | |
| The adjudicator shall be of the Adjudicator, if agree Development (ICTAD) | | | | - |
| You are hereby instructed to Contract documents. | proceed with | the execution of | of the said Works | in accordance with the |
| The Start Date shall be: | (j | fill the date as p | oer Conditions of C | Contract). |
| The amount of Performance S | ecurity is : | | (fill as per Co | nditions of Contract). |
| The Performance Security s Conditions of Contract). | shall be submit | ted on or bef | ore | (fill as per |
| Authorized Signature | : | | | |
| Name and title of Signatory | : | | | |
| Name of Agency | : | | | |

[Letter heading paper of the procuring entity]

PERFORMANCE SECURITY

| [this Guarantee form shall be filled in accordance with the instructions indicated in brackets] [insert issuing |
|---|
| agency's name, and address of issuing branch or office] |
| Beneficiary: Secretary, Ministry of Education, Southern Province. |
| Date:[insert date (by issuing agency)] |
| PERFORMANCE GUARANTEE No.: [insert (by issuing agency) number] |
| We have been informed that [insert (by issuing agency) name of the contractor] (hereinafter called "the Contractor") has entered into Contract No [reference number of the contract] dated with you, for the execution of Renovation of 120x20 building at H/ Vekandawala Janapada M.V. (hereinafter called "the Contract"). |
| Furthermore, we understand that, according to the conditions of the Contract a performance guarantee is required. |
| At the request of the Contractor, we [insert name of issuing agency] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [insert amount in figures] |
| [insert amount in words] upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or to show grounds for your demand or the sum specified therein. |
| This guarantee shall expire, no later than the day of, 20 [insert date, 28 days beyond the scheduled contract completion date] and any demand for payment under it must be received by us at this office on or before that date. |
| [signature(s) of authorized representative(s) |

AGREEMENT

| This A | AGREEMENT, made th | e [day] day of [month] 20 [year] between | | | | | |
|--|---|--|--|--|--|--|--|
| [name | and address of Emp | ployer] (hereinafter called "the Employer") of the one part, and | | | | | |
| [name | and address of Contract | or] (hereinafter called "the Contractor") of the other part. | | | | | |
| Vekan | dawala Janapada M.V Contractor for the exec | ires that the Contractor execute Renovation of 120x20 building at H / (hereinafter called "the Works") and the Employer has accepted the Bid eution and completion of such Works and the remedying of any defects | | | | | |
| NOW 7 | THIS AGREEMENT W | ITNESSETH as follows: | | | | | |
| 1. | assigned to them in the | words and expressions shall have the same meanings as are respectively the Conditions of Contract hereinafter referred to, and they shall be deemed and construed as part of this Agreement. | | | | | |
| 2. | In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract. | | | | | | |
| 3. | The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects wherein the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract. | | | | | | |
| In Witness whereof the parties thereto have caused this Agreement to be executed the day and year aforementioned, in accordance with laws of Sri Lanka. | | | | | | | |
| | | | | | | | |
| Author | rized signature of Cont | ractor Authorized signature of Employer | | | | | |
| CO | OMMON SEAL | COMMON SEAL | | | | | |
| In the p Witnes | presence of: ses: | | | | | | |
| 1. | Name and NIC No. | | | | | | |
| | Signature | | | | | | |
| | Address | | | | | | |
| 2. | Name and NIC No. | | | | | | |
| | Signature | | | | | | |
| | Address | | | | | | |

Check List for Bidders

Bidders are advised to fill the following table:

| ITEM | ITB | YES | REFERENCE |
|---|--------|--------|-----------|
| | Clause | (tick) | |
| Form of Bid | | | |
| Addressed to the Employer ? | 18 | | |
| Completed? | 18 | | |
| Signed? | 18 | | |
| Bid Security (if required) | | | |
| Addressed to the Employer ? | 16 | | |
| Format as required? | 16 | | |
| Issuing Agency as specified? | 16 | | |
| Amount as requested? | 16 | | |
| Validity 28 days beyond the validity of Bid? | 16 | | |
| Qualification Information | | | |
| All relevant information completed? | 4 | | |
| Signed? | 4 | | |
| Addendum | | | |
| Content of the addendum (if any) taken in to account? | 10 | | |
| BID Package | | | |
| All the documents given in ITB Clause 12 enclosed in the original and copy? | 12 | | |
| ITB Clause 19 followed before Sealing the Bid Package? | 19 | | |