

# MINISTRY OF EDUCATION SOUTHERN PROVINCE

# BIDDING DOCUMENT FOR

# CONSTRUCTION OF TOILET SYSTEM AT G/THALANGAHA SARASWATHI TAMIL SCHOOL G/C/25/55

Issued To	:
Date	:

Employer : Secretary, Ministry Of Education

#### **CONTENT**

#### Volume 1

Section 1	Instructions to Bidders
Section 2	Standard Forms (Contract)
Section 3	<b>Conditions of Contract</b>

#### Volume 2

Invitation for Bids
Form of Bid and Qualification Information
Schedule
Specifications
Bills of Quantities
Drawings
Standard Forms (Bid)

Volume 1 consisting of section 1, section 2, section 3 will be applicable for this contract shall be given volume 1 of "Standard Bidding Document, Procurement of Works, Minor Contracts", CIDA publication no: CIDA/SBD/03, Second Edition, January 2007, publish by Construction Industry Development Authority (CIDA), Savusiripaya, 123. Wijerama Mawatha, Colombo 07.

The above Document will not be issued with the Bidding Document and Bidder is advised to purchase it from CIDA.

# **INVITATION FOR BIDS**

### පුසම්පාදන දැන්වීම

#### දකුණු පළාත් අධාාපත, ඉඩම් හා ඉඩම් සංවර්ධන,මහා මාර්ග හා පුවෘත්ති අමාතාාංශය දකුණු පළාත් සභාව

පළාත් නිශ්චිත සංවර්ධන පුදාන, ක්ලීන් ශුී ලංකා වැඩසටහන හා නඩත්තු සැලැස්ම 2025 යටතේ කි්යාත්මක කරනු ලබන පහත සඳහන් වැඩ යෝජනා සඳහා සුදුසුකම් ලත් කොන්තුාත් කරුවන්ගෙන්, දකුණු පළාත් අධාාපන අමාතාාංශයේ පුසම්පාදන කමිටු සභාපති විසින් ලංසු පත් කැඳවනු ලැබේ.

අනු අංක ය	වහාපෘති අංකය	පාසල	වැඩ විස්තරය	කර්මාන් තය ඉටු කරනු ලබන වාහාපෘති සැලැස්ම	ආපසු නොගෙව නු ලබන ඇප තැන්පත් මුදල රු.	ලංසු සුරක්ෂණ වටිනාකම රු.	අවශා CID A ලියාප දිංචිය	මුළු පිරිවැය ඇස්ත මේන්තු මුදල vat සමග රු. මී.
1	G/C/25/34	ගා/උඩුගම ම.වි	70*25 දෙමහල් ගොඩනැතිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.34
2	G/C/25/35	ගා/හියාරේ නැහෙනහිර ක.වි	90*25 ගොඩනැහිල්ලේ කොරිඩෝව ඉදිකිරීම	පළාත් නිශ්චිත	1,500.00	26,000.00	C 9 හෝ ඉහළ	3.40
3	G/C/25/36	ගා/තිත්තගල්ල අටානිකිත ක.වි	180*25 පුධාන ශාලාවේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	35,000.00	C 8 හෝ ඉහළ	4.41
4	G/C/25/37	ගා/හපුගල පුා.වි	මායිම් තාප්පය ඉදි කිරීම	නඩත්තු සැලැස්ම	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.46
5	G/C/25/38	ගා/නරාවල ම.වි	80*20 ගොඩනැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	32,000.00	ි C 8 හෝ ඉහළ	4.10
6	G/C/25/39	ගා/පංචාලිය පුා.වි	පාසල් ගොඩනැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.73
7	G/C/25/40	ගා/කළාහණතිස්ස විදාහලය	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	22,000.00	C 9 හෝ ඉහළ	2.88
8	G/C/25/41	ගා/ජයවර්ධන විදාහලය	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	25,000.00	C 9 හෝ ඉහළ	3.14
9	G/C/25/42	ගා/පැදින්නොරුව සරණපාල ජයන්ති පුා.වි	60*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	26,000.00	C 9 හෝ ඉහළ	3.35

1.0	0/0/25/42	/ 1000	100425	O D			1	
10	G/C/25/43	ගා/ඇත්තිලිගොඩ සුදර්ශි ම.වි	100*25 ගොඩනැඟිල්ලේ වහල	නඩත්තු සැලැස්ම	1,500.00	30,000.00	C 9 හෝ	3.91
			අලුත්වැඩියාව				ඉහළ	
11	G/C/25/44	ගා/මීගහගොඩ ක.වි	50*20 විදාහගාර ගොඩනැඟිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	31,000.00	C 9 හෝ ඉහළ	3.93
12	G/C/25/45	ගා/කඩිහිංගල ම.වි	70*20 දෙමහල් ගොඩනැහිල්ලේ වීදුලි පද්ධතිය නවීකරණය	නඩත්තු සැලැස්ම	1,500.00	17,000.00	C 9 හෝ ඉහළ	2.12
13	G/C/25/46	අම්බලන්ගොඩ කලාප අධාහපන කාර්යාලය	කාර්යාල ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	20,000.00	C 9 හෝ ඉහළ	2.49
14	G/C/25/47	ගා/වටරැක ශී සෝහිත විදාහාලය	40*20 ගොඩතැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	25,000.00	C 9 හෝ ඉහළ	3.22
15	G/C/25/48	ගා/විදාහනන්ද ක.වි	පැති බැම්ම අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.40
16	G/C/25/49	ගා/උනන්නවිටිය රේවත ම.වි	90*20 ගොඩනැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	36,000.00	C 8 හෝ ඉහළ	4.66
17	G/C/25/50	ගා/සිරි පඹ∘කර පුා.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	25,000.00	C 9 හෝ ඉහළ	3.15
18	G/C/25/51	ගා/බටදුව සිරි රතනජෝති ම.වි	90*25 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	26,000.00	C 9 හෝ ඉහළ	3.28
19	G/C/25/52	ගා/අක්මීමණ ම.වි	100*20 ගොඩනැඟිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	38,000.00	C 8 හෝ ඉහළ	4.97
20	G/C/25/53	ගා/ආනන්ද විජය විදාහාලය	90*25 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	25,000.00	C 9 හෝ ඉහළ	3.21
21	G/C/25/54	ගා/ඉඳුරුව ම.වි	120*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	3,000.00	49,000.00	C 8 හෝ ඉහළ	6.47
22	G/C/25/55	ගා/තලංගහ සරස්වතී දෙමළ පාසල	වැසිකිළ පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,000.00	16,000.00	C 9 හෝ ඉහළ	1.99
23	G/C/25/56	ගා/දික්කුඹුර සිද්ධාර්ථ ම.වි	120*30 පුධාන ශාලාව නවීකරණය	පළාත් නිශ්චිත	2,500.00	40,000.00	C 8 හෝ ඉහළ	5.29
24	G/C/25/57	ගා/ලේල්වල ක.වි	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	3,500.00	75,000.00	C 8 හෝ ඉහළ	9.93
25	G/C/25/58	ගා/පොරවගම ක.වි	පැති බැම්ම අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.39

2.0	0/0/25/50	/ 5 =	00420 -	ь				
26	G/C/25/59	ගා/ගතෝගම රෝමානු කතෝලික පාසල	80*20 නව ගොඩනැහිල්ල ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,000.00	C 9 හෝ ඉහළ	2.60
27	G/C/25/60	ගා/ශීපති ම.වි	80*20 දෙමහල් ගොඩනැහිල්ල ඉදි කිරීම	පළාත් නිශ්චිත	2,500.00	37,000.00	C 8 හෝ ඉහළ	4.79
28	G/C/25/61	ගා/මාමනදොළ ක.වි	90*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.15
29	G/C/25/62	ගා/උක්වත්ත විදාහාලය	90*25 තෙමහල් ගොඩනැහිල්ලේ ඉදි කිරීම (ඉතිරි වැඩ)	පළාත් නිශ්චිත	2,500.00	41,000.00	C 8 හෝ ඉහළ	5.42
30	G/C/25/63	ගා/අක්කරවිස්ස ක.වි	මායිම් තාප්පය අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	25,000.00	C 9 හෝ ඉහළ	3.21
31	G/C/25/64	ගා/කඑවලගල ක.වි	40*20 ගොඩනැහිල්ල ඉදි කිරීම	පළාත් නිශ්චිත	3,000.00	46,000.00	C 8 හෝ ඉහළ	6.07
32	G/C/25/65	ගා/අවිත්තාව නාලන්දා ම.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.73
33	G/C/25/66	ගා/මහිත්ද රාජපක්ෂ ම.වි	මායිම් තාප්පය අලුත්වැඩියාව	පළාත් නිශ්චිත	3,000.00	61,000.00	C 8 හෝ ඉහළ	7.88
34	G/C/25/67	ගා/ගුණානන්ද පුා.වි	50*25 ගොඩනැහිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	17,000.00	C 9 හෝ ඉහළ	2.16
35	G/C/25/68	ගා/බී.ටී.එස් විදාහලය	80*20 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	32,000.00	C 8 හෝ ඉහළ	4.07
36	G/C/25/69	ගා/මාවඩවිල ම.වි	90*25 ගොඩනැහිල්ල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	24,000.00	C 9 හෝ ඉහළ	3.01
37	G/C/25/70	ගා/සිරිනිවාස ම.වි	100*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	40,000.00	C 8 හෝ ඉහළ	5.31
38	G/C/25/71	ගා/දොළහේත ක.වි	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව	නඩත්තු සැලැස්ම	2,500.00	43,000.00	C 8 හෝ ඉහළ	5.69
39	G /C/25/72	ගා/පිලාන තක්ෂිලා පුා.වි.	මායිම් තාප්පය නවීකරණය	පළාත් නිශ්චිත	1,000.00	14,000.00	C9 හෝ	1.8

							ඉහළ	
40	G /C/25/73	ගා/ස∘ඝරතන පුා.වි.	100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.4
41	G/C/25/74	ගා/තෙලිකඩ ම.වී.	80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	35,000.00	C8 හෝ ඉහළ	4.5
42	G/C/25/75	ගා/කරන්දෙණිය ක.වී.	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	29,000.00	C9 හෝ ඉහළ	3.7
43	G/C/25/76	ගා/ලේනගල්පලා ත ක.වී.	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	27,000.00	C9 හෝ ඉහළ	3.4
44	G /C/25/77	ගා/රතනසාර ම.වි.	100*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	23,000.00	C9 හෝ ඉහළ	2.9
45	G /C/25/78	ගා/යටගල ම.වි.	මායිම් තාප්පය අලුත්වැඩියා කිරීම.	පළාත් නිශ්චිත	2,500.00	39,000.00	C8 හෝ ඉහළ	5.1
46	G /C/25/79	ගා/ඕල්කට ම.වි	80*20 ගොඩනැගිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	40,000.00	C8 හෝ ඉහළ	5.3
47	G/C/25/80	ගා/තෙල්ලඹුර විජය ක.වි.	පැති බැම්ම ඉදි කිරීම.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.3
48	G /C/25/81	ගා/හියාරේ ම.වි.	80*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියාව	පළාත් නිශ්චිත	2,500.00	45,000.00	C8 හෝ ඉහළ	5.8
49	G /C/25/82	ගා/උස්වතුන් හසානා ම.වි.	160*25 තෙමහල් ගොඩනැඟිල්ලේ වහල අලුත්වැඩියාව.	පළාත් නිශ්චිත	2,500.00	34,000.00	C8 හෝ ඉහළ	4.4
50	G /C/25/83	ගා/බුද්ධදත්ත පුා.වි.	120*20 පුධාන ශාලාව අලුත්වැඩියාව	පළාත් නිශ්චිත	3,500.00	64,000.00	C8 හෝ ඉහළ	8.4
51	G /C/25/84	ගා/සිරි අහයතිස්ස ක.වී.	දෙමහල් ගොඩනැතිල්ලේ යකඩ ගුීල් සවි කිරීම.	නඩත්තු සැලැස්ම	1,000.00	16,000.00	C9 හෝ ඉහළ	1.9
52	M/C/25/31	මාර/පර්සි අබේවර්ධන විදාහලය	80*20 ගොඩනැහිල්ලේ වහල අලුත්වැඩියාව.	නඩත්තු සැලැස්ම	2,500.00	40,000.00	C8 හෝ ඉහළ	5.3
53	M/C/25/44	මාර/ජිනරාජ ක.වි.	වැසිකිළි පද්ධතිය අලුත්වැඩියා කිරීම.	පළාත් නිශ්චිත	1,500.00	22,000.00	C9 හෝ ඉහළ	2.1

54	M/C/25/52	අකුරැස්ස කලාප	පැති බැම්ම	නඩත්තු			C 9	
34	WI/C/23/32	අඛාහපන කාර්යාලය	පැත ශැමම පුතිසංස්කරණය කිරීම	නාසනනු සැලැස්ම	1,500.00	28,000.00	හෝ ඉහළ	3.59
55	M/C/25/53	මාර/කරගොඩ උයන්ගොඩ ම.වි	වැසිකිළි පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,000.00	ි C 9 හෝ ඉහළ	2.57
56	M/C/25/54	මාර/බැරගම ක.වි	වැසිකිළි පද්ධතිය ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	19,000.00	C 9 හෝ ඉහළ	2.42
57	M/C/25/55	මාර/පොල්වත්ත පුා.වි	පුධාන ශාලාව අලුත්වැඩියා කිරීමේ ඉතිරි වැඩ සම්පූර්ණ කිරීම	පළාත් නිශ්චිත	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.48
58	M/C/25/56	මාර/මාතර ආදර්ශ පුා.වි	වැසි ජලය කළමතාකරණ පද්ධතිය නවීකරණය කිරීම	පළාත් නිශ්චිත	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.69
59	M/C/25/57	මාර/කිරින්ද ආදර්ශ පුා.වි	70*25 දෙමහල් ගොඩනැගිල්ල නවීකරණය කිරීම	පළාත් නිශ්චිත	4,000.00	79,000.00	C 7 හෝ ඉහළ	10.43
60	M/C/25/58	මාර/තල්පාවිල ම.ම.වි	කීුඩා පිටිය සංවර්ධනය කිරීම	පළාත් නිශ්චිත	2,500.00	42,000.00	C 8 හෝ ඉහළ	5.47
61	M/C/25/59	මාර/කඹුරුගමුව ම.වි	80*20 තනි මහල් ගොඩනැගිල්ල 90*25 දෙමහල් ගොඩනැගිල්ලට නවීකරණය කිරීම (අදියර 01)	පළාත් නිශ්චිත සංවර්ධන පුදාන	4,000.00	88,000.00	C 7 හෝ ඉහළ	11.69
62	M/C/25/60	මාර/බෙලිදෙණිය ම.වි	60*20 ගොඩනැගිල්ලේ වහල අලුත්වැඩියා කිරීම	පළාත් නිශ්චිත	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.57
63	H/C/25/26	හ/මහගල්වැව ක.වි	90*25 දෙමහල් ගොඩනැහිල්ලේ බිම් මහලේ කාර්යාල කාමරය සකස් කිරීම	නඩත්තු සැලැස්ම	1,500.00	21,000.00	C 9 හෝ ඉහළ	2.73
64	H/C/25/27	හ/දුටුගැමුණු ම.වි	90*25 තෙමහල් ගොඩනැහිල්ලේ වහලය අලුත්වැඩියාව	නඩත්තු සැලැස්ම	1,500.00	23,000.00	C 9 හෝ ඉහළ	3.05
65	H/C/25/28	හ/සපුතන්තීකන්ද පුා.වි	පැති බැම්ම හා ජල කුළුණ ඉදි කිරීම	පළාත් නිශ්චිත	1,500.00	20,500.00	C 9 හෝ ඉහළ	2.7
66	H/C/25/29	හ/මිද්දෙනිය ම.වි	රැඳවුම් තාප්පය ඉදිකිරීම ( කීඩා පිටිය සඳහා ආරක්ෂක තාප්පය)	පළාත් නිශ්චිත	3,000.00	47,500.00	C 8 හෝ ඉහළ	6.27
67	H/C/25/30	හ/ගඟේයාය ක.වි	80*20 ගොඩනැඟිල්ල අලුත්වැඩියාව	පළාත් නිශ්චිත	1,500.00	27,000.00	C 9 හෝ ඉහළ	3.55

60	11/0/25/24		0.00			<u> </u>	C 0		
68	H/C/25/31	කංගල්ල කලාප සටායාස	මායිම් තාප්පය	Δ			C 9	1 10	
		අධානපන	ඉදිකිරීම(ඉතිරි	පළාත්	1 000 00	12 000 00	<b>ග</b> ෝ	1.49	
(0	11/0/05/00	කාර්යාලයේ	වැඩ)	නිශ්චිත	1,000.00	12,000.00	ඉහළ		
69	H/C/25/32	හ/බෙලිඅත්ත	100*20						
		ම.ම.වි	තාක්ෂණික				C 8	8.91	
			විදාහාගාරය				හෝ නේ	0.91	
			ගොඩනැඟිල්ල නවීකරණය	පළාත් නිශ්චිත	3,500.00	67,500.00	ඉහළ		
70	H/C/25/33	හ/කදිරගොඩ	වැසිකිළ	2768023	3,500.00	07,500.00	C 9		
70	11, 0, 23, 33	පුා.වි	අලුත්වැඩියාව -	නඩත්තු			නෝ නෝ	2.28	
		95.5	450.0(0.000	පාග <u>පා</u> ජු සැලැස්ම	1,500.00	18,000.00	ඉහළ	2.20	
71	H/C/25/34	හ/ගොඩවානගොඩ	වැසිකිළි	101	,	,	0 0		
		ක.වි	අලුත්වැඩියාව සහ				C 9	2.67	
			මායිම් තාප්පය	නඩත්තු			හෝ	2.07	
			අලුත්වැඩියාව	සැලැස්ම	1,500.00	21,000.00	ඉහළ		
72	H/C/25/35	හ/කුඩාවැල්ල	වැසිකිළි				C 9		
		ක.වි	අලුත්වැඩියාව	නඩත්තු			<b>හෝ</b>	1.82	
				සැලැස්ම	1,000.00	14,000.00	ඉහළ		
73	H/C/25/36	හ/රදනිආර ම.වි	පරිගණක				C 9		
			විදාහාගාරය	නඩත්තු			හෝ	2.94	
			අලුත්වැඩියා කිරීම	සැලැස්ම	1,500.00	23,000.00	ඉහළ		
74	H/C/25/37	හ/කිරම	80*20				C 8		
		ධම්මානන්ද පුා.වි	ගොඩනැහිල්ල	නඩත්තු			<b>ග</b> ෝ	4.80	
			අලුත්වැඩියාව	සැලැස්ම	2,500.00	37,000.00	ඉහළ		
75	H/C/25/38	හ/කෑරදෙනිය	40*20				C 9		
		ක.වි	ගොඩනැහිල්ල	නඩත්තු			හෝ	3.69	
			අලුත්වැඩියාව	සැලැස්ම	1,500.00	28,000.00	ඉහළ		
76	H/C/25/39	හ/අගලබඩ ක.වි	60*20				C 9		
				ගොඩනැහිල්ල	නඩත්තු			හෝ	2.97
			අලුත්වැඩියා කිරීම	සැලැස්ම	1,500.00	23,000.00	ඉහළ		
77	H/C/25/40	හ/අල්අමීර් මුස්ලිම්	මායිම් තාප්පය				C 9		
		විදාහාලය	අලුත්වැඩියාව	නඩත්තු	4 500 00	16 000 00	හෝ	2.08	
70	/0/05/44	/ 1	CO 400	සැලැස්ම	1,500.00	16,000.00	ඉහළ		
78	H/C/25/41	හ/පල්ලෙජූලම්පිටි	60*20				C 9	2.02	
		ය ම.වි	ගොඩනැහිල්ල	නඩත්තු	1 500 00	20,000,00	<b>ග</b> ෝ	3.93	
70	11/0/25/42	/02300	අලුත්වැඩියා කිරීම	සැලැස්ම	1,500.00	30,000.00	ඉහළ		
79	H/C/25/42	හ/කැකිරිඕබඩ	පුස්තකාල				C 8	г 1	
		ක.වි	ගොඩනැහිල්ල සලක්වැඩියාව	නඩත්තු	2,500.00	39,000.00	හෝ • ස	5.1	
80	U/C/25/42	හ/බෙරලිහෙල ම.වි	අලුත්වැඩියාව	සැලැස්ම	2,300.00	39,000.00	ඉහළ		
οU	H/C/25/43	ග/බොටල් ගෙල ම.ව	80*20						
			ගොඩනැහිල්ල *** 50*25						
			සහ 50*25					2.74	
			කාර්යාල				C 9	2.74	
			ගොඩනැඟිල්ල වනය	නඩත්තු			ලන <u>ා</u>		
			වහල අලුත්වැඩියාව	නසනනු සැලැස්ම	1,500.00	21,000.00	ඉහළ ඉහළ		
81	H/C/25/44	හ/ගැටමාන්න	100*20	w <sub>t</sub> C <sub>t</sub> wc	1,500.00	21,000.00	806		
01	11, 0, 23, 44	දකුණ ම.වි					C 8		
		7-55	වහල	නඩත්තු			තෝ නෝ	4.87	
			අලුක්වැඩියාව -	සැලැස්ම	2,500.00	37,000.00	ඉහළ		
82	H/C/25/45	හ/ගැටමාන්න	100*20		,	,			
	, =, =, =	උතුර ක.වි	-00 _0 ගොඩනැහිල්ලේ				C 8	F 07	
			වහල	නඩත්තු			හෝ	5.07	
			අලුත්වැඩියාව	සැලැස්ම	2,500.00	39,000.00	ඉහළ		

83	H/C/25/46	හ/බුන්දල ක.වි	80*20					
05	11/ C/ 23/40	S/ 237 (C 25.0	ගොඩනැහිල්ලේ				C 8	
			වහල	නඩත්තු			ගෝ නෝ	4.22
			අලුක්වැඩියාව	නායනන සැලැස්ම	2,500.00	32,000.00		
84	H/C/25/47	හ/පලපොත ම.වි	100*20	<u> </u>	2,300.00	32,000.00	ඉහළ	
04	П/C/25/47	8/86835 8.0					C 9	
			ගොඩනැහිල්ලේ	OP				3.55
			වහල	නඩත්තු	1,500.00	27,000.00	හෝ	
85	11/0/25/40	22/22/22/22	අලුත්වැඩියාව	සැලැස්ම	1,500.00	27,000.00	ඉහළ	
83	H/C/25/48	හ/බටඅත දකුණ	40*20				C 9	2.40
		ක.වි	ගොඩනැඟිල්ල	නඩත්තු	1 500 00	10 000 00	<b>ගෝ</b>	2.49
96	11/0/25/40	/	අලුත්වැඩියාව	සැලැස්ම	1,500.00	19,000.00	ඉහළ	
86	H/C/25/49	හ/කහවත්ත ම.වි	නෙප්චූන්				C 8	0.00
			ගොඩනැඟිල්ල	නඩත්තු	2 000 00	64 000 00	හෝ	8.00
		, -	අලුත්වැඩියාව	සැලැස්ම	3,000.00	61,000.00	ඉහළ	
87	H/C/25/50	හ/කණුකැටිය	80*20				C 9	
		ක.වි	ගොඩනැහිල්ල	නඩත්තු			හෝ	3.06
			අලුත්වැඩියාව	සැලැස්ම	1,500.00	24,000.00	ඉහළ	
88	H/C/25/51	හ/දෙබරවැව	120*20					
		ජනාධිපති	ගොඩනැහිල්ලෙ				C 8	5.25
		විදාහාලය	වහල	නඩත්තු			<b>ග</b> ෝ	3.23
			අලුත්වැඩියාව	සැලැස්ම	2,500.00	40,000.00	ඉහළ	
89	H/C/25/52	හ/දෙනිය පිංගම	80*20					
		ක.වි	ගොඩනැහිල්ලේ				C 9	2.44
			වහල	නඩත්තු			<b>ග</b> ෝ	2.44
			අලුත්වැඩියාව	සැලැස්ම	1,500.00	19,000.00	ඉහළ	
90	H/C/25/53	හ/මීගහවෙල ක.වි	120*20					
			ගොඩනැහිල්ලේ				C 9	2.2
			වහල සහ වැසිකිළි	පළාත්			<b>ග</b> ෝ	2.2
			අලුත්වැඩියාව	නිශ්චිත	1,500.00	17,000.00	ඉහළ	
91	H/C/25/54	හ/මොරයාය ම.වි	120*20		·	-	C 8	
	' ' '		ගොඩනැහිල්ල	පළාත්			හෝ	7.94
			අලුත්වැඩියාව	නිශ්චිත	3,000.00	60,000.00	ඉහළ	
92	H/C/25/55	හ/වැකඳවල	120*20		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	C 8	
) <b>_</b>	11/ 6/ 23/ 33	ජනපද ම.වි	ගොඩනැහිල්ල	පළාත්			ලහා ්	8.33
		3334 3.3	අලුක්වැඩියාව	නිශ්චිත	3,500.00	63,000.00	ඉහළ	0.00
93	H/C/25/56	හ/හිභූරකන්ද ම.වි	72*16	2708223	3,300.00	00,000.00	900	
75	11/ C/ 23/ 30	(a)	72 10 ගොඩනැහිල්ල				C 9	
			පුතිසංස්කරණය	පළාත්			හෝ නේ	1.81
			කිරීම	නිශ්චිත නිශ්චිත	1,000.00	14,000.00		
94	H/C/25/57	හ/ලුණුගම්වෙහෙර	වැසිකිළි පද්ධතිය	2368023	1,000.00	14,000.00	ඉහළ C 9	
7 <del>1</del>	П/С/25/57	ම.වි	වැසකළ පදයනය   ඉදිකිරීම					2.00
		9.0	ඉදකාරම	පළාත් නිශ්චිත	1 500 00	16,000.00	හෝ	2.00
0.5	11/0/25/50	/ 00 9	9 0		1,500.00	16,000.00	ඉහළ	
95	H/C/25/58	හ/කටුවන පුා.වි	විදාහලයේ පැති	පළාත්			C 0	
			පැම්ම ඉදි කිරීම	නිශ්චිත			C 8	4.55
				සංවර්ධන	2 500 00	35 000 00	හෝ සෙදු	
06	11/0/25/50	10/5m====6.P-A		පුදාන	2,500.00	35,000.00	ඉහළ	
96	H/C/25/59	හ/රතනජෝති	පැතිබැම්ම ඉදි	4			C 8	F 30
		පුා.වි,ගභුලන්දෙනි	කිරීම (කුීඩා පිටිය	පළාත්	2 500 00	40,000,00	<b>ගෝ</b>	
07	11/0/05/55	<u>(3</u>	ඉදිරිපස)	නිශ්චිත	2,500.00	40,000.00	ඉහළ	
97	H/C/25/60	හ/වැවේගම ක.වි	60*20				C 9	
			ගොඩනැහිල්ල	නඩත්තු			හෝ	3.10
			අලුත්වැඩියාව	සැලැස්ම	1,500.00	24,000.00	ඉහළ	

98	H/C/25/61	හ/පොළොම්මාරුව	වැසිකිළි				C 9	
		ආදර්ශ විදාහලය	අලුත්වැඩියාව	නඩත්තු	4 500 00	4= 000 00	හෝ	2.2
00				සැලැස්ම	1,500.00	17,000.00	ඉහළ	
99	G/CSL/25/01	ගා/උනන්විටිය රේවත ම.වි.	පැති බැම්ම ඉදි කිරීම	ක්ලීන් ශී ලංකා	1,500.00	23,000.00	C 9 හෝ ඉහළ	2.8
100	G/CSL/25/02	ගා/ඇත්තිලිගොඩ සුදර්ශි ම.වි.	80 X 20 ගොඩනැගිල්ල නවීකරණය	ක්ලීත් ශී ලංකා	1,000.00	16,000.00	C 9 හෝ ඉහළ	1.9
101	G/CSL/25/03	ගා/දෙල්ලව ම.වි.	පැති බැම්ම ඉදි කිරීම	ක්ලීන් ශී ලංකා	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.6
102	M/CSL/25/01	මාර/දම්පැල්ල ම.වි.	සංගීත හා නැටුම් කාමර නවීකරණය	ක්ලීන් ශී ලංකා	1,000.00	9,000.00	C 9 හෝ ඉහළ	1.1
103	G/CSL/25/04	ගා/ රතනසිරි රාජකීය විදාහාලය	ගැහැණු වැසිකිලි ඉදි කිරීම	ක්ලීන් ශී ලංකා	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.7
104	G/CSL/25/05	ගා/ අනුරුද්ධ ක.වි.	වැසිකිලි නවීකරණය (පිරිමි වැසිකිලි 02 හා ගැහැණු වැසිකිලි 04)	ක්ලීත් ශී ලංකා	1,000.00	8,000.00	C 9 හෝ ඉහළ	1.0
105	G/CSL/25/06	ගා/සිරි අහයතිස්ස ම.වි.	ගුරුවරුන්ගේ සහ සිසුන්ගේ වැසිකිලි නවීකරණය	ක්ලීන් ශී ලංකා	1,500.00	22,000.00	C 9 හෝ ඉහළ	2.8
106	G/CSL/25/07	ගා/දික්කුඹුර පුා.වී.	වැසිකිලි පද්ධතියක් ඉදි කිරීම	ක්ලීන් ශී ලංකා	2,500.00	33,000.00	C 8 හෝ ඉහළ	4.2
107	G/CSL/25/08	ගා/හච්ජේ ම.වි.	වැසිකිලි නවීකරණය	ක්ලීන් ශී ලංකා	1,000.00	7,000.00	C 9 හෝ ඉහළ	0.9
108	G/CSL/25/09	ගා/හප්පිටිය ක.වි.	ගුරුවරුන්ගේ වැසිකිලි ඉදි කිරීම	ක්ලීන් ශී ලංකා	1,500.00	29,000.00	C 9 හෝ ඉහළ	3.7
109	G/CSL/25/10	ගා/බටපොල ම.ම.වි.	වැසිකිලි ඉදි කිරීම	ක්ලීන් ශී ලංකා	2,500.00	34,000.00	C 8 හෝ ඉහළ	4.3

<sup>02.</sup> ජාතික තරහකාරී ලංසු පටිපාටිය මත ලංසු ඉදිරිපත් කළ යුතුය. කොන්තුාත් පුදානයේදී සුදුසුකම් ලබන සාර්ථක ලංසුකරුවන් අසාධු ලේඛනගත නොවිය යුතු අතර ඉදිකිරීම් කර්මාන්ත සංවර්ධන අධිකාරියේ ඉහත කාණ්ඩ යටතේ ලියාපදිංචි වී සිටිය යුතුය.

<sup>03</sup>.ලංසු අයදුම්පත් 2025.06.18 දින සිට 2025.07.03 දින දක්වා පෙ.ව 9.00 සිට ප.ව 3.00 දක්වා ඉහත දක්වා ඇති පරිදි ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාාංශයේ ගිණුම් අංශයේ සරප් වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සිය ඉදිරිපත් කර හෝ ආපසු නොගෙවන ගාස්තුව අධාාපන අමාතාාංශ ලේකම් නමින් ගාල්ල කොටුව ලංකා බැංකුවේ ඇති ගිණුම් අංක 1587423 ට බැර කර රිසිට් පත

සමග ඔබගේ ඉල්ලීම් ලිපිය ද.ප. අධාාපත අමාතාංශයේ 070~7130700 දරණ විවස්අප් අංකයට පමණක් හෝ acc.moesp@gmail.com ඊ මේල් ලිපිනයට පමණක් යොමු කිරිමෙන් ඔබට අවශා ලංසු පතිකා තැපැල් මගින් හෝ කූරියර් කර හෝ ඊමේල් මගින් හෝ වටස්අප් මගින් ගෙන්වා ගැනීමට හෝ ලබුදුව,දක්ෂිණපාය අධාාපන අමාතාාංශයෙන් (බිම් මහල) ගිණුම් අංශයෙන් ලබා ගත හැකිය. වැඩි විස්තර අමාතාාංශයේ 091-2030700 දුරකථන අංකයට වැඩ කරන දින ඇමතීමෙන් හෝ ද.ප. අධාාපන අමාතාාංශ වෙබ් අඩවියට www.edumin.sp.gov.lk පිවිසිමෙන් අදාල ලංසු පතිකා පරික්ෂා කල හැකිය.

04. මුදා තබන ලද ලංසු පනිකා 2025.07.04 පෙ.ව 11.00 ට පෙර ලැබෙන සේ ලේකම්, දකුණු පළාත් අධාාපන අමාතාහංශය, දක්ෂිණපාය, ලබුදුව, ගාල්ල යන ලිපිනයට ලියාපදිංචි තැපෑලෙන් එවීමට හෝ අතින් රැගෙන විත් පුධාන ගණකාධිකාරී නිල කාමරයේ තබා ඇති ටෙන්ඩර් පෙට්ටියට බහාලිය හැකිය. පුමාද වී ලැබෙන ලංසු පුතික්ෂේප කරනු ලැබේ.

05.ලංසු විවෘත කිරීම 2025.07.04 දින පෙ.ව 11.00 ට ලංසු පතිකා භාරගෙන අවසන් වූ වහාම දකුණු පළාත් අධාාපන අමාතාංශයේ පුසම්පාදන කමිටු සභාපතිගේ පුධානත්වයෙන් අමාතාාංශයේදී සිදු කරන අතර එම අවස්ථාවට ලංසුකරුට හෝ ලංසුකරුගේ බලයලත් නියෝජිතයන් හට සහභාගී විය හැක.

06. ලංසුව සමහ ඉදිරිපත් කරන ලංසු සුරක්ෂණය ශුී ලංකා වාණිජ බැංකුවකින් දකුණු පළාත් අධාාපන අමාතාංශයේ ලේකම් නමට ලබා ගත් 2025.07. 04 දින සිට 2025.10.04 දක්වා වලංගු ලංසු ඇපකරයක් හෝ අධාාපන අමාතාාංශයේ ගිණුම් අංශය වෙත මුදල් ගෙවීමෙන් අනතුරුව ලබාදෙන මුදල් කුවිතාන්සියේ පිටපත ලංසු පතිකාව සමහ ඉදිරිපත් කළ යුතුය.

07. ලංසු වලංගු කාලය දින 77 කි.

08. ඉදිරිපත් කරනු ලබන කර්මාන්තයට අදාල ලංසු පිටපත් දෙකකින් යුතුව ඉදිරිපත් කළයුතු අතර එහි මුල් පිටපතෙහි " මුල් පිටපත" යනුවෙන් සඳහන් කළ යුතු අතර අනු පිටපතෙහි " අනුපිටපත" යනුවෙන් සඳහන් කළ යුතු අතර අනු පිටපතෙහි " අනුපිටපත" යනුවෙන් සඳහන් කළ යුතුය. ලංසුපත් වල මුල් පිටපත හා අනුපිටපත වෙන වෙනම කවරවල බහා මුදුා තබා එම කවර දෙක එක් කවරයක බහා එම කවරය මුදුා තබා කවරයේ වම් පස උඩකෙළවරේ කර්මාන්තයේ නම සහ අංකය සඳහන් කළ යුතුය.

09. ඔබ විසින් ඉදිරිපත් කිරීමට නියමිත සෑම ලංසු පතිකාවෙහිම මිල ගණන් සදහන් කර ඇති පිටු අංකයන්හි ඔබ විසින් සදහන් කළ යුතු ඒකක මිල ගණන් හා මුඑ මුදල දැක්වෙන තීරය සහ සාරාංශයද (වට්ටම් දැක්වෙන තීරයද ඇතුලත්ව) විනිවිද පෙනෙන සේ සෙලෝටේප් කර ලංසු ඉදිරිපත් කිරීම අනිවාර්ය වේ.

10. ද.ප. අධාාපත අමාතාංශය දැනටමත් දකුණු පළාතේ පාසල්වල ඉදිකිරීම් අලුත්වැඩියා හා නඩත්තු කටයුතුවලට අදාල වාාපෘති සියයක පමණ පුසම්පාදන කටයුතු අවසන් කර ඉදිකිරීම් කටයුතු ආරම්භ කර ඇත.එමෙන්ම මෙම වාාපෘති එකසිය නමයෙහි ද පුසම්පාදන කටයුතු හැකි ඉක්මනින් අවසන් කර වාපෘතිවල වැඩ 2025 වසරේ දෙසැම්බර් මස වනවිට අවසන් කල යුතු බැවින් ලංසුකරුවන්ගේ ධාරිතාවය පිළිබඳ ලංසු පුදානයේදී සලකා බලනු ලැබේ.

11.අඩුපාඩු සහිත ලංසුපතිකා පුතික්ෂේප කරනු ලබන ලැබේ. මෙම පුසම්පාදනය සම්බන්ධයෙන් පුසම්පාදන කමිටුවේ තීරණය අවසාන තීරණය බව සැලකිය යුතුය.

ඒ.යූ.වේලාරත්ත, පුසම්පාදත කමිටු සභාපති, දකුණු පළාත් අධාාපත අමාතාාංශය, පළමු මහල, දක්ෂිණපාය, ලබුදූව, ගාල්ල. 2025.06.18

දුරකථන අංකය - 0912030700 ඊමේල් - acc.moesp@gmail.com

# SECTION 4 FORM OF BID AND QUALIFICATION INFORMATION

#### FORM OF BID

Naı	me of Contract	: CONSTRUCTION OF TOILET SYSTEM AT G/THALANGAHA SARASWATHI TAMIL SCHOOL
To Ger	ntleman,	: Secretary Ministry of Education, Southern Province
1,	[ICTAD/ SB of Quantities offer to exec	nined the Standard Bidding Document - Procurement of Works - Minor Contracts D/03 - Second Edition, January 2007], Schedule, Specifications, Drawings and Bills and addenda for the execution of the above named Works, we/I the undersigned, ute and complete such Works and remedy any defect therein in conformity with the anditions of Contract, Schedule, Specifications, Drawings, Bill of Quantities and for the sum of Sri Lankan Rupees
	(LKR accordance w	) or such other sums as may be ascertained in with the said Conditions.
2,	We/I acknow	ledge that the Schedule forms part of our/my Bid.
3,		ke, if our Bid is accepted, to commence the Works as stipulated in the Schedule, and the whole of the Works comprised in the Contract within the time stated in the
4,	Bidders or an	o abide by this bid for the period stated in the Sub-Clause 15 of Instructions to ny extended period and it shall remain binding upon us and may be accepted at any the expiration of that period.
5,		ntil a formal agreement is prepared and executed this Bid, together with your written hereof, shall constitute a binding contract between us/me.
6,	We/I underst	and that you are not bound to accept the lowest or any Bid you may receive.
		day of
	Signature	:
	Name	:
	Designation	:
	Address	:
	Witness	:

#### **QUALIFICATION INFORMATION**

(to be completed by the bidder and submitted with the Bid)

Registration	Eligibility Requirement	Bidde	r's Qualification
Registration number			
Grade	CIDA C9 or above		
Specialty	Buildings		
Expiry Date			
Backlisted Contractors		•	
Have you been declared as a deforther Agency?	aulted contractor by NPA or a	any	
IF yes provide details			
VAT Registration Number			
Construction Program	(attach as annex)		
Legal status	Public company/Private Cor	npany/Partner	ship/Sole proprietor
A 110 4 1 1 1			-   Ridder's ( ) iialificatio
_	Eligibility Requirement		Bidder's Qualification
Qualification and experience of key staff	Category, Experience and Qualifications	Required No	Proposed by bidder (Name, experience and
_	Category, Experience and	_	Proposed by bidder
_	Category, Experience and Qualifications	No	Proposed by bidder (Name, experience and
_	Category, Experience and Qualifications  1 Site Supervisors	No	Proposed by bidder (Name, experience and
_	Category, Experience and Qualifications  1 Site Supervisors	No	Proposed by bidder (Name, experience and

## **SECTION 5**

## **SCHEDULE**

#### **SCHEDULE**

ITB Clause	Conditions of Clause	of Contract	Item Dat	a
1	1.1.8	Employer is	Name : Secretary	
			Address : Ministry of Education, Souther Province Ground Floor, 'Dakshinapaya	
	1.1.10	Engineer is	Name : District Engineer (Buildings)	
			Address : District Engineer (Buildings)	Office
			Pettigalawaththa, Galle	
1 & 13	1.1.21	Summary of Works	The Works consists of  Located at : YAKKALAMULLA  Contract : CONSTRUCTION OF TO  Name SYSTEM AT G/THALAN  SARASWATHI TAMIL S	<i>GAHA</i>
			Contract : <i>G/C/25/55</i> Number	
1	1.1.14	Intended Completion Date	Intended Completion Date is 74 I from the Start Date	Days
2		Source of Funds	The source of funds is <b>PSDG</b>	
3		Eligibility	The requirement is CIDA C9 or above Buildings	
12		Documents of the Bid	Any other information to contact with 091	2030700
13	10.10	Price Adjustment	The Contract <b>is not</b> subject to price adjin accordance with Sub-Clause 10.10 of the Conditions of Contract.	ustment
			The price adjustment shall be computed in a with Option B under sub clause 10.10.	ccordance
			Non adjustable element shall be: BOQ Item Numbers :	
			Option B: Type of Construction: Non residential by	uildings

ITB Clause	Conditions of	f Contract	Item	Data
16		Bid Security	Bid shall include a Bid Security:	
			<ul> <li>for an amount LKR         by an agency acceptable to Empfor bid security (unconditional in Section 9, Standard Forms, remain valid till 04th Octo         OR</li> <li>Bid Security amount can be paid Employer</li> </ul>	guarantee) included ber 2025
31	4.4	Performance Security	Amount of Performance Security re the Initial Contract Price	equired is <b>5%</b> of
			The form acceptable is unconditions standard form as per SBD/03	al guarantee as
	6.4	Late Completion	The amount to be paid is <b>0.05</b> % Price per Day, subjected to maximul Contract Price.	
	8.1	Notification of Defects	The period for Defect Notificat from Taking Over.	ion is <b>90</b> Days
	10.3	Retention	The amount of retention is <b>10</b> % of done.  The maximum amount of retention Contract Price.	
	10.12	Advance Payment	Upon the payment of the advance Employer shall return the origin payment guarantee to the Contractor	nal of the advance
	13.1 ( c )	Insurance, third party	Minimum amount for third party 100,000.00	insurance is LKR
	13.1 (a)	Insurance for Works, Material and plant	The minimum cover for insurance of plant and materials is <b>110%</b> of initial	
	13.1	Insurance for Contractor's Personnel	Minimum amount for Insurance is I	LKR 500,000.00
33	1.1.11	Adjudicator	CIDA	
	14.0	Resolution of Disputes	<b>Deputy Chief Secretary (Enginee Southern Province</b>	ring Services),
			Fees and types of reimbursable ex the Adjudicator shall be on a cas shall be shared by the Contractor ar	e to case basis and

# SECTION 6 SPECIFICATIONS

#### TECHNICAL SPECIFICATIONS

Technical specification that are applicable to this project are listed below:

• SCA/3/1	-	Irrigation and Land Drainage

- Water Supply Sewerage and Storm Water Drainage • SCA/3/2

- Reclamation Works • SCA/3/3

• SCA/3/4 - Ground Water Exploration & Exploitation

• SCA/4/I - Building Works (Vol I) • SCA/4/II - Building Works (Vol II)

• SCA/5 - Roads and Bridges

• SCA/6 - Coastal Harbour Engineering Works

• SCA/8 - Electrical and Mechanical Works

• ICTAD/DEV/16 - Board & Cast In situ Reinforced Concrete Piles

Site Investigation for Building Works & Sample Bill of • ICTAD/DEV/17

Quantities

• Any other specification approved by the Government.

Above publications shall be purchase from the Construction Industry Development Authority (CIDA), Savusiripaya, 123. Wijerama Mawatha, Colombo 07.

# SECTION 7 BILLS OF QUANTITIES

# CONSTRUCTION OF TOILET SYSTEM AT G/THALANGAHA SARASWATHI TAMIL SCHOOL

ID	Description	Unit	Qty.	Rate	Amount
	FOUR UNITS TO				
	Earth Work				
1	Excavation for column and wall foundation by manually in any material except rock requiring blasting, part return fill in and ram, and disposing surplus within site as directed. (not exceeding 5ft depth)	cu.m	7.60		
2	Filling under floors with gravel or other approved quality of filling, spread, watered and well rammed in 3" layers (materials not available at site)(Transport within first mile)	cu.m	1.70		
3	Earth cutting and levelling site by manually in any material except rock requiring blasting, including transporting within 1/4 mile, depositing and levelling	cu.m	4.00		
	Total carried to summary				
	Brick Work				
4	Brickwork in cement : sand mortar 1:5 in piers (Ground Floor).	cu.m	0.15		
5	Brickwork 112mm in cement : sand mortar 1:5 (Ground Floor)	sq.m	33.00		

_			0.56	
6	Cement concrete grill approved	sq.m	2.50	
	quality supply and fixing with cement			
	slurry. (without colour washing)			
7	Manhole 1'-6"x 1'-6"x 1'-3" (	nr	2.00	
	internally) concreting base 4" thick			
	& channels with 1:2:4 ( 3/4" ) ct.			
	concrete including 2" thick, concrete			
	screed with 1:3:6 (1" ) con. mixture.			
	4" concrete wall with 1:2:4 ( 3/4"			
	)con. mixture . Internally Plastered			
	with 1:3, 3/4" thick ct. mortar with			
	water proofing compound 10% (by			
	cement) weight of cement as super			
	latex 302 or equivalent finished			
	smooth with neat ct. floating			
	including channels & Pad plaster			
	1:3, 1/2" thick finished smooth with			
	cement floating.shall be water tight.			
	Rate to include for concrete cover			
	slab 3" thick with 1:2:4 ( 3/4" ) con.			
	mixture r/f with.10 mm dia.			
	T.S rods @ 6" c/s. both ways, with 2			
	nos lifting handles. (as per detail Draw			
	No.SPES/Rate23/Bk-15.)			
8	Supplying & installing Cement	nr	1.00	
	Concrete Hume pipe sokage pit with			
	precast cover slab - ( 900 dia x 2250			
	mm hight) ,( 6'-0" deep from the			
	sewer pipe). Rate to include for 225			
	mm thick in 1:5 ct: sand mortar Brick			
	walls , around top of hume pipe &			
	including 1:3 ct, & sand plastering			
	1/2" thick finished smooth with neat			
	ct. floating up to a depth of 6" below			
	from the invert level of the sewer			

pipe . Concreting pad ( curb ) on		
brick wall with 1:2:4( 3/4") conc.		
mixture and plastering curb 1:3 ct. &		
sand, 1/2" thick finished smooth with		
neat ct. floating . (as per Draw		
No.SPES/Rate23/Bk-12.)		
Total carried to summary		

ID	Description	Unit	Qty.	Rate	Amount
	Concretor				
9	Cement concrete 1:3:6 (1") up to 3.00 m3(Shuttering paid separately) incl: curing(Grade 15)-screed under foundation	cu.m	0.90		
10	Cement concrete 1:2:4(3/4") (Gr.20 concrete) (R/F and Shuttering paid separately)incl: curing( manual mixing up to 3m3 )column base, stiffener, copping	cu.m	0.80		
11	Cement concrete 1:2:4(3/4") in column shafts in ground floor, using mixer and vibrator.Rate to include curing.(Reinforcement, shuttering and finishes paid separately) -Gr.20		1.00		
12	Cement concrete 1:2 1/2:5(1") mix: up to 3.0 m3 (Shuttering paid separately) incl: curing-in floor and ramp	cu.m	1.50		
13	Lintel, cement concrete 1:2:4(3/4") (Gr.20) 9" x 6" (Reinforcement paid separately). Rate including shuttering &curing	m	11.80		

14	Roof flat cement concrete 75 mm thick 1:2:4( 20 mm ) mix, With 10.0mm dia. Tor Steel rods at 150 mm c/c both ways. Rate to include for15mm thick plywood formwork, side & soffit plastering with 1:3,10.0 mm thick ct. mortar, , and plastering top of the slab, 3/4" thick in cement,sand 1:3 with Water proofing compound(10% by weight of cement)as super latex- 302 or equvalent finished smooth with cement floating. Rate to including 1"x3/4" copping(wehikenda)underside of the slab.	sq.m	10.80	
15	Concrete work table with 1:2:4(3/4") con. mixture 3" thick R/F with 10mm dia: tore steel at 150mm c/c bothways including 15mm plywood formwork to achieve the smooth finish of the soffit .	sq.m	1.65	
	Total carried to summary			
	Reinforcement			
16	10/12mm Tor steel in column base and shaft-Up to DPC	kg	54.00	
17	12/10mm Tor steel in column,copping,lintol and stiffner-Ground floor	kg	96.00	
18	6mm Mild Steel links in column,lintol- Ground floor	kg	26.00	
19	6mm Mild Steel links in Columns-Up	kg	6.00	

	to DPC			
	Total carried to summary			
	R R Masonry			
20	Random Rubble Masonry in cement mortar 1:5 in substructure (6"- 9" rubble)	cu.m	4.70	
	Total carried to summary			
	<u>Pavior</u>			
21	300 x 600 mm Ceramic floor tiles(colour) with all specials supplying and fixing to floors including raking plaster 1:3 and bedding in Tile motar pointed with tile grout.(Use lanka tiles) as per the engineer's instruction.	sq.m	4.00	
22	Wall Tiles glazed colour 300 x 600 mm with all specials, supplying and fixing to walls including raking 1:3 plaster bedding in tile mortar and pointed with tile grout to match the tiles.(Use Lanka tiles )as per the engineer's instruction.	sq.m	15.00	
	Total carried to summary			

ID	Description	Unit	Qty.	Rate	Amount
	<u>Plasterer</u>				
23	D.P.C 3/4" thick in cement, sand 1:3 finished smooth with 2 coats of DPC tar blinded with sand	sq.m	7.00		
24	Cement Sand plastering to wall 1:5, (5/8") thick semi rough G: floor rate to include curing-external	sq.m	42.00		
25	Cement Sand plastering to wall 1:5, (5/8") thick semi rough G: floor rate to include curing-internal	sq.m	18.00		
26	3/4" thk Rendering in Cement and sand 1:3 in floors finished smooth Rate to include curing, -plinth plaster	sq.m	4.20		
27	1/2" thk 1:3 Cement Rendering finished smooth with neat cement floating, Ground floor(sand to be sieved with 1/8" nets) Rate to include curing	sq.m	10.00		
28	1:3 Rendering cement ,1" thick cement copping finish smooth with neat cement floating ( in Ground Floor)	sq.m	1.20		
	Total carried to summary				
	Painter & Decorator				
29	Painting walls with one coats of Acrylic wall filler for external wall	sq.m	47.00		

	(new work or after preparation of old wall) -Ground floor			
30	Applying skim coat & one coats of wall filler (smooth platered new work or after preparation of old wall)	sq.m	18.00	
31	Wethershield paint to external,Internal faces of wall and slab soffit 02coat apply using roller brush 2" brush ( ground Floor)	sq.m	71.00	
32	Painting plinth and skirting with floor paint, 1 coat including preparing surface	sq.m	6.00	
	Total carried to summary			
	<u>Plumber</u>			
33	Supplying and fixing Closet with footrest, squatting type (Rocell) white clour, with trap .( Squatting pan )	nr	4.00	
34	Suppling and fixing PVC 1/2"bib tap, (Water Tec/ S lon)	nr	4.00	
35	Supplying and fixing Pipes P. V. C. ½" - PNT 14 rate to include socket & joints and also include excavating backfilling or breaking wall or floor upto required depth	m	10.00	

ID	Description	Unit	Qty.	Rate	Amount
36	Supplying and fixing Stop valve, Plastic 3/4" ."S-lon"/"Water Tec"	nr	2.00		
37	Supplying and fixing Pipes P. V. C. 11/2" - 600 Type PNT 7 rate to include socket & joints and also include excavating backfilling or breaking wall or floor upto required depth	m	5.00		
38	P.V.C. pipes 110 mm dia.( 4" ) type 250 laid under ground not exceeding 600 mm depth. Rate to include for necessary excavation, ct.Con. Bedding & covering with 1:3:6 ( 1" ) conc. mixture. Concrete Paid Seperately. For special purpose only	m	10.00		
39	Supplying and fixing stainless steel sink with (450X450 mm "Prince") with sawn neck tap 1/2" dia (Slon ) 1/2" flexible hose ("Slon " 18" long)1/2" angle valve S-lon etc. All complete to working order.	nr	4.00		
40	Supplying and fixing Pipes P. V. C. 3/4" - PNT 11 rate to include socket & joints and also include excavating backfilling or breaking wall or floor upto required depth	m	10.00		
41	Supplying and fixing Bidet shower Plastic (water tec or equivalent)" with 1/2" angle valve PVC	nr	4.00		
	Total carried to summary				

Aluminium natural anodized fully composite board (Al/PVC Composite board) door with frame (1 Nr door sash) as per Drg. No.  SPES/RATE23/D/04.  Overall size of the door frame is 750x1950mm. (Size may be changed according to the site) Door frame consisting top and side bars (50x25x0.9mm box bars) with 18x11mm door stopper bar using 5/32x3/8" Al rivets and fixing with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets. Frame should be fixed to wall with 8 Nrs of No 6 rowl plugs and 8x3" ST screws. Door sash consisting top, sides, bottom and 2 Nrs of middle bars (50x25x0.9mm box bars). Sash frame should be fixed with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets, 3 mm thick Al/PVC double side composite board for full door should be fixed using 1/8x3/8" Al rivets. Rate should be included for supplying and fixing required Mohair beading, 3 Nrs of 100x75mm Aluminium hinges using 5/32x3/8" Al rivets, 2 Nrs of Aluminium plate door handle, 2 Nrs of 2" Al Barrel Bolt, Screwer Paper invets (Silicone other)		<u>Alluminium</u>				
Total carried to summary	42	Aluminium natural anodized fully composite board (Al/PVC Composite board) door with frame (1 Nr door sash) as per Drg. No. SPES/RATE23/D/04. Overall size of the door frame is 750x1950mm. (Size may be changed according to the site) Door frame consisting top and side bars (50x25x0.9mm box bars) with 18x11mm door stopper bar using 5/32x3/8" Al rivets and fixing with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets. Frame should be fixed to wall with 8 Nrs of No 6 rowl plugs and 8x3" ST screws. Door sash consisting top, sides, bottom and 2 Nrs of middle bars (50x25x0.9mm box bars). Sash frame should be fixed with 38x38x2.5mm Al bracket using 1/8x3/8" Al rivets, 3mm thick Al/PVC double side composite board for full door should be fixed using 1/8x3/8" Al rivets. Rate should be included for supplying and fixing required Mohair beading, 3 Nrs of 100x75mm Aluminium hinges using 5/32x3/8" Al rivets, 2 Nrs of Aluminium plate door handle, 2 Nrs of 2" Al Barrel Bolt, Screws, Pop rivets, Silicone etc.	sq.m	6.50		

ID	Description	Unit	Qty.	Rate	Amount
	Form work				
43	Sawn timber (class II) formwork for sides of foundation footings.	sq.m	3.00		
44	Shuttering for column shaft 225x225mm including 2mm iron plate and 25mm x 25mm x3mm angle iron welded to bended plate horizontally at 300mm c/c. Rate to include U clips,acro jacks.and dismantling same when required (Rate to include 100mm high 3mm thick sponge layer stick on around concrete column at every lapping face ) -(As per detail Drawing No SPES/Rate 23/Fw- 09)Ground floor	sq.m	17.00		
45	Shuttering for 4 1/2"X 3"concrete copping using Class (II) timber planks (Rate to include dismantling same when required).for both sides	m	7.50		
46	Shuttering for 0'-4 1/2''x0'-9"concrete stiffener including Class (II) timber planks and joists necessary props. (Rate to include dismantling same when required).	sq.m	4.00		
	Total carried to summary				

# CONSTRUCTION OF TOILET SYSTEM AT G/THALANGAHA SARASWATHI TAMIL SCHOOL

Rate Schedule	Amount
FOUR UNITS TOILET BLOCK	
Earth Work	
Brick Work	
Concretor	
Reinforcement	
R R Masonry	
Pavior	
Plasterer	
Painter & Decorator	
Plumber	
Alluminium	
Form work	
Total	
Total :	
Less PS:	
Discounts (%):	
(+) PS:	
Contract Amount:	

G/C/25/55

# CONSTRUCTION OF TOILET SYSTEM AT G/THALANGAHA SARASWATHI TAMIL SCHOOL

LKR
LKR  LKR  -  LKR
LKR
LKR
LKR
LKR
LKR
percentage. Otherwise, it will be ed to variations in quantity."

# SECTION 8 DRAWINGS

# SECTION 9 STANDARD FORMS

• Form of Bid Security

#### [Letter heading paper of the procuring entity]

[	this Guarantee form shall be filled in accordance with the instructions indicated in brackets]
issuin	[insert g agency's name, and address of issuing branch or office]
Renef	iciary :[insert
Dener	employer position, office and address]
Date	: [insert date]
	BID SECURITY
BID (	GUARANTEE No. : [insert number]
We ha	ave been informed that[insert name
	bidder] (hereinafter called "the bidder") has submitted to you its bid dated
	t date](hereinafter called "the Bid") for the execution of
Furthe Guara	ermore, we understand that, according to your conditions, Bids must be supported by a Bid ntee.
sums receip	the request of the bidder, we
(a)	has withdrawn its Bid during the period of bid validity specified; or
(b)	does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or
(c)	having been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB.
Contra bidder	Guarantee shall expire: (a) if the bidder is the successful bidder, upon our receipt of copies of the act signed by the bidder and of the Performance Security issued to you by the bidder; or (b) if the r is not the successful bidder, upon the earlier of the successful bidder furnishing the performance ty, otherwise it will remain in force up to
	equently, any demand for payment under this Guarantee must be received by us at the office on or e that date.
[signa	nture(s) of authorized representative(s)

### **Check List for Bidders**

Bidders are advised to fill the following table:

ITEM	ITB Clause	YES (tick)	REFERENCE
Form of Bid			
Addressed to the Employer?	18		
Completed?	18		
Signed?	18		
Bid Security (if required)			
Addressed to the Employer?	16		
Format as required?	16		
Issuing Agency as specified?	16		
Amount as requested?	16		
Validity 28 days beyond the validity of Bid?	16		
Qualification Information			
All relevant information completed?	4		
Signed?	4		
Addendum			
Content of the addendum (if any) taken in to account?	10		
BID Package			
All the documents given in ITB Clause 12 enclosed in the original and copy?	12		
ITB Clause 19 followed before Sealing the Bid Package?	19		